

# CreateReqInboundBulk (Post)

This Post API can be used to create/update inbound Requisition document in Leo.

URL Format: - <https://<instance>/leo-requisition-inbound/api/v2/ReqInbound/CreateReqInboundBulk>

## Request Body: -

```
{ "_id": "61ff505a-760b-49a1-a0dc-f6f43c6575fa", "addDefaultLine": false, "attachments": [ { "fileName": "", "fileSize": 0, "createdOn": "2025-01-14T12:19:14.151Z", "isInternalOnly": false, "isEncrypted": false, "isIndexed": false, "isSearchable": false, "isZipped": false, "isDeleted": false, "isEditable": false, "fileDisplayName": "", "sequenceNo": 0, "id": "", "name": "", "code": "", "createdBy": { "firstName": "", "lastName": "", "fullName": "", "emailId": "", "contactCode": 0, "isActive": false, "userId": 0, "buyerPartnerName": "", "clientContactCode": "" }, "classificationType": { "culture": "", "version": 0, "id": "", "name": "", "code": "" } }, { "auditFields": { "createdBy": "7002182902009760", "createdDateTime": "2025-02-07T15:22:00.133Z", "modifiedBy": "7002182902009760", "modifiedDateTime": "2025-02-07T15:22:00.133Z", "transactionScopeId": "908de925-6e8e-4251-b40c-0b4533856524", "ver": 1 }, "baseCurrencyConversionFactor": 1, "basicDetails": { "createdOn": "2025-02-07T15:21:59.314Z", "documentName": "Copy of Test Contract", "documentNumber": "REQS0161969", "lastModifiedDate": "2025-02-07T15:22:00Z", "inboundSourceSystem": "", "inboundSourceReferenceNo": "", "documentRedirectionUrl": "", "getReqExpediters": "", "approversInfo": [], "modifiedBy": { "userId": "620824", "contactCode": "7002182902009760", "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "emailAddress": "Req@gep.com", "clientContactCode": "CC-2024.068496" }, "reviewersInfo": [], "documentLobDetails": [ { "entityDetailCode": 691825, "entityName": "Chevron Bangladesh Blk 13/14", "entityType": "Plant", "entityCode": "1600009089", "parentEntityDetailCode": 692123, "parentEntity": "BU-Company code", "parentEntityCode": "Bangladesh-09089", "lobName": "BDH", "lobCode": "BDH", "lobEntityDetailCode": 691824, "parentDetails": [ { "entityDetailCode": 691825, "entityName": "Chevron Bangladesh Blk 13/14", "level": 5, "entityCode": "1600009089", "entityType": "Plant" }, { "entityDetailCode": 692123, "entityName": "Bangladesh-09089", "level": 4, "entityCode": "Bangladesh-09089", "entityType": "BU-Company code" }, { "entityDetailCode": 692122, "entityName": "Bangladesh", "level": 3, "entityCode": "Bangladesh", "entityType": "Business Unit" }, { "entityDetailCode": 691824, "entityName": "BDH", "level": 2, "entityCode": "BDH", "entityType": "Division" }, { "entityDetailCode": 1, "entityName": "Organization", "level": 1, "entityCode": "Organization", "entityType": "Organization" } ], "additionalOrgEntityDetails": [ { "entityCode": "09089", "entityName": "09089-Chevron Bangladesh Blk 13 & 14L", "entityDetailCode": 692120, "level": 5, "entityType": "Company code" } ], "orgHierarchy": "691825,692123,692122,691824,1" }, "createdOnBehalfOf": { "userId": "", "contactCode": "", "firstName": "", "lastName": "", "fullName": "", "emailAddress": "", "clientContactCode": "", "stakeholderType": 0 }, "fixedAssetsReviewersInfo": [], "docStatus": { "name": "Draft", "id": 1 }, "purchaseType": { "code": "1", "name": "Non Stock", "description": "Non Stock", "metaData": { "purchaseTypeLevel": "0" }, "clientCode": "Non Stock" }, "creator": { "userId": "620824", "contactCode": "7002182902009760", "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "emailAddress": "Req@gep.com", "clientContactCode": "CC-2024.068496" }, "defaultCategory": { "code": 0, "description": "", "displayName": "", "level": 0, "name": "", "clientCode": "", "id": 0, "parentIds": [] }, "orderContact": { "userId": "", "contactCode": "", "firstName": "", "lastName": "", "fullName": "", "emailAddress": "", "clientContactCode": "" }, "contract": { "code": "", "name": "", "supplier": "", "id": 0, "contractExpiryDate": "2025-01-14T12:19:14.151Z", "contractValue": 0 }, "headerAccountingDetails": [ { "entityCode": "", "entityDetailCode": 0, "entityName": "", "entityDetailInfo": "", "entityType": "", "lobName": "", "displayName": "", "parentEntityDetailCode": 0, "parentEntity": "", "parentEntityCode": "", "lobCode": "", "lobEntityDetailCode": 0, "accountDisplayName": "", "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, { "entityDetailCode": 0, "entityName": "", "entityDetailInfo": "", "entityType": "", "lobName": "", "displayName": "", "parentEntityDetailCode": 0, "parentEntity": "", "parentEntityCode": "", "lobCode": "", "lobEntityDetailCode": 0, "accountDisplayName": "" } ] } ] }
```

```
"parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ],
"headerExpediter": { "code": "", "parentCode": "", "name": "", "orgEntityDetailCode": "" }, "billtoLocation": {
"adhocAddedAtLine": false, "locationId": "a376a585-bbde-49e1-9cfb-fca068c8c991", "lob": { "code": "BDH",
"name": "BDH" }, "orgEntity": [ { "orgEntityDetailCode": "ALL", "orgEntityDetailName": "ALL" } ], "addressCode":
"692314929", "isDefault": false, "locationType": 1, "locationNumber": "100", "locationName": "American
Overseas Petroleum Limited", "contactName": null, "contactEmail": null, "contactPhone": null,
"defaultOrgEntity": [], "allowForFutureReference": false, "isAdhoc": false, "coordinates": "",
"taxJurisdictionCode": null, "contactCode": null, "isActive": true, "address": { "addressline1": "123 Rose Street
100", "addressline2": "", "addressline3": "", "areaCode": "", "city": "DHAKA", "countryInfo": { "countryCode": "BD",
"countryName": "Bangladesh" }, "county": "", "displayAddress": "123 Rose Street 100,DHAKA,Bangladesh,1212",
"extenstionNo1": "", "extenstionNo2": "", "faxNo": "", "geoCode": "", "isdCode": "", "mobileNo": "", "phoneNo1": "",
"phoneNo2": "", "poBoxnumber": "", "stateInfo": { "stateAbbreviationCode": "", "stateName": "" }, "zipCode":
"1212" } }, "budgetDetails": { "amountConsumed": 0, "availableAmount": 0, "documentID": "", "documentName":
"", "documentNumber": "", "documentRootId": "", "documentType": "", "endDate": "", "orgEntityDetailCode": 0,
"startDate": "", "totalAmount": 0 }, "changeReqDeltaAmount": 0, "deliverTo": "", "deliverToDetails": "",
"documentId": "61FF505A-760B-49A1-A0DC-F6F43C6575FA", "documentNumberSequence": 0,
"documentSource": "bulkUpload", "documentType": "Leo_Requisition", "fixedAssets": [],
"headerCustomAttributes": { "originatingSystemURL": "", "cAPEXID": "", "pOLegacyNumber": "",
"requisitionLegacyNumber": "", "pRautosubmitQuickCheckout": 0, "originatingSystemName": 0,
"leaseitemdelivered": 0, "intercompanyOrderType": 0, "autoFlip": 0, "doyouhavequotefromthesupplier": 0,
"leaseRepaymentFrequency": 0, "maximoomoutagetaprojectNumber": "", "localReferenceNumber": "", "externalId":
"", "deliveryInstructions1": "Del Ins 1", "deliveryInstructions2": "Del Ins 2", "retainage": "", "prioritycriticality":
"", "equipmentTag": "", "assetId": "", "ocsgNumber": "", "outageTa": { "name": "", "code": "" }, "projectDescription":
{ "name": "", "code": "" }, "reasonForPlacement": { "code": "BPA", "name": "Blanket Purchase Agreement" },
"expeditepriority": { "code": "3", "name": "Normal Delivery" }, "technicalQuery": { "name": "", "code": "" },
"originatingSystem": { "code": "XML PR", "name": "XML PR" }, "poDestination": { "code": "JBD", "name": "JB
Drilling Site" }, "transportation": { "code": "R", "name": "Road" }, "localuse": { "code": "C", "name": "THAILAND" },
"afep": { "name": "", "code": "" }, "vabReview": { "name": "", "code": "" }, "poaApproval": { "name": "No", "code":
"No" }, "oboApprovalOnOrder": { "name": "", "code": "" }, "derivedItemSource": { "name": "", "code": "" },
"poaApprovals": { "name": "", "code": "" }, "reqLineChangeRequired": { "name": "", "code": "" },
"reqHeaderExpediter": { "entityDetailCode": 1848505, "entityName": "Oak Dale Apts. TC", "entityType":
"Expediter", "entityCode": "3", "parentEntityDetailCode": 691824, "parentEntity": "Division",
"parentEntityCode": "BDH", "lobName": "BDH", "lobCode": "BDH", "lobEntityDetailCode": 691824 } },
"hierarchyCode": "", "interfaceDetail": { "sourceSystemName": "", "sourceSystemValue": "", "interFaceStatus": "",
"interfaceStatusId": 0, "outboundDateTime": "", "errorMessage": "" }, "isDeleted": false, "isHeaderADREnabled":
true, "isUrgent": false, "modelSubType": "Indirect_REQ", "nonOrgEntityDetailCodes": [], "notesAndLinks": [ {
"type": 0, "isEditable": false, "description": "", "sequenceNo": 0, "createdOn": "2025-01-14T12:19:14.151Z",
"modifiedOn": "2025-01-14T12:19:14.151Z", "id": "", "name": "", "code": "", "test": "", "visibility": { "id": "",
"name": "", "code": "" }, "flag": { "id": "", "name": "", "code": "" }, "classificationType": { "culture": "", "version": 0,
"id": "", "name": "", "code": "" }, "createdBy": { "firstName": "", "lastName": "", "fullName": "", "emailId": "",
"contactCode": 0, "isActive": false, "userId": 0, "buyerPartnerName": "", "clientContactCode": "" }, "modifiedBy": {
"firstName": "", "lastName": "", "fullName": "", "emailId": "", "contactCode": 0, "isActive": false, "userId": 0,
"buyerPartnerName": "", "clientContactCode": "" } } ], "operationType": "New", "orderCurrencyInfo": { "code":
"USD", "name": "US Dollar" }, "orgEntityDetailCodes": [], "shiptoLocation": { "adhocAddedAtLine": false,
"locationId": "e91ae69e-c326-4375-9c16-9816cab6e6e5", "lob": { "code": "BDH", "name": "BDH" }, "orgEntity": [
{ "orgEntityDetailCode": "ALL", "orgEntityDetailName": "ALL" } ], "addressCode": "837375456", "isDefault": false,
"locationType": 0, "locationNumber": "1001101", "locationName": "PERSONNEL MANAGEMENT ASSOCIATION
OF", "contactName": null, "contactEmail": null, "contactPhone": "", "defaultOrgEntity": [],
"allowForFutureReference": true, "isAdhoc": false, "coordinates": "", "taxJurisdictionCode": null, "contactCode":
null, "isActive": true, "address": { "addressline1": "THAILAND 300/2-3 SOI LADPRAO 132 LADPRAO ROAD
KLONGCHAN, BANGKAPI", "addressline2": "", "addressline3": "", "areaCode": "", "city": "BANGKOK",
"countryInfo": { "countryCode": "TH", "countryName": "Thailand" }, "county": "", "displayAddress": "THAILAND
300/2-3 SOI LADPRAO 132 LADPRAO ROAD KLONGCHAN, BANGKAPI,BANGKOK,Thailand,10240",
```

"extenstionNo1": "", "extenstionNo2": "", "faxNo": "", "geoCode": "", "isdCode": "", "mobileNo": "", "phoneNo1": "", "phoneNo2": "", "poBoxnumber": "", "stateInfo": { "stateAbbreviationCode": "", "stateName": "" }, "zipCode": "10240" }, "stakeholders": [ { "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "contactCode": "7002182902009760", "emailId": "Req@gep.com", "userId": "CC-2024.068496", "stakeholderType": 1, "stakeholderTypeInfo": "Creator", "groupName": "" }, { "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "contactCode": "7002182902009760", "emailId": "Req@gep.com", "userId": "CC-2024.068496", "stakeholderType": 2, "stakeholderTypeInfo": "Requestor", "groupName": "" } ], "teamMembers": [], "totalAmount": 10, "totalAmountBase": 10, "totalBeforeSubmit": 10, "versionDetails": { "displayVersion": "0000", "copyReq": true, "changeReq": false, "latestChangeReqSeq": 0, "parentDocNo": "", "parentDocIds": [], "prevReqTotalAmount": 0, "rootDocId": "61FF505A-760B-49A1-A0DC-F6F43C6575FA", "copyReqReference": "XMLPR\_RK\_test8-19" }, "hasAssetCancelAccess": false, "hasBasicUserAccess": false, "isGlobalPurchasingPersona": "No", "orderItems": [ { "\_id": "e4eb7322-9075-4bcea73a-4fc75b847b5a", "additionalCharges": 0, "auditFields": { "createdBy": "7002182902009760", "createdDateTime": "2025-02-07T15:22:00.204Z", "modifiedBy": "7002182902009760", "modifiedDateTime": "2025-02-07T15:22:00.204Z", "transactionScopeId": "908de925-6e8e-4251-b40c-0b4533856524", "ver": 1 }, "banding": 0, "baseCurrencyConversionFactor": 0, "basicDetails": { "createdOn": "2025-02-07T15:21:59.314Z", "documentLobDetails": [ { "entityDetailCode": 691825, "entityName": "Chevron Bangladesh Blk 13/14", "entityType": "Plant", "entityCode": "1600009089", "parentEntityDetailCode": 692123, "parentEntity": "BU-Company code", "parentEntityCode": "Bangladesh-09089", "lobName": "BDH", "lobCode": "BDH", "lobEntityDetailCode": 691824, "parentDetails": [ { "entityDetailCode": 691825, "entityName": "Chevron Bangladesh Blk 13/14", "entityType": "Plant", "entityCode": "1600009089", "level": 5 }, { "entityDetailCode": 692123, "entityName": "Bangladesh-09089", "entityType": "BU-Company code", "entityCode": "Bangladesh-09089", "level": 4 }, { "entityDetailCode": 692122, "entityName": "Bangladesh", "entityType": "Business Unit", "entityCode": "Bangladesh", "level": 3 }, { "entityDetailCode": 691824, "entityName": "BDH", "entityType": "Division", "entityCode": "BDH", "level": 2 }, { "entityDetailCode": 1, "entityName": "Organization", "entityType": "Organization", "entityCode": "Organization", "level": 1 } ] }, "purchaseType": { "code": "1", "name": "Non Stock", "description": "Non Stock", "metaData": { "purchaseTypeLevel": "0" }, "clientCode": "Non Stock" }, "billtoLocation": { "adhocAddedAtLine": false, "addressCode": "", "allowForFutureReference": false, "contactEmail": "", "contactName": "", "contactPhone": "", "coordinates": "", "isActive": false, "isActiveVersion": false, "isAdhoc": false, "isDefault": false, "locationId": "", "locationName": "", "locationNumber": "", "locationType": 0, "taxJurisdictionCode": "", "version": 0, "defaultOrgEntity": [], "saveForMe": false, "contactCode": "", "address": { "addressline1": "", "addressline2": "", "addressline3": "", "areaCode": "", "city": "", "county": "", "displayAddress": "", "extenstionNo1": "", "extenstionNo2": "", "faxNo": "", "geoCode": "", "isdCode": "", "mobileNo": "", "phoneNo1": "", "phoneNo2": "", "poBoxnumber": "", "zipCode": "", "countryInfo": { "countryCode": "", "countryName": "" }, "stateInfo": { "stateAbbreviationCode": "", "stateName": "" } }, "lob": { "code": "", "name": "" }, "orgEntity": [ { "orgEntityDetailCode": "", "orgEntityDetailName": "" } ] }, "catalogName": "", "catalogNumber": "", "commentText": "", "commodity": { "name": "", "description": "", "clientCode": "", "id": "" }, "parentCommodities": [ { "id": 0, "name": "", "description": "", "clientCode": "", "parentClientCode": "" } ] }, "contract": { "isSmartContract": true, "isMigrated": false, "contractNumber": "2023.036544", "contractName": "BDH Parent Contract", "contractExpiryDate": null, "contractValue": 100000000000, "smartPartnerCode": 4086, "effectiveDate": "2025-01-14T12:19:14.131Z" }, "contractSponsor": { "userId": "", "contactCode": "", "firstName": "", "lastName": "", "fullName": "", "emailAddress": "", "clientContactCode": "", "stakeholderType": 0 }, "customerItemNumber": "", "deliverTo": "", "deliverToAddress": null, "description": "Test line item desc", "documentId": "61FF505A-760B-49A1-A0DC-F6F43C6575FA", "documentName": "Copy of Test Contract", "documentNumber": "REQQS0161969", "erpLineNumber": "", "freightCharges": 0, "incoTermLocation": "", "incoterms": { "code": "", "description": "" }, "isAISuggestionAvailable": false, "isDeleted": false, "isFlexiblePricing": false, "isHeaderADREnabledInLine": true, "itemCategory": { "id": 7002182950000852, "name": "53A - MRO Flanges and Fittings - Carbon Steel", "description": "", "clientCode": "53A", "level": 4, "displayName": "53A - MRO Flanges and Fittings - Carbon Steel", "code": 7002182950000852, "parentIds": [ 7002182950001345, 7002182950001240, 7002182950000012, 7002182950000852 ] }, "itemName": null, "itemSource": { "code": "1", "description": "Manual" }, "itemType": { "allowDecimalValue": false, "allowDecimal": false, "decimalPrecision": 0, "code": "1", "description": "Material", "clientCode": null }, "itemTypePriceBasis": { "allowDecimalValue": false, "allowDecimal": false, "decimalPrecision": 0, "code": "0", "description": "Quantity

Based", "clientCode": "" }, "lineBaseCurrencyConversionFactor": 1, "lineCurrencyInfo": { "code": "USD", "name": "US Dollar" }, "lineCustomAttributes": { "environmentFriendly": "", "hCPID": "", "eventID": "", "product": "", "uniqueLineRef": "", "assetTaggingNumber": "", "externalItemSource": "", "leaseStartDate": "2025-01-14T12:19:14.131Z", "leaseEndDate": "2025-01-14T12:19:14.131Z", "allowAdvances": "", "advancePercentage": "", "advanceAmount": "", "advanceReleaseDate": "", "storageBin": "", "goodsRecipient": "", "unloadingPoint": "", "localReferenceNumber": "", "sourceReference": "", "poText": "", "localReferenceField": "ReferenceValue", "usExportControlClassifNo": "ECCN123", "localContentPercentage": "2", "subledger": "", "itemCrossReference": "", "vabComment": "", "requestedDate": "2025-01-14T12:19:14.131Z", "storageLocation": { "name": "", "code": "" }, "serialFlag": { "name": "", "code": "" }, "batchFlag": { "name": "", "code": "" }, "dropoffLocation": { "name": "", "code": "" }, "storageConditions": { "name": "", "code": "" }, "taFlag": { "name": "", "code": "" }, "pmiFlag": { "name": "", "code": "" }, "qaCodes": { "name": "", "code": "" }, "expeditepriority": { "name": "", "code": "" }, "originatingSystem": { "name": "", "code": "" }, "exportLicenseCode": { "code": "NLR", "name": "No license required" }, "specialClassificationCode": { "name": "", "code": "" }, "landedCostRule": { "name": "", "code": "" }, "incoterm": { "name": "", "code": "" }, "ncmCode": { "name": "", "code": "" }, "materialUsage": { "name": "", "code": "" }, "materialOrigin": { "name": "", "code": "" }, "materialCategory": { "name": "", "code": "" }, "litaxExplCode": { "code": "E", "name": "E" }, "lipurchasingTaxable": { "code": "N", "name": "N" }, "withholdingTaxCodeVoucherAbCatcode7": { "name": "", "code": "" }, "litaxratearea": { "code": "THJI", "name": "Thailand Joint Input VAT - 7%" }, "oboApprovalOnOrder": { "name": "", "code": "" }, "valuationType": { "name": "", "code": "" }, "changeRequisition": { "name": "", "code": "" }, "qaCode": [ { "code": "12581", "name": "No Documentation Required. Receipt Inspection Only - No certification or documentation is required with the material other than a delivery note from the supplier." } ] }, "lineItemNumber": 1, "lineStatus": { "name": "Draft", "id": 1 }, "lineTaxAmountTotal": 0, "lineTotal": 10, "lineTotalBase": 10, "lineValue": 10, "lineVersionDetails": { "prevChangeReqLineNumber": "", "isLineUpdated": false, "isNewLine": false, "isCancel": false, "rootLineId": "E4EB7322-9075-4BCE-A73A-4FC75B847B5A", "parentLineId": "", "prevOrder": { "documentNumber": "", "documentId": "", "lineNumber": "", "url": "", "orderedQtyOrPrice": 0, "operationType": "", "lineStatusName": "", "lineStatusCode": "", "versionNo": "", "acceptedQuantity": 0, "documentStatus": "", "documentStatusCode": 0, "interfaceStatus": "" } }, "manufacturerName": "", "manufacturerNumberClientcode": "", "manufacturerPartDescription": "", "manufacturerPartIdClientCode": "", "manufacturerPartName": "", "maximumRequestQuantity": 0, "minimumRequestQuantity": 0, "notesAndAttachments": { "attachments": [ { "fileName": "", "fileSize": 0, "createdOn": "2025-01-14T12:19:14.131Z", "isInternalOnly": false, "isEncrypted": false, "isIndexed": false, "isSearchable": false, "isZipped": false, "isDeleted": false, "isEditable": false, "fileDisplayName": "", "sequenceNo": 0, "id": "", "name": "", "code": "", "createdBy": { "firstName": "", "lastName": "", "fullName": "", "emailId": "", "contactCode": 0, "isActive": false, "userId": 0, "buyerPartnerName": "", "clientContactCode": "" }, "classificationType": { "culture": "", "version": 0, "id": "", "name": "", "code": "" } } ] }, "notes": [ { "type": 0, "isEditable": false, "description": "", "sequenceNo": 0, "createdOn": "2025-01-14T12:19:14.131Z", "modifiedOn": "2025-01-14T12:19:14.131Z", "id": "", "name": "", "code": "", "test": "", "visibility": { "id": "", "name": "", "code": "" }, "flag": { "id": "", "name": "", "code": "" }, "classificationType": { "culture": "", "version": 0, "id": "", "name": "", "code": "" }, "createdBy": { "firstName": "", "lastName": "", "fullName": "", "emailId": "", "contactCode": 0, "isActive": false, "userId": 0, "buyerPartnerName": "", "clientContactCode": "" }, "modifiedBy": { "firstName": "", "lastName": "", "fullName": "", "emailId": "", "contactCode": 0, "isActive": false, "userId": 0, "buyerPartnerName": "", "clientContactCode": "" } } ] }, "order": { "documentId": "", "documentNumber": "", "lineNumber": "", "orderedQtyOrPrice": 1, "operationType": "", "lineStatusName": "DRAFT", "lineStatusCode": "101", "url": "" }, "orderCurrencyInfo": { "code": "USD", "name": "US Dollar" }, "orderPrice": 0, "orderQuantity": 0, "orderReference": [], "orderedQtyOrPrice": 0, "originalPrice": 0, "parent\_id": "61ff505a-760b-49a1-a0dc-f6f43c6575fa", "pricePer": 1, "referencedContractExpiryDate": null, "referencedContractIdClientCode": "BDH Parent Contract", "referencedContractLimit": 0, "referencedContractLineIdClientCode": "", "referencedContractLineNumber": "", "referencedContractNumber": "2023.036544", "reqHeader\_documentId": "61FF505A-760B-49A1-A0DC-F6F43C6575FA", "requisitionNumberLine": "E4EB7322-9075-4BCE-A73A-4FC75B847B5A", "rfxReference": { "rfxDocumentId": "", "rfxUrl": "", "rfxDocumentNumber": "", "rfxProjectId": "", "rfxlineNumber": "" }, "rfxReferenceNumber": "", "root\_id": "61ff505a-760b-49a1-a0dc-f6f43c6575fa", "servicePlannedEndDate": null, "servicePlannedStartDate": null, "shipFromLocation": { "adhocAddedAtLine": false, "addressCode": "", "allowForFutureReference": false, "contactEmail": "", "contactName": "", "contactPhone": "", "coordinates": "", "isActive": false, "isActiveVersion":

false, "isAdhoc": false, "isDefault": false, "locationId": "", "locationName": "", "locationNumber": "", "locationType": 0, "taxJurisdictionCode": "", "version": 0, "defaultOrgEntity": [], "saveForMe": false, "contactCode": "", "address": { "addressline1": "", "addressline2": "", "addressline3": "", "areaCode": "", "city": "", "county": "", "displayAddress": "", "extensionNo1": "", "extensionNo2": "", "faxNo": "", "geoCode": "", "isdCode": "", "mobileNo": "", "phoneNo1": "", "phoneNo2": "", "poBoxnumber": "", "zipCode": "", "countryInfo": { "countryCode": "", "countryName": "" }, "stateInfo": { "stateAbbreviationCode": "", "stateName": "" } }, "lob": { "code": "", "name": "" }, "orgEntity": [ { "orgEntityDetailCode": "", "orgEntityDetailName": "" } ] }, "shippingMethod": { "allowDecimalValue": false, "allowDecimal": false, "decimalPrecision": 0, "code": "", "description": "", "clientCode": "" }, "shiptoLocation": { "adhocAddedAtLine": false, "locationId": "e91ae69e-c326-4375-9c16-9816cab6e6e5", "lob": { "code": "BDH", "name": "BDH" }, "orgEntity": [ { "orgEntityDetailCode": "ALL", "orgEntityDetailName": "ALL" } ], "addressCode": "837375456", "isDefault": false, "locationType": 0, "locationNumber": "1001101", "locationName": "PERSONNEL MANAGEMENT ASSOCIATION OF", "contactName": null, "contactEmail": null, "contactPhone": "", "defaultOrgEntity": [], "allowForFutureReference": true, "isAdhoc": false, "coordinates": "", "taxJurisdictionCode": null, "contactCode": null, "isActive": true, "address": { "addressline1": "THAILAND 300/2-3 SOI LADPRAO 132 LADPRAO ROAD KLONGCHAN, BANGKAPI", "addressline2": "", "addressline3": "", "areaCode": "", "city": "BANGKOK", "countryInfo": { "countryCode": "TH", "countryName": "Thailand" }, "county": "", "displayAddress": "THAILAND 300/2-3 SOI LADPRAO 132 LADPRAO ROAD KLONGCHAN, BANGKAPI, BANGKOK, Thailand, 10240", "extensionNo1": "", "extensionNo2": "", "faxNo": "", "geoCode": "", "isdCode": "", "mobileNo": "", "phoneNo1": "", "phoneNo2": "", "poBoxnumber": "", "stateInfo": { "stateAbbreviationCode": "", "stateName": "" }, "zipCode": "10240" }, "spendContract": { "isSmartContract": true, "isMigrated": false, "contractNumber": "2023.036545", "contractName": "BDH Child Contract", "contractExpiryDate": null, "contractValue": 100000000000, "smartPartnerCode": 4086, "effectiveDate": "2025-01-14T12:19:14.131Z" }, "spendContractNumber": "", "stakeholders": [ { "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "contactCode": "7002182902009760", "emailId": "[Req@gep.com](mailto:Req@gep.com)", "userId": "CC-2024.068496", "stakeholderType": 1, "stakeholderTypeInfo": "Creator", "groupName": "" }, { "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "contactCode": "7002182902009760", "emailId": "[Req@gep.com](mailto:Req@gep.com)", "userId": "CC-2024.068496", "stakeholderType": 2, "stakeholderTypeInfo": "Requestor", "groupName": "" } ], "supplier": { "supplierPartnerCode": "032eafc7-0156-441d-9c43-4c531804c304", "clientPartnerCode": "PC-2020.502476", "name": "PC-2020.502476 : SUMAIYA ENTERPRISE", "smartPartnerCode": "4086", "legalCompanyName": "SUMAIYA ENTERPRISE" }, "supplierContact": { "clientContactCode": "CC-2020.005640", "emailAddress": "[nicolas.guillin@chevron.com](mailto:nicolas.guillin@chevron.com)", "firstName": "Sumaiya", "lastName": "Supplier", "phoneNo": "", "defaultRoleId": "", "contactCode": "408604000001", "partnerCode": "", "proxyContactCode": "", "stakeholderType": "", "shipToCustomerSite": "" }, "supplierItemNumber": "60006", "supplierOrderingLocationInfo": { "smartOrderingLocationId": "", "primaryNumberExtn": 0, "locationName": "SUMAIYA ENTERPRISE TEST1::SREEMANGAL:BDT:15119", "secondaryBusinessPhone": "", "primaryBusinessPhone": "", "faxNumber": "", "secondaryNumberExtn": "", "supplierLocationCode": "15119", "orderLocDetail": "", "locationId": "" }, "supplierRequestedDate": null, "taxExempt": "", "taxItems": [ { "code": "", "description": "", "percent": 0, "value": 0 } ], "totalRequestQuantity": 1, "unitPrice": 10, "uom": { "allowDecimalValue": false, "allowDecimal": false, "decimalPrecision": 4, "code": "EA", "description": "Each", "clientCode": null }, "account": [ { "\_id": "76ab79f5-6d6a-46a4-8e53-2eecb2422130", "accountID": "76AB79F5-6D6A-46A4-8E53-2EECB2422130", "accounting": { "code": "", "description": "" }, "accountingDetails": { "entity1": { "entityCode": "09089", "entityName": "09089-Chevron Bangladesh Blk 13 & 14L", "entityDetailInfo": "", "entityType": "Company code", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "09089-Chevron Bangladesh Blk 13 & 14L", "entityDetailCode": "692120", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": true, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity2": { "entityCode": "15364774", "entityName": "1600ALSM03.745510-Repairs & Maintenance TEST", "entityDetailInfo": "", "entityType": "GL Account", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "1600ALSM03.745510-Repairs & Maintenance TEST", "entityDetailCode": "1051955", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": true, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] } } ] } ] }



"isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity14": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "Harmonized Code", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity15": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "Expediter", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity16": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "Account Status", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity17": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "GL-Cost Center", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity18": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "WO-Cost Center", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity19": { "entityCode": "15", "entityName": "", "entityDetailInfo": "", "entityType": "Sub Ledger", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "entity20": { "entityCode": "", "entityName": "", "entityDetailInfo": "", "entityType": "", "lobName": "", "displayName": "", "parentEntity": "", "parentEntityCode": "", "lobCode": "", "accountDisplayName": "", "level": 0, "entityDetailDescription": "", "entityDetailCode": "", "parentEntityDetailCode": "", "lobEntityDetailCode": "", "isDefaultADRChanged": false, "isDefaultADRChangedFromUI": false, "parentDetails": [ { "entityDetailCode": 0, "entityName": "", "level": 0, "entityCode": "", "entityType": "" } ] }, "accountingVersionDetail": { "rootAccountId": "A225C591-E0CE-49EE-A732-EB9E126E4A38", "parentAccountId": "", "legalCompanyName": "", "rootSplitId": "76AB79F5-6D6A-46A4-8E53-2EECB2422130" }, "additionalCharges": 0, "auditFields": { "createdBy": "7002182902009760", "createdDateTime": "2025-02-07T15:22:00.272Z", "modifiedBy": "7002182902009760", "modifiedDateTime": "2025-02-07T15:22:00.272Z", "transactionScopeId": "908de925-6e8e-4251-b40c-0b4533856524", "ver": 1 }, "description": "Test line item desc", "documentId": "61FF505A-760B-49A1-A0DC-F6F43C6575FA", "freightCharges": 0, "isADREnabled": true, "isDeleted": false, "isSplitRow": false, "lineItemNumber": 1, "lineNumberString": "", "lineTaxAmountTotal": 0, "parent\_id": "e4eb7322-9075-4bce-a73a-4fc75b847b5a", "percentage": 100, "reqOrderItems\_requisitionNumberLine": "E4EB7322-9075-4BCE-A73A-4FC75B847B5A", "requestor": { "userId": "620824", "contactCode": "7002182902009760", "firstName": "requisition", "lastName": "admin", "fullName": "requisition admin", "emailAddress": "Req@gep.com", "clientContactCode": "CC-2024.068457" }, "requisitionNumberLine": "E4EB7322-9075-4BCE-A73A-4FC75B847B5A", "root\_id": "61ff505a-760b-49a1-a0dc-f6f43c6575fa", "split": "Split Item 1", "splitNumber": 1, "splitTotal": 10, "splitType": { "description": "Quantity" }, "splitValue": 10, "totalRequestQuantity": 1, "unitPrice": 10, "actionState": "Added", "uniqueSplitNumber": 1, "adrAccountingData": [ { "entityCode": "CL", "entityName": "CL", "entityDetailCode": 1797152, "entityType": "Branch Plant Type" }, { "entityCode": "09089", "entityName": "09089-Chevron Bangladesh Blk 13 & 14L", "entityDetailCode": 692120, "entityType": "Company code" } ] }, "lineNumberString":

```
"Line 1", "contractSupplierName": "", "additionalInfo": {}, "popupView": { "name": "View" }, "actionState":
"Added", "rowId": 1, "$isvalid": false } ] }
```

## Response :-

```
{
  "status": "Failure",
  "totalRecords": 1,
  "documentNumber": "RPRTHA2008_AD2",
  "url": "https://nexxeuat.gep.com/ChevronUIT/v3/#/req\_requisition\_detail/6234E95E-94E5-472D-BA37-E13D3C34152A",
  "SourceSystemValue": "RPRTHA2008_AD2",
  "errorDetails": [
    "Change Request could not be processed since the entered Document Number already exists. Please enter another Document Number"
  ]
}
```

## Data Elements:

Property	Datatype	Description
poDestination.code	string	Po Destination code informations
poDestination.name	string	Po Destination name informations
reqHeader.deliverTo	string	Deliver To information
reqHeader.deliverToDetails	string	Deliverto Details information
reqHeader.documentId	string	Document Id information
reqHeader.documentNumberSequence	Integer Number	Documentnumber Sequence information
reqHeader.documentType	string	Document Type information



reqHeader.documentSource	string	Document Source information
reqHeader.modelSubType	string	Modelsub Type information
reqHeader.operationType	string	Operation Type information
reqHeader.totalAmount	Decimal Number	Total Amount information
reqHeader.changeReqDeltaAmount	Decimal Number	Changereqdelta Amount information
reqHeader.hierarchyCode	string	Hierarchy Code information
reqHeader.isHeaderADREnabled	Boolean	Isheader ADREnabled information
reqHeader.isDeleted	Boolean	Is Deleted information
reqHeader.totalBeforeSubmit	Decimal Number	Totalbefore Submit information
reqHeader.addDefaultLine	Boolean	Adddefault Line information
reqHeader.baseCurrencyConversionFactor	Decimal Number	Basecurrencyconversion Factor information
reqHeader.orgEntityDetailCodes	Integer Number	Orgentitydetail Codes information
reqHeader.nonOrgEntityDetailCodes	Integer Number	Nonorgentitydetail Codes information
reqHeader.totalAmountBase	Decimal Number	Totalamount Base information
reqHeader.isUrgent	Boolean	Is Urgent information
reqHeader.interfaceDetail	reqInterfaceDetail	Interface Detail information
reqHeader.interfaceDetail.sourceSystemName	string	Sourcesystem Name information
reqHeader.interfaceDetail.sourceSystemValue	string	Sourcesystem Value information
reqHeader.interfaceDetail.interfaceStatus	string	Interface Status information
reqHeader.interfaceDetail.interfaceStatusId	Integer Number	Interfacestatus Id information
reqHeader.interfaceDetail.outboundDateTime	string	Outbounddate Time information
reqHeader.interfaceDetail.errorMessage	string	Error Message information

reqHeader.orderCurrencyInfo	reqCurrencyInfo	Ordercurrency Info information
reqHeader.orderCurrencyInfo.code	string	Ordercurrencyinfo Info.code information
reqHeader.orderCurrencyInfo.name	string	Ordercurrencyinfo Info.name information
reqHeader.basicDetails	basicDetails	Basic Details information
reqHeader.basicDetails.createdOn	Date/Time	Created On information
reqHeader.basicDetails.documentName	string	Document Name information
reqHeader.basicDetails.documentNumber	string	Document Number information
reqHeader.basicDetails.lastModifiedDate	Date/Time	Lastmodified Date information
reqHeader.basicDetails.inboundSourceSystem	string	Inboundsource System information
reqHeader.basicDetails.inboundSourceReferenceNo	string	Inboundsourcereference No information
reqHeader.basicDetails.documentRedirectionUrl	string	Documentredirection Url information
reqHeader.basicDetails.getReqExpeditors	string	Getreq Expeditors information
reqHeader.basicDetails.approversInfo	approver	Approvers Info information
reqHeader.basicDetails.approversInfo[*].userId	string	User Id information
reqHeader.basicDetails.approversInfo[*].contactCode	string	Contact Code information
reqHeader.basicDetails.approversInfo[*].firstName	string	First Name information
reqHeader.basicDetails.approversInfo[*].lastName	string	Last Name information
reqHeader.basicDetails.approversInfo[*].fullName	string	Full Name information
reqHeader.basicDetails.approversInfo[*].emailAddress	string	Email Address information
reqHeader.basicDetails.approversInfo[*].clientContactCode	string	Clientcontact Code information

reqHeader.basicDetails.approversInfo[*].isApproved	Boolean	Is Approved information
reqHeader.basicDetails.approversInfo[*].stepId	string	Step Id information
reqHeader.basicDetails.modifiedBy	user	Modified By information
reqHeader.basicDetails.modifiedBy.userId	string	User Id information
reqHeader.basicDetails.modifiedBy.contactCode	string	Contact Code information
reqHeader.basicDetails.modifiedBy.firstName	string	First Name information
reqHeader.basicDetails.modifiedBy.lastName	string	Last Name information
reqHeader.basicDetails.modifiedBy.fullName	string	Full Name information
reqHeader.basicDetails.modifiedBy.emailAddress	string	Email Address information
reqHeader.basicDetails.modifiedBy.clientContactCode	string	Clientcontact Code information
reqHeader.basicDetails.modifiedBy.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.basicDetails.reviewersInfo	approver	Reviewers Info information
reqHeader.basicDetails.reviewersInfo[*].userId	string	User Id information
reqHeader.basicDetails.reviewersInfo[*].contactCode	string	Contact Code information
reqHeader.basicDetails.reviewersInfo[*].firstName	string	First Name information
reqHeader.basicDetails.reviewersInfo[*].lastName	string	Last Name information
reqHeader.basicDetails.reviewersInfo[*].fullName	string	Full Name information
reqHeader.basicDetails.reviewersInfo[*].emailAddress	string	Email Address information
reqHeader.basicDetails.reviewersInfo[*].clientContactCode	string	Clientcontact Code information
reqHeader.basicDetails.reviewersInfo[*].isApproved	Boolean	Is Approved information
reqHeader.basicDetails.reviewersInfo[*].stepId	string	Step Id information

reqHeader.basicDetails.documentLobDetails	orgDetail	Documentlob Details information
reqHeader.basicDetails.documentLobDetails[*].entityCode	string	Entity Code information
reqHeader.basicDetails.documentLobDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.documentLobDetails[*].entityName	string	Entity Name information
reqHeader.basicDetails.documentLobDetails[*].entityDetailInfo	string	Entitydetail Info information
reqHeader.basicDetails.documentLobDetails[*].entityType	string	Entity Type information
reqHeader.basicDetails.documentLobDetails[*].lobName	string	Lob Name information
reqHeader.basicDetails.documentLobDetails[*].displayName	string	Display Name information
reqHeader.basicDetails.documentLobDetails[*].parentEntityDetailCode	Long Number	Parententitydetail Code information
reqHeader.basicDetails.documentLobDetails[*].parentEntity	string	Parent Entity information
reqHeader.basicDetails.documentLobDetails[*].parentEntityCode	string	Parententity Code information
reqHeader.basicDetails.documentLobDetails[*].lobCode	string	Lob Code information
reqHeader.basicDetails.documentLobDetails[*].lobEntityDetailCode	Long Number	Lobentitydetail Code information
reqHeader.basicDetails.documentLobDetails[*].accountDisplayName	string	Accountdisplay Name information

reqHeader.basicDetails.documentLobDetails[*].parentDetails	parentDetails	Parent Details information
reqHeader.basicDetails.documentLobDetails[*].parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.documentLobDetails[*].parentDetails[*].entityName	string	Entity Name information
reqHeader.basicDetails.documentLobDetails[*].parentDetails[*].level	Integer Number	Basicdetails.Documentlobdetails[*].Parentdetails Details[*].level information
reqHeader.basicDetails.documentLobDetails[*].parentDetails[*].entityCode	string	Entity Code information
reqHeader.basicDetails.documentLobDetails[*].parentDetails[*].entityType	string	Entity Type information
reqHeader.basicDetails.createdOnBehalfOf	user	Createdonbehalf Of information
reqHeader.basicDetails.createdOnBehalfOf.userId	string	User Id information
reqHeader.basicDetails.createdOnBehalfOf.contactCode	string	Contact Code information
reqHeader.basicDetails.createdOnBehalfOf.firstName	string	First Name information
reqHeader.basicDetails.createdOnBehalfOf.lastName	string	Last Name information
reqHeader.basicDetails.createdOnBehalfOf.fullName	string	Full Name information
reqHeader.basicDetails.createdOnBehalfOf.emailAddress	string	Email Address information
reqHeader.basicDetails.createdOnBehalfOf.clientContactCode	string	Clientcontact Code information

reqHeader.basicDetails.createdOnBehalfOf.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.basicDetails.fixedAssetsReviewersInfo	approver	Fixedassetsreviewers Info information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].userId	string	User Id information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].contactCode	string	Contact Code information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].firstName	string	First Name information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].lastName	string	Last Name information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].fullName	string	Full Name information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].emailAddress	string	Email Address information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].clientContactCode	string	Clientcontact Code information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].isApproved	Boolean	Is Approved information
reqHeader.basicDetails.fixedAssetsReviewersInfo[*].stepId	string	Step Id information
reqHeader.basicDetails.docStatus	docStatus	Doc Status information
reqHeader.basicDetails.docStatus.name	string	Basicdetails.Docstatus Status.name information
reqHeader.basicDetails.docStatus.id	Integer Number	Basicdetails.Docstatus Status.id information
reqHeader.basicDetails.purchaseType	purchaseType	Purchase Type information

reqHeader.basicDetails.purchaseType.code	string	Basicdetails.PurchaseType Type.code information
reqHeader.basicDetails.purchaseType.name	string	Basicdetails.PurchaseType Type.name information
reqHeader.basicDetails.purchaseType.description	string	Basicdetails.PurchaseType Type.description information
reqHeader.basicDetails.purchaseType.clientCode	string	Client Code information
reqHeader.basicDetails.purchaseType.metaData	reqPurchaseTypeMetadata	Meta Data information
reqHeader.basicDetails.purchaseType.metaData.purchaseTypeLevel	string	PurchaseType Level information
reqHeader.basicDetails.creator	user	Basicdetails Details.creator information
reqHeader.basicDetails.creator.userId	string	User Id information
reqHeader.basicDetails.creator.contactCode	string	Contact Code information
reqHeader.basicDetails.creator.firstName	string	First Name information
reqHeader.basicDetails.creator.lastName	string	Last Name information
reqHeader.basicDetails.creator.fullName	string	Full Name information
reqHeader.basicDetails.creator.emailAddress	string	Email Address information
reqHeader.basicDetails.creator.clientContactCode	string	Clientcontact Code information
reqHeader.basicDetails.creator.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.basicDetails.defaultCategory	reqItemCategory	Default Category information
reqHeader.basicDetails.defaultCategory.code	Long Number	Basicdetails.Defaultcategory Category.code information

reqHeader.basicDetails.defaultCategory.description	string	Basicdetails.Defaultcategory Category.description information
reqHeader.basicDetails.defaultCategory.displayName	string	Display Name information
reqHeader.basicDetails.defaultCategory.level	Integer Number	Basicdetails.Defaultcategory Category.level information
reqHeader.basicDetails.defaultCategory.name	string	Basicdetails.Defaultcategory Category.name information
reqHeader.basicDetails.defaultCategory.clientCode	string	Client Code information
reqHeader.basicDetails.defaultCategory.id	Long Number	Basicdetails.Defaultcategory Category.id information
reqHeader.basicDetails.defaultCategory.parentIdds	Long Number	Parent Idds information
reqHeader.basicDetails.orderContact	orderContactUser	Order Contact information
reqHeader.basicDetails.orderContact.userId	string	User Id information
reqHeader.basicDetails.orderContact.contactCode	string	Contact Code information
reqHeader.basicDetails.orderContact.firstName	string	First Name information
reqHeader.basicDetails.orderContact.lastName	string	Last Name information
reqHeader.basicDetails.orderContact.fullName	string	Full Name information
reqHeader.basicDetails.orderContact.emailAddress	string	Email Address information
reqHeader.basicDetails.orderContact.clientContactCode	string	Clientcontact Code information
reqHeader.basicDetails.orderContact.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.basicDetails.orderContact.originalAssignmentDate	Date	Originalassignment Date information



reqHeader.basicDetails.order-Contact.latestBuyerAssignmentDate	Date	Latestbuyerassignment Date information
reqHeader.basicDetails.contract	contract	Basicdetails Details.contract information
reqHeader.basicDetails.contract.code	string	Basicdetails.Contract Details.contract.code information
reqHeader.basicDetails.contract.name	string	Basicdetails.Contract Details.contract.name information
reqHeader.basicDetails.contract.supplier	string	Basicdetails.Contract Details.contract.supplier information
reqHeader.basicDetails.contract.id	Integer Number	Basicdetails.Contract Details.contract.id information
reqHeader.basicDetails.contract.contractExpiryDate	Date/Time	Contractexpiry Date information
reqHeader.basicDetails.contract.contractValue	Decimal Number	Contract Value information
reqHeader.basicDetails.headerAccountingDetails	orgDetail	Headeraccounting Details information
reqHeader.basicDetails.headerAccountingDetails[*].entityCode	string	Entity Code information
reqHeader.basicDetails.headerAccountingDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.headerAccountingDetails[*].entityName	string	Entity Name information
reqHeader.basicDetails.headerAccountingDetails[*].entityDetailInfo	string	Entitydetail Info information
reqHeader.basicDetails.headerAccountingDetails[*].entityType	string	Entity Type information

reqHeader.basicDetails.headerAccountingDetails[*].lobName	string	Lob Name information
reqHeader.basicDetails.headerAccountingDetails[*].displayName	string	Display Name information
reqHeader.basicDetails.headerAccountingDetails[*].parentEntityDetailCode	Long Number	Parententitydetail Code information
reqHeader.basicDetails.headerAccountingDetails[*].parentEntity	string	Parent Entity information
reqHeader.basicDetails.headerAccountingDetails[*].parentEntityCode	string	Parententity Code information
reqHeader.basicDetails.headerAccountingDetails[*].lobCode	string	Lob Code information
reqHeader.basicDetails.headerAccountingDetails[*].lobEntityDetailCode	Long Number	Lobentitydetail Code information
reqHeader.basicDetails.headerAccountingDetails[*].accountDisplayName	string	Accountdisplay Name information
reqHeader.basicDetails.headerAccountingDetails[*].parentDetails	parentDetails	Parent Details information
reqHeader.basicDetails.headerAccountingDetails[*].parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.headerAccountingDetails[*].parentDetails[*].entityName	string	Entity Name information
reqHeader.basicDetails.headerAccountingDetails[*].parentDetails[*].level	Integer Number	Basicdetails.Headeraccountingdetails[*].Parentdetails Details[*].level information
reqHeader.basicDetails.headerAccountingDetails[*].parentDetails[*].entityCode	string	Entity Code information

reqHeader.basicDetails.headerAccountingDetails[*].parentDetails[*].entityType	string	Entity Type information
reqHeader.basicDetails.reqHeaderExpediter	orgDetail	Reqheader Expediter information
reqHeader.basicDetails.reqHeaderExpediter.entityCode	string	Entity Code information
reqHeader.basicDetails.reqHeaderExpediter.entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.reqHeaderExpediter.entityName	string	Entity Name information
reqHeader.basicDetails.reqHeaderExpediter.entityDetailInfo	string	Entitydetail Info information
reqHeader.basicDetails.reqHeaderExpediter.entityType	string	Entity Type information
reqHeader.basicDetails.reqHeaderExpediter.lobName	string	Lob Name information
reqHeader.basicDetails.reqHeaderExpediter.displayName	string	Display Name information
reqHeader.basicDetails.reqHeaderExpediter.parentEntityDetailCode	Long Number	Parententitydetail Code information
reqHeader.basicDetails.reqHeaderExpediter.parentEntity	string	Parent Entity information
reqHeader.basicDetails.reqHeaderExpediter.parentEntityCode	string	Parententity Code information
reqHeader.basicDetails.reqHeaderExpediter.lobCode	string	Lob Code information
reqHeader.basicDetails.reqHeaderExpediter.lobEntityDetailCode	Long Number	Lobentitydetail Code information
reqHeader.basicDetails.reqHeaderExpediter.accountDisplayName	string	Accountdisplay Name information
reqHeader.basicDetails.reqHeaderExpediter.parentDetails	parentDetails	Parent Details information

reqHeader.basicDetails.reqHeaderExpediter.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.basicDetails.reqHeaderExpediter.parentDetails[*].entityName	string	Entity Name information
reqHeader.basicDetails.reqHeaderExpediter.parentDetails[*].level	Integer Number	Basicdetails.ReqheaderExpediter.ParentdetailsDetails[*].level information
reqHeader.basicDetails.reqHeaderExpediter.parentDetails[*].entityCode	string	Entity Code information
reqHeader.basicDetails.reqHeaderExpediter.parentDetails[*].entityType	string	Entity Type information
reqHeader.basicDetails.headerExpediter	globalCodesSubset739e150d23fa4242ad70f9a79b3a1634	Header Expediter information
reqHeader.basicDetails.headerExpediter.code	string	Basicdetails.Headerexpediter Expediter.code information
reqHeader.basicDetails.headerExpediter.parentCode	string	Parent Code information
reqHeader.basicDetails.headerExpediter.name	string	Basicdetails.Headerexpediter Expediter.name information
reqHeader.basicDetails.headerExpediter.orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.billtoLocation	reqLocation	Billto Location information
reqHeader.billtoLocation.addressCode	string	Address Code information
reqHeader.billtoLocation.allowForFutureReference	Boolean	Allowforfuture Reference information
reqHeader.billtoLocation.contactEmail	string	Contact Email information

reqHeader.billtoLocation.contactName	string	Contact Name information
reqHeader.billtoLocation.contactPhone	string	Contact Phone information
reqHeader.billtoLocation.coordinates	string	Billtolocation Location.coordinates information
reqHeader.billtoLocation.isActive	Boolean	Is Active information
reqHeader.billtoLocation.isActiveVersion	Boolean	Isactive Version information
reqHeader.billtoLocation.isAdhoc	Boolean	Is Adhoc information
reqHeader.billtoLocation.isDefault	Boolean	Is Default information
reqHeader.billtoLocation.locationId	string	Location Id information
reqHeader.billtoLocation.locationName	string	Location Name information
reqHeader.billtoLocation.locationNumber	string	Location Number information
reqHeader.billtoLocation.locationType	Integer Number	Location Type information
reqHeader.billtoLocation.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.billtoLocation.version	Integer Number	Billtolocation Location.version information
reqHeader.billtoLocation.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.billtoLocation.saveForMe	Boolean	Savefor Me information
reqHeader.billtoLocation.contactCode	string	Contact Code information
reqHeader.billtoLocation.adhocAddedAtLine	Boolean	Adhocaddedat Line information
reqHeader.billtoLocation.address	reqAddressInfo	Billtolocation Location.address information
reqHeader.billtoLocation.address.addressline1	string	Billtolocation.Address Location.address.addressline1 information

reqHeader.billtoLocation.address.addressline2	string	Billtolocation.Address Location.address.addressline2 information
reqHeader.billtoLocation.address.addressline3	string	Billtolocation.Address Location.address.addressline3 information
reqHeader.billtoLocation.address.areaCode	string	Area Code information
reqHeader.billtoLocation.address.city	string	Billtolocation.Address Location.address.city information
reqHeader.billtoLocation.address.county	string	Billtolocation.Address Location.address.county information
reqHeader.billtoLocation.address.displayAddress	string	Display Address information
reqHeader.billtoLocation.address.extenstionNo1	string	Extenstion No1 information
reqHeader.billtoLocation.address.extenstionNo2	string	Extenstion No2 information
reqHeader.billtoLocation.address.faxNo	string	Fax No information
reqHeader.billtoLocation.address.geoCode	string	Geo Code information
reqHeader.billtoLocation.address.isdCode	string	Isd Code information
reqHeader.billtoLocation.address.mobileNo	string	Mobile No information
reqHeader.billtoLocation.address.phoneNo1	string	Phone No1 information
reqHeader.billtoLocation.address.phoneNo2	string	Phone No2 information
reqHeader.billtoLocation.address.poBoxnumber	string	Po Boxnumber information
reqHeader.billtoLocation.address.zipCode	string	Zip Code information
reqHeader.billtoLocation.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.billtoLocation.address.countryInfo.countryCode	string	Country Code information

reqHeader.billtoLocation.address.countryInfo.countryName	string	Country Name information
reqHeader.billtoLocation.address.stateInfo	reqStateInfo	State Info information
reqHeader.billtoLocation.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information
reqHeader.billtoLocation.address.stateInfo.stateName	string	State Name information
reqHeader.billtoLocation.lob	reqLocationLob	Billtolocation Location.lob information
reqHeader.billtoLocation.lob.code	string	Billtolocation.Lob Location.lob.code information
reqHeader.billtoLocation.lob.name	string	Billtolocation.Lob Location.lob.name information
reqHeader.billtoLocation.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.billtoLocation.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.billtoLocation.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.notesAndLinks	reqNotes	Notesand Links information
reqHeader.notesAndLinks[*].type	Integer Number	Notesandlinks Links[*].type information
reqHeader.notesAndLinks[*].isEditable	Boolean	Is Editable information
reqHeader.notesAndLinks[*].description	string	Notesandlinks Links[*].description information
reqHeader.notesAndLinks[*].sequenceNo	Integer Number	Sequence No information
reqHeader.notesAndLinks[*].createdOn	Date/Time	Created On information
reqHeader.notesAndLinks[*].modifiedOn	Date/Time	Modified On information

reqHeader.notesAndLinks[*].id	string	Notesandlinks Links[*].id information
reqHeader.notesAndLinks[*].name	string	Notesandlinks Links[*].name information
reqHeader.notesAndLinks[*].code	string	Notesandlinks Links[*].code information
reqHeader.notesAndLinks[*].test	string	Notesandlinks Links[*].test information
reqHeader.notesAndLinks[*].visibility	reqNotesVisibility	Notesandlinks Links[*].visibility information
reqHeader.notesAndLinks[*].visibility.id	string	Notesandlinks[*].Visibility Links[*].visibility.id information
reqHeader.notesAndLinks[*].visibility.name	string	Notesandlinks[*].Visibility Links[*].visibility.name information
reqHeader.notesAndLinks[*].visibility.code	string	Notesandlinks[*].Visibility Links[*].visibility.code information
reqHeader.notesAndLinks[*].flag	reqNotesVisibility	Notesandlinks Links[*].flag information
reqHeader.notesAndLinks[*].flag.id	string	Notesandlinks[*].Flag Links[*].flag.id information
reqHeader.notesAndLinks[*].flag.name	string	Notesandlinks[*].Flag Links[*].flag.name information
reqHeader.notesAndLinks[*].flag.code	string	Notesandlinks[*].Flag Links[*].flag.code information
reqHeader.notesAndLinks[*].classificationType	reqAttachmentClassificationType	Classification Type information
reqHeader.notesAndLinks[*].classificationType.culture	string	Notesandlinks[*].ClassificationType.culture information
reqHeader.notesAndLinks[*].classificationType.version	Integer Number	Notesandlinks[*].ClassificationType



		Type.version information
reqHeader.notesAndLinks[*].classificationType.id	string	Notesandlinks[*].Classificationtype Type.id information
reqHeader.notesAndLinks[*].classificationType.name	string	Notesandlinks[*].Classificationtype Type.name information
reqHeader.notesAndLinks[*].classificationType.code	string	Notesandlinks[*].Classificationtype Type.code information
reqHeader.notesAndLinks[*].createdBy	reqAttachmentCreatedBy	Created By information
reqHeader.notesAndLinks[*].createdBy.firstName	string	First Name information
reqHeader.notesAndLinks[*].createdBy.lastName	string	Last Name information
reqHeader.notesAndLinks[*].createdBy.fullName	string	Full Name information
reqHeader.notesAndLinks[*].createdBy.emailId	string	Email Id information
reqHeader.notesAndLinks[*].createdBy.contactCode	Long Number	Contact Code information
reqHeader.notesAndLinks[*].createdBy.isActive	Boolean	Is Active information
reqHeader.notesAndLinks[*].createdBy.userId	Integer Number	User Id information
reqHeader.notesAndLinks[*].createdBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.notesAndLinks[*].createdBy.clientContactCode	string	Clientcontact Code information
reqHeader.notesAndLinks[*].modifiedBy	reqAttachmentCreatedBy	Modified By information
reqHeader.notesAndLinks[*].modifiedBy.firstName	string	First Name information
reqHeader.notesAndLinks[*].modifiedBy.lastName	string	Last Name information
reqHeader.notesAndLinks[*].modifiedBy.fullName	string	Full Name information

reqHeader.notesAndLinks[*].modifiedBy.emailId	string	Email Id information
reqHeader.notesAndLinks[*].modifiedBy.contactCode	Long Number	Contact Code information
reqHeader.notesAndLinks[*].modifiedBy.isActive	Boolean	Is Active information
reqHeader.notesAndLinks[*].modifiedBy.userId	Integer Number	User Id information
reqHeader.notesAndLinks[*].modifiedBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.notesAndLinks[*].modifiedBy.clientContactCode	string	Clientcontact Code information
reqHeader.versionDetails	reqVersionDetails	Version Details information
reqHeader.versionDetails.changeReq	Boolean	Change Req information
reqHeader.versionDetails.latestChangeReqSeq	Integer Number	Latestchangereq Seq information
reqHeader.versionDetails.parentDocNo	string	Parentdoc No information
reqHeader.versionDetails.parentDocIds	string	Parentdoc Ids information
reqHeader.versionDetails.prevReqTotalAmount	Decimal Number	Prevreqtotal Amount information
reqHeader.versionDetails.displayVersion	string	Display Version information
reqHeader.versionDetails.copyReq	Boolean	Copy Req information
reqHeader.versionDetails.copyReqReference	string	Copyreq Reference information
reqHeader.versionDetails.rootDocId	string	Rootdoc Id information
reqHeader.versionDetails.parentDocId	string	Parentdoc Id information
reqHeader.teamMembers	reqTeamMember	Team Members information
reqHeader.teamMembers[*].isDisabled	Boolean	Is Disabled information
reqHeader.teamMembers[*].firstName	string	First Name information
reqHeader.teamMembers[*].lastName	string	Last Name information

reqHeader.teamMembers[*].fullName	string	Full Name information
reqHeader.teamMembers[*].emailId	string	Email Id information
reqHeader.teamMembers[*].contactCode	string	Contact Code information
reqHeader.teamMembers[*].clientContactCode	string	Clientcontact Code information
reqHeader.teamMembers[*].userId	string	User Id information
reqHeader.teamMembers[*].buyerPartnerName	string	Buyerpartner Name information
reqHeader.teamMembers[*].emailAddress	string	Email Address information
reqHeader.teamMembers[*].groupId	Integer Number	Group Id information
reqHeader.teamMembers[*].groupName	string	Group Name information
reqHeader.teamMembers[*].isActive	Boolean	Is Active information
reqHeader.teamMembers[*].isSelected	Boolean	Is Selected information
reqHeader.teamMembers[*].userName	string	User Name information
reqHeader.teamMembers[*].id	string	Teammembers Members[*].id information
reqHeader.teamMembers[*].documentCode	string	Document Code information
reqHeader.teamMembers[*].teamId	string	Team Id information
reqHeader.teamMembers[*].bpc	string	Teammembers Members[*].bpc information
reqHeader.fixedAssets	reqFixedAsset	Fixed Assets information
reqHeader.fixedAssets[*].fixedAssetItemNumber	Integer Number	Fixedassetitem Number information
reqHeader.fixedAssets[*].fixedAssetNumber	string	Fixedasset Number information
reqHeader.fixedAssets[*].bundleId	Integer Number	Bundle Id information
reqHeader.fixedAssets[*].componentId	Integer Number	Component Id information

reqHeader.fixedAssets[*].reqLineNumber	string	Reqline Number information
reqHeader.fixedAssets[*].requisitionNumberLine	string	Requisitionnumber Line information
reqHeader.fixedAssets[*].altLineDescription	string	Altline Description information
reqHeader.fixedAssets[*].quantity	Decimal Number	Fixedassets Assets[*].quantity information
reqHeader.fixedAssets[*].unitPrice	Decimal Number	Unit Price information
reqHeader.fixedAssets[*].tPassId	string	Tpass Id information
reqHeader.fixedAssets[*].description	string	Fixedassets Assets[*].description information
reqHeader.fixedAssets[*].atmId	string	Atm Id information
reqHeader.fixedAssets[*].assetNumber	string	Asset Number information
reqHeader.fixedAssets[*].subAssetNumber	string	Subasset Number information
reqHeader.fixedAssets[*].serialNumber	string	Serial Number information
reqHeader.fixedAssets[*].errorMessage	string	Error Message information
reqHeader.fixedAssets[*].fixedAssetLineStatus	string	Fixedassetline Status information
reqHeader.fixedAssets[*].itemType	reqCodeDescription	Item Type information
reqHeader.fixedAssets[*].itemType.code	string	Fixedassets[*].Itemtype Type.code information
reqHeader.fixedAssets[*].itemType.description	string	Fixedassets[*].Itemtype Type.description information
reqHeader.fixedAssets[*].itemType.clientCode	string	Client Code information
reqHeader.fixedAssets[*].itemType.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.fixedAssets[*].itemType.allowDecimal	Boolean	Allow Decimal information

reqHeader.fixedAssets[*].itemType.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.fixedAssets[*].uom	reqCodeDescription	Fixedassets Assets[*].uom information
reqHeader.fixedAssets[*].uom.code	string	Fixedassets[*].Uom Assets[*].uom.code information
reqHeader.fixedAssets[*].uom.description	string	Fixedassets[*].Uom Assets[*].uom.description information
reqHeader.fixedAssets[*].uom.clientCode	string	Client Code information
reqHeader.fixedAssets[*].uom.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.fixedAssets[*].uom.allowDecimal	Boolean	Allow Decimal information
reqHeader.fixedAssets[*].uom.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.fixedAssets[*].costCenter	reqFixedAssetOrgObject	Cost Center information
reqHeader.fixedAssets[*].costCenter.addressLine1	string	Address Line1 information
reqHeader.fixedAssets[*].costCenter.addressLine2	string	Address Line2 information
reqHeader.fixedAssets[*].costCenter.childCount	Integer Number	Child Count information
reqHeader.fixedAssets[*].costCenter.city	string	Fixedassets[*].Cost-center Center.city information
reqHeader.fixedAssets[*].costCenter.country	string	Fixedassets[*].Cost-center Center.country information
reqHeader.fixedAssets[*].costCenter.email	string	Fixedassets[*].Cost-center Center.email information
reqHeader.fixedAssets[*].costCenter.endDate	Date/Time	End Date information
reqHeader.fixedAssets[*].costCenter.entityCode	string	Entity Code information
reqHeader.fixedAssets[*].costCenter.entityDetailCode	Integer Number	Entitydetail Code information

reqHeader.fixedAssets[*].costCenter.entityDetailDescription	string	Entitydetail Description information
reqHeader.fixedAssets[*].costCenter.entityName	string	Entity Name information
reqHeader.fixedAssets[*].costCenter.entityType	string	Entity Type information
reqHeader.fixedAssets[*].costCenter.fax	string	Fixedassets[*].Cost-center Center.fax information
reqHeader.fixedAssets[*].costCenter.gepld	string	Gep Id information
reqHeader.fixedAssets[*].costCenter.isActive	Boolean	Is Active information
reqHeader.fixedAssets[*].costCenter.level	Integer Number	Fixedassets[*].Cost-center Center.level information
reqHeader.fixedAssets[*].costCenter.lobCode	string	Lob Code information
reqHeader.fixedAssets[*].costCenter.lobName	string	Lob Name information
reqHeader.fixedAssets[*].costCenter.logo	string	Fixedassets[*].Cost-center Center.logo information
reqHeader.fixedAssets[*].costCenter.parentEntity	string	Parent Entity information
reqHeader.fixedAssets[*].costCenter.parentEntityCode	string	Parententity Code information
reqHeader.fixedAssets[*].costCenter.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.fixedAssets[*].costCenter.phone1	string	Fixedassets[*].Cost-center Center.phone1 information
reqHeader.fixedAssets[*].costCenter.phone2	string	Fixedassets[*].Cost-center Center.phone2 information
reqHeader.fixedAssets[*].costCenter.startDate	Date/Time	Start Date information
reqHeader.fixedAssets[*].costCenter.state	string	Fixedassets[*].Cost-center Center.state information

reqHeader.fixedAssets[*].costCenter.url	string	Fixedassets[*].Cost-center Center.url information
reqHeader.fixedAssets[*].costCenter.zipCode	string	Zip Code information
reqHeader.fixedAssets[*].companyId	reqFixedAssetOrgObject	Company Code information
reqHeader.fixedAssets[*].companyId.addressLine1	string	Address Line1 information
reqHeader.fixedAssets[*].companyId.addressLine2	string	Address Line2 information
reqHeader.fixedAssets[*].companyId.childCount	Integer Number	Child Count information
reqHeader.fixedAssets[*].companyId.city	string	Fixedassets[*].Companycode Code.city information
reqHeader.fixedAssets[*].companyId.country	string	Fixedassets[*].Companycode Code.country information
reqHeader.fixedAssets[*].companyId.email	string	Fixedassets[*].Companycode Code.email information
reqHeader.fixedAssets[*].companyId.endDate	Date/Time	End Date information
reqHeader.fixedAssets[*].companyId.entityCode	string	Entity Code information
reqHeader.fixedAssets[*].companyId.entityDetailCode	Integer Number	Entitydetail Code information
reqHeader.fixedAssets[*].companyId.entityDetailDescription	string	Entitydetail Description information
reqHeader.fixedAssets[*].companyId.entityName	string	Entity Name information
reqHeader.fixedAssets[*].companyId.entityType	string	Entity Type information
reqHeader.fixedAssets[*].companyId.fax	string	Fixedassets[*].Companycode Code.fax information
reqHeader.fixedAssets[*].companyId.gepld	string	Gep Id information
reqHeader.fixedAssets[*].companyId.isActive	Boolean	Is Active information

reqHeader.fixedAssets[*].companyCode.level	Integer Number	Fixedassets[*].Companycode Code.level information
reqHeader.fixedAssets[*].companyCode.lobCode	string	Lob Code information
reqHeader.fixedAssets[*].companyCode.lobName	string	Lob Name information
reqHeader.fixedAssets[*].companyCode.logo	string	Fixedassets[*].Companycode Code.logo information
reqHeader.fixedAssets[*].companyCode.parentEntity	string	Parent Entity information
reqHeader.fixedAssets[*].companyCode.parentEntityCode	string	Parententity Code information
reqHeader.fixedAssets[*].companyCode.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.fixedAssets[*].companyCode.phone1	string	Fixedassets[*].Companycode Code.phone1 information
reqHeader.fixedAssets[*].companyCode.phone2	string	Fixedassets[*].Companycode Code.phone2 information
reqHeader.fixedAssets[*].companyCode.startDate	Date/Time	Start Date information
reqHeader.fixedAssets[*].companyCode.state	string	Fixedassets[*].Companycode Code.state information
reqHeader.fixedAssets[*].companyCode.url	string	Fixedassets[*].Companycode Code.url information
reqHeader.fixedAssets[*].companyCode.zipCode	string	Zip Code information
reqHeader.fixedAssets[*].shipTo	reqLocation	Ship To information
reqHeader.fixedAssets[*].shipTo.addressCode	string	Address Code information
reqHeader.fixedAssets[*].shipTo.allowForFutureReference	Boolean	Allowforfuture Reference information



reqHeader.fixedAssets[*].shipTo.contactEmail	string	Contact Email information
reqHeader.fixedAssets[*].shipTo.contactName	string	Contact Name information
reqHeader.fixedAssets[*].shipTo.contactPhone	string	Contact Phone information
reqHeader.fixedAssets[*].shipTo.coordinates	string	Fixedassets[*].Shipto To.coordinates information
reqHeader.fixedAssets[*].shipTo.isActive	Boolean	Is Active information
reqHeader.fixedAssets[*].shipTo.isActiveVersion	Boolean	Isactive Version information
reqHeader.fixedAssets[*].shipTo.isAdhoc	Boolean	Is Adhoc information
reqHeader.fixedAssets[*].shipTo.isDefault	Boolean	Is Default information
reqHeader.fixedAssets[*].shipTo.locationId	string	Location Id information
reqHeader.fixedAssets[*].shipTo.locationName	string	Location Name information
reqHeader.fixedAssets[*].shipTo.locationNumber	string	Location Number information
reqHeader.fixedAssets[*].shipTo.locationType	Integer Number	Location Type information
reqHeader.fixedAssets[*].shipTo.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.fixedAssets[*].shipTo.version	Integer Number	Fixedassets[*].Shipto To.version information
reqHeader.fixedAssets[*].shipTo.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.fixedAssets[*].shipTo.saveForMe	Boolean	Savefor Me information
reqHeader.fixedAssets[*].shipTo.contactCode	string	Contact Code information
reqHeader.fixedAssets[*].shipTo.adhocAddedAtLine	Boolean	Adhocaddedat Line information
reqHeader.fixedAssets[*].shipTo.address	reqAddressInfo	Fixedassets[*].Shipto To.address information

reqHeader.fixedAs-sets[*].shipTo.address.addressline1	string	Fixedas-sets[*].Shipto.Address To.address.addressline1 information
reqHeader.fixedAs-sets[*].shipTo.address.addressline2	string	Fixedas-sets[*].Shipto.Address To.address.addressline2 information
reqHeader.fixedAs-sets[*].shipTo.address.addressline3	string	Fixedas-sets[*].Shipto.Address To.address.addressline3 information
reqHeader.fixedAs-sets[*].shipTo.address.area-Code	string	Area Code information
reqHeader.fixedAs-sets[*].shipTo.address.city	string	Fixedas-sets[*].Shipto.Address To.address.city information
reqHeader.fixedAs-sets[*].shipTo.address.county	string	Fixedas-sets[*].Shipto.Address To.address.county information
reqHeader.fixedAs-sets[*].shipTo.address.displayAddress	string	Display Address information
reqHeader.fixedAs-sets[*].shipTo.address.extensionNo1	string	Extension No1 information
reqHeader.fixedAs-sets[*].shipTo.address.extensionNo2	string	Extension No2 information
reqHeader.fixedAs-sets[*].shipTo.address.faxNo	string	Fax No information
reqHeader.fixedAs-sets[*].shipTo.address.geo-Code	string	Geo Code information
reqHeader.fixedAs-sets[*].shipTo.address.isdCode	string	Isd Code information

reqHeader.fixedAssets[*].shipTo.address.mobileNo	string	Mobile No information
reqHeader.fixedAssets[*].shipTo.address.phoneNo1	string	Phone No1 information
reqHeader.fixedAssets[*].shipTo.address.phoneNo2	string	Phone No2 information
reqHeader.fixedAssets[*].shipTo.address.poBoxnumber	string	Po Boxnumber information
reqHeader.fixedAssets[*].shipTo.address.zipCode	string	Zip Code information
reqHeader.fixedAssets[*].shipTo.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.fixedAssets[*].shipTo.address.countryInfo.countryCode	string	Country Code information
reqHeader.fixedAssets[*].shipTo.address.countryInfo.countryName	string	Country Name information
reqHeader.fixedAssets[*].shipTo.address.stateInfo	reqStateInfo	State Info information
reqHeader.fixedAssets[*].shipTo.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information
reqHeader.fixedAssets[*].shipTo.address.stateInfo.stateName	string	State Name information
reqHeader.fixedAssets[*].shipTo.lob	reqLocationLob	Fixedassets[*].Shipto To.lob information
reqHeader.fixedAssets[*].shipTo.lob.code	string	Fixedassets[*].Shipto.Lob To.lob.code information
reqHeader.fixedAssets[*].shipTo.lob.name	string	Fixedassets[*].Shipto.Lob To.lob.name information

reqHeader.fixedAssets[*].shipTo.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.fixedAssets[*].shipTo.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.fixedAssets[*].shipTo.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.fixedAssets[*].assetClass	reqFixedAssetGlobalCodeObject	Asset Class information
reqHeader.fixedAssets[*].assetClass.appCodeId	Integer Number	Appcode Id information
reqHeader.fixedAssets[*].assetClass.clientCode	string	Client Code information
reqHeader.fixedAssets[*].assetClass.code	string	Fixedassets[*].Assetclass Class.code information
reqHeader.fixedAssets[*].assetClass.codeType	string	Code Type information
reqHeader.fixedAssets[*].assetClass.createdBy	string	Created By information
reqHeader.fixedAssets[*].assetClass.createdOn	Date/Time	Created On information
reqHeader.fixedAssets[*].assetClass.description	string	Fixedassets[*].Assetclass Class.description information
reqHeader.fixedAssets[*].assetClass.endDate	Date/Time	End Date information
reqHeader.fixedAssets[*].assetClass.modifiedBy	string	Modified By information
reqHeader.fixedAssets[*].assetClass.modifiedOn	Date/Time	Modified On information
reqHeader.fixedAssets[*].assetClass.name	string	Fixedassets[*].Assetclass Class.name information
reqHeader.fixedAssets[*].assetClass.source	string	Fixedassets[*].Assetclass Class.source information
reqHeader.fixedAssets[*].assetClass.startDate	Date/Time	Start Date information
reqHeader.fixedAssets[*].assetClass.status	string	Fixedassets[*].Assetclass Class.status information

reqHeader.fixedAssets[*].assetClass.version	Integer Number	Fixedassets[*].Assetclass Class.version information
reqHeader.fixedAssets[*].assetLocation	reqFixedAssetGlobalCodeObject	Asset Location information
reqHeader.fixedAssets[*].assetLocation.appCodeId	Integer Number	Appcode Id information
reqHeader.fixedAssets[*].assetLocation.clientCode	string	Client Code information
reqHeader.fixedAssets[*].assetLocation.code	string	Fixedassets[*].Assetlocation Location.code information
reqHeader.fixedAssets[*].assetLocation.codeType	string	Code Type information
reqHeader.fixedAssets[*].assetLocation.createdBy	string	Created By information
reqHeader.fixedAssets[*].assetLocation.createdOn	Date/Time	Created On information
reqHeader.fixedAssets[*].assetLocation.description	string	Fixedassets[*].Assetlocation Location.description information
reqHeader.fixedAssets[*].assetLocation.endDate	Date/Time	End Date information
reqHeader.fixedAssets[*].assetLocation.modifiedBy	string	Modified By information
reqHeader.fixedAssets[*].assetLocation.modifiedOn	Date/Time	Modified On information
reqHeader.fixedAssets[*].assetLocation.name	string	Fixedassets[*].Assetlocation Location.name information
reqHeader.fixedAssets[*].assetLocation.source	string	Fixedassets[*].Assetlocation Location.source information
reqHeader.fixedAssets[*].assetLocation.startDate	Date/Time	Start Date information
reqHeader.fixedAssets[*].assetLocation.status	string	Fixedassets[*].Assetlocation Location.status information

reqHeader.fixedAssets[*].assetLocation.version	Integer Number	Fixedassets[*].Assetlocation Location.version information
reqHeader.shiptoLocation	reqLocation	Shipto Location information
reqHeader.shiptoLocation.addressCode	string	Address Code information
reqHeader.shiptoLocation.allowForFutureReference	Boolean	Allowforfuture Reference information
reqHeader.shiptoLocation.contactEmail	string	Contact Email information
reqHeader.shiptoLocation.contactName	string	Contact Name information
reqHeader.shiptoLocation.contactPhone	string	Contact Phone information
reqHeader.shiptoLocation.coordinates	string	Shiptolocation Location.coordinates information
reqHeader.shiptoLocation.isActive	Boolean	Is Active information
reqHeader.shiptoLocation.isActiveVersion	Boolean	Isactive Version information
reqHeader.shiptoLocation.isAdhoc	Boolean	Is Adhoc information
reqHeader.shiptoLocation.isDefault	Boolean	Is Default information
reqHeader.shiptoLocation.locationId	string	Location Id information
reqHeader.shiptoLocation.locationName	string	Location Name information
reqHeader.shiptoLocation.locationNumber	string	Location Number information
reqHeader.shiptoLocation.locationType	Integer Number	Location Type information
reqHeader.shiptoLocation.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.shiptoLocation.version	Integer Number	Shiptolocation Location.version information
reqHeader.shiptoLocation.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.shiptoLocation.saveForMe	Boolean	Savefor Me information

reqHeader.shiptoLocation.contactCode	string	Contact Code information
reqHeader.shiptoLocation.adhocAddedAtLine	Boolean	Adhocaddedat Line information
reqHeader.shiptoLocation.address	reqAddressInfo	Shiptolocation Location.address information
reqHeader.shiptoLocation.address.addressline1	string	Shiptolocation.Address Location.address.addressline1 information
reqHeader.shiptoLocation.address.addressline2	string	Shiptolocation.Address Location.address.addressline2 information
reqHeader.shiptoLocation.address.addressline3	string	Shiptolocation.Address Location.address.addressline3 information
reqHeader.shiptoLocation.address.areaCode	string	Area Code information
reqHeader.shiptoLocation.address.city	string	Shiptolocation.Address Location.address.city information
reqHeader.shiptoLocation.address.county	string	Shiptolocation.Address Location.address.county information
reqHeader.shiptoLocation.address.displayAddress	string	Display Address information
reqHeader.shiptoLocation.address.extenstionNo1	string	Extenstion No1 information
reqHeader.shiptoLocation.address.extenstionNo2	string	Extenstion No2 information
reqHeader.shiptoLocation.address.faxNo	string	Fax No information
reqHeader.shiptoLocation.address.geoCode	string	Geo Code information
reqHeader.shiptoLocation.address.isdCode	string	Isd Code information
reqHeader.shiptoLocation.address.mobileNo	string	Mobile No information
reqHeader.shiptoLocation.address.phoneNo1	string	Phone No1 information

reqHeader.shiptoLocation.address.phoneNo2	string	Phone No2 information
reqHeader.shiptoLocation.address.poBoxnumber	string	Po Boxnumber information
reqHeader.shiptoLocation.address.zipCode	string	Zip Code information
reqHeader.shiptoLocation.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.shiptoLocation.address.countryInfo.countryCode	string	Country Code information
reqHeader.shiptoLocation.address.countryInfo.countryName	string	Country Name information
reqHeader.shiptoLocation.address.stateInfo	reqStateInfo	State Info information
reqHeader.shiptoLocation.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information
reqHeader.shiptoLocation.address.stateInfo.stateName	string	State Name information
reqHeader.shiptoLocation.lob	reqLocationLob	Shiptolocation Location.lob information
reqHeader.shiptoLocation.lob.code	string	Shiptolocation.Lob Location.lob.code information
reqHeader.shiptoLocation.lob.name	string	Shiptolocation.Lob Location.lob.name information
reqHeader.shiptoLocation.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.shiptoLocation.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.shiptoLocation.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.attachments	reqAttachment	Req Header attachments informations
reqHeader.attachments[*].fileName	string	File Name information
reqHeader.attachments[*].fileSize	Decimal Number	File Size information



reqHeader.attachments[*].createdOn	Date/Time	Created On information
reqHeader.attachments[*].isInternalOnly	Boolean	Isinternal Only information
reqHeader.attachments[*].is-Encrypted	Boolean	Is Encrypted information
reqHeader.attachments[*].isIndexed	Boolean	Is Indexed information
reqHeader.attachments[*].is-Searchable	Boolean	Is Searchable information
reqHeader.attachments[*].isZipped	Boolean	Is Zipped information
reqHeader.attachments[*].isDeleted	Boolean	Is Deleted information
reqHeader.attachments[*].isEditable	Boolean	Is Editable information
reqHeader.attachments[*].fileDisplayName	string	Filedisplay Name information
reqHeader.attachments[*].sequenceNo	Integer Number	Sequence No information
reqHeader.attachments[*].id	string	Req Header.attachments[*] id informations
reqHeader.attachments[*].name	string	Req Header.attachments[*] name informations
reqHeader.attachments[*].code	string	Req Header.attachments[*] code informations
reqHeader.attachments[*].createdBy	reqAttachmentCreatedBy	Created By information
reqHeader.attachments[*].createdBy.firstName	string	First Name information
reqHeader.attachments[*].createdBy.lastName	string	Last Name information
reqHeader.attachments[*].createdBy.fullName	string	Full Name information
reqHeader.attachments[*].createdBy.emailId	string	Email Id information
reqHeader.attachments[*].createdBy.contactCode	Long Number	Contact Code information
reqHeader.attachments[*].createdBy.isActive	Boolean	Is Active information

reqHeader.attachments[*].createdBy.userId	Integer Number	User Id information
reqHeader.attachments[*].createdBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.attachments[*].createdBy.clientContactCode	string	Clientcontact Code information
reqHeader.attachments[*].classificationType	reqAttachmentClassificationType	Classification Type information
reqHeader.attachments[*].classificationType.culture	string	Attachments[*].Classificationtype Type.culture information
reqHeader.attachments[*].classificationType.version	Integer Number	Attachments[*].Classificationtype Type.version information
reqHeader.attachments[*].classificationType.id	string	Attachments[*].Classificationtype Type.id information
reqHeader.attachments[*].classificationType.name	string	Attachments[*].Classificationtype Type.name information
reqHeader.attachments[*].classificationType.code	string	Attachments[*].Classificationtype Type.code information
reqHeader.orderItems	reqOrderItems	Order Items information
reqHeader.orderItems[*].additionalCharges	Decimal Number	Additional Charges information
reqHeader.orderItems[*].customerItemNumber	string	Customeritem Number information
reqHeader.orderItems[*].deliverTo	string	Deliver To information
reqHeader.orderItems[*].description	string	Orderitems Items[*].description information
reqHeader.orderItems[*].documentId	string	Document Id information
reqHeader.orderItems[*].documentName	string	Document Name information

reqHeader.orderItems[*].documentNumber	string	Document Number information
reqHeader.orderItems[*].freightCharges	Decimal Number	Freight Charges information
reqHeader.orderItems[*].lineItemNumber	Integer Number	Lineitem Number information
reqHeader.orderItems[*].lineTaxAmountTotal	Decimal Number	Linetaxamount Total information
reqHeader.orderItems[*].lineTotal	Decimal Number	Line Total information
reqHeader.orderItems[*].manufacturerName	string	Manufacturer Name information
reqHeader.orderItems[*].manufacturerNumberClientcode	string	Manufacturernumber Clientcode information
reqHeader.orderItems[*].manufacturerPartDescription	string	Manufacturerpart Description information
reqHeader.orderItems[*].manufacturerPartIdClientCode	string	Manufacturerpartidclient Code information
reqHeader.orderItems[*].manufacturerPartName	string	Manufacturerpart Name information
reqHeader.orderItems[*].pricePer	Decimal Number	Price Per information
reqHeader.orderItems[*].requisitionNumberLine	string	Requisitionnumber Line information
reqHeader.orderItems[*].referencedContractIdClientCode	string	Referencedcontractidclient Code information
reqHeader.orderItems[*].referencedContractLineIdClientCode	string	Referencedcontractlineidclient Code information
reqHeader.orderItems[*].referencedContractLineNumber	string	Referencedcontractline Number information
reqHeader.orderItems[*].referencedContractNumber	string	Referencedcontract Number information
reqHeader.orderItems[*].rfxReferenceNumber	string	Rfxreference Number information
reqHeader.orderItems[*].referencedContractExpiryDate	Date/Time	Referencedcontractexpiry Date information

reqHeader.orderItems[*].referencedContractLimit	Decimal Number	Referencedcontract Limit information
reqHeader.orderItems[*].servicePlannedEndDate	Date/Time	Serviceplannedend Date information
reqHeader.orderItems[*].supplierRequestedDate	Date/Time	Supplierrequested Date information
reqHeader.orderItems[*].servicePlannedStartDate	Date/Time	Serviceplannedstart Date information
reqHeader.orderItems[*].lineValue	Decimal Number	Line Value information
reqHeader.orderItems[*].supplierItemNumber	string	Supplieritem Number information
reqHeader.orderItems[*].totalRequestQuantity	Decimal Number	Totalrequest Quantity information
reqHeader.orderItems[*].unitPrice	Decimal Number	Unit Price information
reqHeader.orderItems[*].commentText	string	Comment Text information
reqHeader.orderItems[*].catalogName	string	Catalog Name information
reqHeader.orderItems[*].catalogNumber	string	Catalog Number information
reqHeader.orderItems[*].orderedQtyOrPrice	Decimal Number	Orderedqtyor Price information
reqHeader.orderItems[*].reqHeader_documentId	string	Reqheader_Document Id information
reqHeader.orderItems[*].isHeaderADREnabledInLine	Boolean	Isheaderadrenabledin Line information
reqHeader.orderItems[*].itemName	string	Item Name information
reqHeader.orderItems[*].orderQuantity	Decimal Number	Order Quantity information
reqHeader.orderItems[*].orderPrice	Decimal Number	Order Price information
reqHeader.orderItems[*].isDeleted	Boolean	Is Deleted information
reqHeader.orderItems[*].erpLineNumber	string	Erpline Number information
reqHeader.orderItems[*].taxExempt	string	Tax Exempt information
reqHeader.orderItems[*].banding	Decimal Number	Orderitems Items[*].banding information

reqHeader.orderItems[*].minimumRequestQuantity	Decimal Number	Minimumrequest Quantity information
reqHeader.orderItems[*].maximumRequestQuantity	Decimal Number	Maximumrequest Quantity information
reqHeader.orderItems[*].isAISuggestionAvailable	Boolean	Isaisuggestion Available information
reqHeader.orderItems[*].baseCurrencyConversionFactor	Decimal Number	Basecurrencyconversion Factor information
reqHeader.orderItems[*].spendContractNumber	string	Spendcontract Number information
reqHeader.orderItems[*].originalPrice	Decimal Number	Original Price information
reqHeader.orderItems[*].root_id	string	Root Items[*].root_id information
reqHeader.orderItems[*].parent_id	string	Parent Items[*].parent_id information
reqHeader.orderItems[*].lineBaseCurrencyConversionFactor	Decimal Number	Linebasecurrencyconversion Factor information
reqHeader.orderItems[*].lineTotalBase	Decimal Number	Linetotal Base information
reqHeader.orderItems[*].isFlexiblePricing	Boolean	Isflexible Pricing information
reqHeader.orderItems[*].incotermLocation	string	Incoterm Location information
reqHeader.orderItems[*].deliverToAddress	string	Deliverto Address information
reqHeader.orderItems[*].lineStatus	docStatus	Line Status information
reqHeader.orderItems[*].lineStatus.name	string	Orderitems[*].Lines-tatus Status.name information
reqHeader.orderItems[*].lineStatus.id	Integer Number	Orderitems[*].Lines-tatus Status.id information
reqHeader.orderItems[*].supplier	reqSupplier	Orderitems Items[*].supplier information
reqHeader.orderItems[*].supplier.supplierPartnerCode	string	Supplierpartner Code information
reqHeader.orderItems[*].supplier.clientPartnerCode	string	Clientpartner Code information

reqHeader.orderItems[*].supplier.name	string	Orderitems[*].Supplier Items[*].supplier.name information
reqHeader.orderItems[*].supplier.smartPartnerCode	string	Smartpartner Code information
reqHeader.orderItems[*].supplier.legalCompanyName	string	Legalcompany Name information
reqHeader.orderItems[*].supplierContact	reqSupplierContact	Supplier Contact information
reqHeader.orderItems[*].supplierContact.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].supplierContact.emailAddress	string	Email Address information
reqHeader.orderItems[*].supplierContact.firstName	string	First Name information
reqHeader.orderItems[*].supplierContact.lastName	string	Last Name information
reqHeader.orderItems[*].supplierContact.phoneNo	string	Phone No information
reqHeader.orderItems[*].supplierContact.defaultRoleId	string	Defaultrole Id information
reqHeader.orderItems[*].supplierContact.contactCode	string	Contact Code information
reqHeader.orderItems[*].supplierContact.partnerCode	string	Partner Code information
reqHeader.orderItems[*].supplierContact.proxyContactCode	string	Proxycontact Code information
reqHeader.orderItems[*].supplierContact.stakeholderType	string	Stakeholder Type information
reqHeader.orderItems[*].supplierContact.shipToCustomerSite	string	Shiptocustomer Site information
reqHeader.orderItems[*].supplierOrderingLocationInfo	reqSupplierOrderingLocationInfo	Supplierorderinglocation Info information
reqHeader.orderItems[*].supplierOrderingLocationInfo.primaryNumberExtn	Integer Number	Primarynumber Extn information

reqHeader.orderItems[*].supplierOrderingLocationInfo.locationName	string	Location Name information
reqHeader.orderItems[*].supplierOrderingLocationInfo.secondaryBusinessPhone	string	Secondarybusiness Phone information
reqHeader.orderItems[*].supplierOrderingLocationInfo.primaryBusinessPhone	string	Primarybusiness Phone information
reqHeader.orderItems[*].supplierOrderingLocationInfo.faxNumber	string	Fax Number information
reqHeader.orderItems[*].supplierOrderingLocationInfo.secondaryNumberExtn	string	Secondarynumber Extn information
reqHeader.orderItems[*].supplierOrderingLocationInfo.supplierLocationCode	string	Supplierlocation Code information
reqHeader.orderItems[*].supplierOrderingLocationInfo.orderLocDetail	string	Orderloc Detail information
reqHeader.orderItems[*].supplierOrderingLocationInfo.smartOrderingLocationId	string	Smartorderinglocation Id information
reqHeader.orderItems[*].supplierOrderingLocationInfo.locationId	string	Location Id information
reqHeader.orderItems[*].account	reqAccount	Orderitems[*].account information
reqHeader.orderItems[*].account[*].accountID	string	Orderitems[*].Account ID information
reqHeader.orderItems[*].account[*].description	string	Orderitems[*].Account Items[*].description information
reqHeader.orderItems[*].account[*].lineItemNumber	Integer Number	Lineitem Number information
reqHeader.orderItems[*].account[*].requisitionNumberLine	string	Requisitionnumber Line information
reqHeader.orderItems[*].account[*].documentId	string	Document Id information

reqHeader.orderItems[*].account[*].split	string	Orderitems[*].Account Items[*].account[*].split information
reqHeader.orderItems[*].account[*].isSplitRow	Boolean	Issplit Row information
reqHeader.orderItems[*].account[*].lineNumberString	string	Linenumber String information
reqHeader.orderItems[*].account[*].reqOrderItems_requisitionNumberLine	string	Reqorderitems_Reqquisitionnumber Line information
reqHeader.orderItems[*].account[*].additionalCharges	Decimal Number	Additional Charges information
reqHeader.orderItems[*].account[*].totalRequestQuantity	Decimal Number	Totalrequest Quantity information
reqHeader.orderItems[*].account[*].splitTotal	Decimal Number	Split Total information
reqHeader.orderItems[*].account[*].splitValue	Decimal Number	Split Value information
reqHeader.orderItems[*].account[*].lineTaxAmountTotal	Decimal Number	Linetaxamount Total information
reqHeader.orderItems[*].account[*].unitPrice	Decimal Number	Unit Price information
reqHeader.orderItems[*].account[*].freightCharges	Decimal Number	Freight Charges information
reqHeader.orderItems[*].account[*].splitNumber	Decimal Number	Split Number information
reqHeader.orderItems[*].account[*].isDeleted	Boolean	Is Deleted information
reqHeader.orderItems[*].account[*].percentage	Decimal Number	Orderitems[*].Account Items[*].account[*].percentage information
reqHeader.orderItems[*].account[*].isADREnabled	Boolean	Is ADREnabled information
reqHeader.orderItems[*].account[*].root_id	string	Root Items[*].account[*].root_id information
reqHeader.orderItems[*].account[*].parent_id	string	Parent Items[*].account[*].parent_id information



reqHeader.orderItems[*].account[*].requestor	user	Orderitems[*].Account Items[*].account[*].requestor information
reqHeader.orderItems[*].account[*].requestor.userId	string	User Id information
reqHeader.orderItems[*].account[*].requestor.contactCode	string	Contact Code information
reqHeader.orderItems[*].account[*].requestor.firstName	string	First Name information
reqHeader.orderItems[*].account[*].requestor.lastName	string	Last Name information
reqHeader.orderItems[*].account[*].requestor.fullName	string	Full Name information
reqHeader.orderItems[*].account[*].requestor.emailAddress	string	Email Address information
reqHeader.orderItems[*].account[*].requestor.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].account[*].requestor.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.orderItems[*].account[*].splitType	reqCodeDescriptionWithoutClientCode	Split Type information
reqHeader.orderItems[*].account[*].splitType.code	string	Orderitems[*].Account[*].Splittype Type.code information
reqHeader.orderItems[*].account[*].splitType.description	string	Orderitems[*].Account[*].Splittype Type.description information
reqHeader.orderItems[*].account[*].accounting	reqCodeDescriptionWithoutClientCode	Orderitems[*].Account Items[*].accounting information
reqHeader.orderItems[*].account[*].accounting.code	string	Orderitems[*].Accounting Items[*].accounting.code information

reqHeader.orderItems[*].account[*].accounting.description	string	Orderitems[*].Account[*].AccountingItems[*].account[*].accounting.description information
reqHeader.orderItems[*].account[*].accountingDetails	reqAccountingDetails	Accounting Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity1	reqAccountOrgEntity	Orderitems[*].Account[*].AccountingDetails Details.entity1 information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity1.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity1.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity1.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity1.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity2	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity2 information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity2.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity2.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity2.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity2.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity3	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity3 information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity3.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity3.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity3.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity3.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity4	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity4 information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.accountDisplayName	string	Accountdisplay Name information



reqHeader.orderItems[*].account[*].accountingDetails.entity4.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity4.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity4.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity4.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity5	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity5 information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity5.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity5.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity5.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity5.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity6	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity6 information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity6.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity6.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity6.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity6.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity7	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity7 information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity7.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity7.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity7.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity7.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity8	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity8 information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.accountDisplayName	string	Accountdisplay Name information



reqHeader.orderItems[*].account[*].accountingDetails.entity8.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity8.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity8.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity8.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity9	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity9 information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity9.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity9.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity9.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity9.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity10	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity10 information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity10.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity10.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity10.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity10.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity11	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity11 information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity11.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity11.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity11.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity11.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity12	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity12 information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.accountDisplayName	string	Accountdisplay Name information



reqHeader.orderItems[*].account[*].accountingDetails.entity12.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity12.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity12.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity12.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity13	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity13 information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity13.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity13.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity13.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity13.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity14	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity14 information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity14.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity14.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity14.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity14.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity15	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity15 information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity15.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity15.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity15.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity15.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity16	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity16 information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.accountDisplayName	string	Accountdisplay Name information



reqHeader.orderItems[*].account[*].accountingDetails.entity16.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity16.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity16.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity16.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity17	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity17 information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity17.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity17.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity17.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity17.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity18	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity18 information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity18.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity18.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity18.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity18.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity19	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity19 information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.accountDisplayName	string	Accountdisplay Name information

reqHeader.orderItems[*].account[*].accountingDetails.entity19.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity19.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity19.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity19.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity20	reqAccountOrgEntity	Orderitems[*].Account[*].Accounting-details Details.entity20 information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.lobName	string	Lob Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.displayName	string	Display Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentEntity	string	Parent Entity information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.lobCode	string	Lob Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.accountDisplayName	string	Accountdisplay Name information



reqHeader.orderItems[*].account[*].accountingDetails.entity20.level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity Details.entity20.level information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityDetailDescription	string	Entitydetail Description information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.entityDetailCode	string	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentEntityDetailCode	string	Parententitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.lobEntityDetailCode	string	Lobentitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.isDefaultADRChanged	Boolean	Isdefault ADRChanged information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.isDefaultADRChangedFromUI	Boolean	Isdefaultadrchanged UI information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails	parentDetails	Parent Details information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails[*].level	Integer Number	Orderitems[*].Account[*].Accounting-details.Entity20.Parentdetails Details[*].level information

reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].account[*].accountingDetails.entity20.parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].account[*].accountingVersionDetail	accountingVersionDetail	Accountingversion Detail information
reqHeader.orderItems[*].account[*].accountingVersionDetail.rootAccountId	string	Rootaccount Id information
reqHeader.orderItems[*].account[*].accountingVersionDetail.parentAccountId	string	Parentaccount Id information
reqHeader.orderItems[*].account[*].accountingVersionDetail.legalCompanyName	string	Legalcompany Name information
reqHeader.orderItems[*].account[*].accountingVersionDetail.rootSplitId	string	Rootsplit Id information
reqHeader.orderItems[*].account[*].auditFields	syshistory	Audit Fields information
reqHeader.orderItems[*].account[*].auditFields.createdBy	string	Created By information
reqHeader.orderItems[*].account[*].auditFields.createdDateTime	Date/Time	Createddate Time information
reqHeader.orderItems[*].account[*].auditFields.modifiedBy	string	Modified By information
reqHeader.orderItems[*].account[*].auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
reqHeader.orderItems[*].itemTypePriceBasis	reqCodeDescription	Itemtypeprice Basis information
reqHeader.orderItems[*].itemTypePriceBasis.code	string	Order-items[*].Itemtype-pricebasis Basis.code information

reqHeader.orderItems[*].itemTypePriceBasis.description	string	Order-items[*].Itemtype-pricebasis Basis.description information
reqHeader.orderItems[*].itemTypePriceBasis.clientCode	string	Client Code information
reqHeader.orderItems[*].itemTypePriceBasis.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.orderItems[*].itemTypePriceBasis.allowDecimal	Boolean	Allow Decimal information
reqHeader.orderItems[*].itemTypePriceBasis.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.orderItems[*].uom	reqCodeDescription	Orderitems Items[*].uom information
reqHeader.orderItems[*].uom.code	string	Orderitems[*].Uom Items[*].uom.code information
reqHeader.orderItems[*].uom.description	string	Orderitems[*].Uom Items[*].uom.description information
reqHeader.orderItems[*].uom.clientCode	string	Client Code information
reqHeader.orderItems[*].uom.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.orderItems[*].uom.allowDecimal	Boolean	Allow Decimal information
reqHeader.orderItems[*].uom.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.orderItems[*].order	reqOrderLink	Orderitems Items[*].order information
reqHeader.orderItems[*].order.documentNumber	string	Document Number information
reqHeader.orderItems[*].order.documentId	string	Document Id information
reqHeader.orderItems[*].order.lineNumber	string	Line Number information

reqHeader.orderItems[*].order.url	string	Orderitems[*].OrderItems[*].order.url information
reqHeader.orderItems[*].order.orderedQtyOrPrice	Decimal Number	Orderedqtyor Price information
reqHeader.orderItems[*].order.operationType	string	Operation Type information
reqHeader.orderItems[*].order.lineStatusName	string	Linestatus Name information
reqHeader.orderItems[*].order.lineStatusCode	string	Linestatus Code information
reqHeader.orderItems[*].order.versionNo	string	Version No information
reqHeader.orderItems[*].order.acceptedQuantity	Decimal Number	Accepted Quantity information
reqHeader.orderItems[*].order.documentStatus	string	Document Status information
reqHeader.orderItems[*].order.documentStatusCode	Integer Number	Documentstatus Code information
reqHeader.orderItems[*].order.interfaceStatus	string	Interface Status information
reqHeader.orderItems[*].commodity	reqCommodity	Orderitems[*].commodity information
reqHeader.orderItems[*].commodity.name	string	Orderitems[*].CommodityItems[*].commodity.name information
reqHeader.orderItems[*].commodity.description	string	Orderitems[*].CommodityItems[*].commodity.description information
reqHeader.orderItems[*].commodity.clientCode	string	Client Code information
reqHeader.orderItems[*].commodity.id	string	Orderitems[*].CommodityItems[*].commodity.id information
reqHeader.orderItems[*].commodity.parentCommodities	reqParentCommodities	Parent Commodities information

reqHeader.orderItems[*].commodity.parentCommodities[*].id	Long Number	Orderitems[*].Commodity.Parentcommodities Commodities[*].id information
reqHeader.orderItems[*].commodity.parentCommodities[*].name	string	Orderitems[*].Commodity.Parentcommodities Commodities[*].name information
reqHeader.orderItems[*].commodity.parentCommodities[*].description	string	Orderitems[*].Commodity.Parentcommodities Commodities[*].description information
reqHeader.orderItems[*].commodity.parentCommodities[*].clientCode	string	Client Code information
reqHeader.orderItems[*].commodity.parentCommodities[*].parentClientCode	string	Parentclient Code information
reqHeader.orderItems[*].itemType	reqCodeDescription	Item Type information
reqHeader.orderItems[*].itemType.code	string	Orderitems[*].Itemtype Type.code information
reqHeader.orderItems[*].itemType.description	string	Orderitems[*].Itemtype Type.description information
reqHeader.orderItems[*].itemType.clientCode	string	Client Code information
reqHeader.orderItems[*].itemType.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.orderItems[*].itemType.allowDecimal	Boolean	Allow Decimal information
reqHeader.orderItems[*].itemType.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.orderItems[*].itemSource	reqCodeDescriptionWithoutClientCode	Item Source information

reqHeader.orderItems[*].itemSource.code	string	Orderitems[*].Item-source Source.code information
reqHeader.orderItems[*].itemSource.description	string	Orderitems[*].Item-source Source.description information
reqHeader.orderItems[*].shippingMethod	reqCodeDescription	Shipping Method information
reqHeader.orderItems[*].shippingMethod.code	string	Orderitems[*].Shippingmethod Method.code information
reqHeader.orderItems[*].shippingMethod.description	string	Orderitems[*].Shippingmethod Method.description information
reqHeader.orderItems[*].shippingMethod.clientCode	string	Client Code information
reqHeader.orderItems[*].shippingMethod.allowDecimalValue	Boolean	Allowdecimal Value information
reqHeader.orderItems[*].shippingMethod.allowDecimal	Boolean	Allow Decimal information
reqHeader.orderItems[*].shippingMethod.decimalPrecision	Integer Number	Decimal Precision information
reqHeader.orderItems[*].itemCategory	reqItemCategory	Item Category information
reqHeader.orderItems[*].itemCategory.code	Long Number	Orderitems[*].Item-category Category.code information
reqHeader.orderItems[*].itemCategory.description	string	Orderitems[*].Item-category Category.description information
reqHeader.orderItems[*].itemCategory.displayName	string	Display Name information
reqHeader.orderItems[*].itemCategory.level	Integer Number	Orderitems[*].Item-category Category.level information

reqHeader.orderItems[*].item-Category.name	string	Orderitems[*].Item-category Category.name information
reqHeader.orderItems[*].item-Category.clientCode	string	Client Code information
reqHeader.orderItems[*].item-Category.id	Long Number	Orderitems[*].Item-category Category.id information
reqHeader.orderItems[*].item-Category.parentIds	Long Number	Parent Ids information
reqHeader.orderItems[*].billtoLocation	reqLocation	Billto Location information
reqHeader.orderItems[*].billtoLocation.addressCode	string	Address Code information
reqHeader.orderItems[*].billtoLocation.allowForFutureReference	Boolean	Allowforfuture Reference information
reqHeader.orderItems[*].billtoLocation.contactEmail	string	Contact Email information
reqHeader.orderItems[*].billtoLocation.contactName	string	Contact Name information
reqHeader.orderItems[*].billtoLocation.contactPhone	string	Contact Phone information
reqHeader.orderItems[*].billtoLocation.coordinates	string	Orderitems[*].Billto-location Location.coordinates information
reqHeader.orderItems[*].billtoLocation.isActive	Boolean	Is Active information
reqHeader.orderItems[*].billtoLocation.isActiveVersion	Boolean	Isactive Version information
reqHeader.orderItems[*].billtoLocation.isAdhoc	Boolean	Is Adhoc information
reqHeader.orderItems[*].billtoLocation.isDefault	Boolean	Is Default information

reqHeader.orderItems[*].billtoLocation.locationId	string	Location Id information
reqHeader.orderItems[*].billtoLocation.locationName	string	Location Name information
reqHeader.orderItems[*].billtoLocation.locationNumber	string	Location Number information
reqHeader.orderItems[*].billtoLocation.locationType	Integer Number	Location Type information
reqHeader.orderItems[*].billtoLocation.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.orderItems[*].billtoLocation.version	Integer Number	Orderitems[*].Billto-location Location.version information
reqHeader.orderItems[*].billtoLocation.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.orderItems[*].billtoLocation.saveForMe	Boolean	Savefor Me information
reqHeader.orderItems[*].billtoLocation.contactCode	string	Contact Code information
reqHeader.orderItems[*].billtoLocation.adhocAddedAtLine	Boolean	Adhocaddedat Line information
reqHeader.orderItems[*].billtoLocation.address	reqAddressInfo	Orderitems[*].Billto-location Location.address information
reqHeader.orderItems[*].billtoLocation.address.addressline1	string	Orderitems[*].Billto-location.Address Location.address.addressline1 information
reqHeader.orderItems[*].billtoLocation.address.addressline2	string	Orderitems[*].Billto-location.Address Location.address.addressline2 information



reqHeader.orderItems[*].billtoLocation.address.addressline3	string	Orderitems[*].BilltoLocation.Address Location.address.addressline3 information
reqHeader.orderItems[*].billtoLocation.address.areaCode	string	Area Code information
reqHeader.orderItems[*].billtoLocation.address.city	string	Orderitems[*].BilltoLocation.Address Location.address.city information
reqHeader.orderItems[*].billtoLocation.address.county	string	Orderitems[*].BilltoLocation.Address Location.address.county information
reqHeader.orderItems[*].billtoLocation.address.displayAddress	string	Display Address information
reqHeader.orderItems[*].billtoLocation.address.extenstionNo1	string	Extension No1 information
reqHeader.orderItems[*].billtoLocation.address.extenstionNo2	string	Extension No2 information
reqHeader.orderItems[*].billtoLocation.address.faxNo	string	Fax No information
reqHeader.orderItems[*].billtoLocation.address.geoCode	string	Geo Code information
reqHeader.orderItems[*].billtoLocation.address.isdCode	string	Isd Code information
reqHeader.orderItems[*].billtoLocation.address.mobileNo	string	Mobile No information
reqHeader.orderItems[*].billtoLocation.address.phoneNo1	string	Phone No1 information
reqHeader.orderItems[*].billtoLocation.address.phoneNo2	string	Phone No2 information

reqHeader.orderItems[*].billtoLocation.address.poBoxnumber	string	Po Boxnumber information
reqHeader.orderItems[*].billtoLocation.address.zipCode	string	Zip Code information
reqHeader.orderItems[*].billtoLocation.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.orderItems[*].billtoLocation.address.countryInfo.countryCode	string	Country Code information
reqHeader.orderItems[*].billtoLocation.address.countryInfo.countryName	string	Country Name information
reqHeader.orderItems[*].billtoLocation.address.stateInfo	reqStateInfo	State Info information
reqHeader.orderItems[*].billtoLocation.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information
reqHeader.orderItems[*].billtoLocation.address.stateInfo.stateName	string	State Name information
reqHeader.orderItems[*].billtoLocation.lob	reqLocationLob	Orderitems[*].Billto-location Location.lob information
reqHeader.orderItems[*].billtoLocation.lob.code	string	Orderitems[*].Billto-location.Lob Location.lob.code information
reqHeader.orderItems[*].billtoLocation.lob.name	string	Orderitems[*].Billto-location.Lob Location.lob.name information
reqHeader.orderItems[*].billtoLocation.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.orderItems[*].billtoLocation.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information

reqHeader.orderItems[*].billtoLocation.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.orderItems[*].notesAndAttachments	reqNotesAndAttachments	Notesand Attachments information
reqHeader.orderItems[*].notesAndAttachments.attachments	reqAttachment	Order-items[*].Notesand attachments Attachments.attachments information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].fileName	string	File Name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].fileSize	Decimal Number	File Size information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdOn	Date/Time	Created On information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isInternalOnly	Boolean	Isinternal Only information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isEncrypted	Boolean	Is Encrypted information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isIndexed	Boolean	Is Indexed information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isSearchable	Boolean	Is Searchable information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isZipped	Boolean	Is Zipped information

reqHeader.orderItems[*].notesAndAttachments.attachments[*].isDeleted	Boolean	Is Deleted information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].isEditable	Boolean	Is Editable information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].fileDisplayName	string	Filedisplay Name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].sequenceNo	Integer Number	Sequence No information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].id	string	Order-items[*].Notesandattachments.Attachments Attachments.attachments[*].id information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].name	string	Order-items[*].Notesandattachments.Attachments Attachments.attachments[*].name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].code	string	Order-items[*].Notesandattachments.Attachments Attachments.attachments[*].code information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy	reqAttachmentCreatedBy	Created By information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.firstName	string	First Name information

reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.lastName	string	Last Name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.fullName	string	Full Name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.emailId	string	Email Id information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.contactCode	Long Number	Contact Code information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.isActive	Boolean	Is Active information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.userId	Integer Number	User Id information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].createdBy.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType	reqAttachmentClassificationType	Classification Type information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType.culture	string	Order-items[*].Notesandattachments.Attachments[*].Classificationtype Type.culture information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType.version	Integer Number	Order-items[*].Notesandattachments.Attach-

		ments[*].Classificationtype Type.version information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType.id	string	Order-items[*].Notesandattachments.Attachments[*].Classificationtype Type.id information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType.name	string	Order-items[*].Notesandattachments.Attachments[*].Classificationtype Type.name information
reqHeader.orderItems[*].notesAndAttachments.attachments[*].classificationType.code	string	Order-items[*].Notesandattachments.Attachments[*].Classificationtype Type.code information
reqHeader.orderItems[*].notesAndAttachments.notes	reqNotes	Order-items[*].Notesandattachments Attachments.notes information
reqHeader.orderItems[*].notesAndAttachments.notes[*].type	Integer Number	Order-items[*].Notesandattachments.Notes Attachments.notes[*].type information
reqHeader.orderItems[*].notesAndAttachments.notes[*].isEditable	Boolean	Is Editable information
reqHeader.orderItems[*].notesAndAttachments.notes[*].description	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].description information
reqHeader.orderItems[*].notesAndAttachments.notes[*].sequenceNo	Integer Number	Sequence No information

reqHeader.orderItems[*].notesAndAttachments.notes[*].createdOn	Date/Time	Created On information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedOn	Date/Time	Modified On information
reqHeader.orderItems[*].notesAndAttachments.notes[*].id	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].name	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].code	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].code information
reqHeader.orderItems[*].notesAndAttachments.notes[*].test	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].test information
reqHeader.orderItems[*].notesAndAttachments.notes[*].visibility	reqNotesVisibility	Order-items[*].Notesandattachments.Notes Attachments.notes[*].visibility information
reqHeader.orderItems[*].notesAndAttachments.notes[*].visibility.id	string	Order-items[*].Notesandattachments.Notes Attachments.notes[*].visibility.id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].visibility.name	string	Order-items[*].Notesandat

		tach-ments.Notes[*].Visi-bility Attach-ments.notes[*].visi-bility.name infor-mation
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].visibility.code	string	Order-items[*].Notesandat tach-ments.Notes[*].Visi-bility Attach-ments.notes[*].visi-bility.code infor-mation
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].flag	reqNotesVisibility	Order-items[*].Notesandat tach-ments.Notes At-tach-ments.notes[*].flag information
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].flag.id	string	Order-items[*].Notesandat tach-ments.Notes[*].Flag Attach-ments.notes[*].flag.i d information
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].flag.name	string	Order-items[*].Notesandat tach-ments.Notes[*].Flag Attach-ments.notes[*].flag.name information
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].flag.code	string	Order-items[*].Notesandat tach-ments.Notes[*].Flag Attach-ments.notes[*].flag.code information
reqHeader.order-Items[*].notesAndAttach-ments.notes[*].classification-Type	reqAttachmentClassificationType	Classification Type information



reqHeader.orderItems[*].notesAndAttachments.notes[*].classificationType.culture	string	Order-items[*].Notesandattachments.Notes[*].Classificationtype Type.culture information
reqHeader.orderItems[*].notesAndAttachments.notes[*].classificationType.version	Integer Number	Order-items[*].Notesandattachments.Notes[*].Classificationtype Type.version information
reqHeader.orderItems[*].notesAndAttachments.notes[*].classificationType.id	string	Order-items[*].Notesandattachments.Notes[*].Classificationtype Type.id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].classificationType.name	string	Order-items[*].Notesandattachments.Notes[*].Classificationtype Type.name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].classificationType.code	string	Order-items[*].Notesandattachments.Notes[*].Classificationtype Type.code information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy	reqAttachmentCreatedBy	Created By information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.firstName	string	First Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.lastName	string	Last Name information

reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.fullName	string	Full Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.emailId	string	Email Id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.contactCode	Long Number	Contact Code information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.isActive	Boolean	Is Active information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.userId	Integer Number	User Id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].createdBy.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy	reqAttachmentCreatedBy	Modified By information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.firstName	string	First Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.lastName	string	Last Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.fullName	string	Full Name information

reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.emailId	string	Email Id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.contactCode	Long Number	Contact Code information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.isActive	Boolean	Is Active information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.userId	Integer Number	User Id information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.buyerPartnerName	string	Buyerpartner Name information
reqHeader.orderItems[*].notesAndAttachments.notes[*].modifiedBy.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].shiptoLocation	reqLocation	Shipto Location information
reqHeader.orderItems[*].shiptoLocation.addressCode	string	Address Code information
reqHeader.orderItems[*].shiptoLocation.allowForFutureReference	Boolean	Allowforfuture Reference information
reqHeader.orderItems[*].shiptoLocation.contactEmail	string	Contact Email information
reqHeader.orderItems[*].shiptoLocation.contactName	string	Contact Name information
reqHeader.orderItems[*].shiptoLocation.contactPhone	string	Contact Phone information
reqHeader.orderItems[*].shiptoLocation.coordinates	string	Order-items[*].Shiptolocation Location.coordinates information

reqHeader.orderItems[*].shiptoLocation.isActive	Boolean	Is Active information
reqHeader.orderItems[*].shiptoLocation.isActiveVersion	Boolean	Isactive Version information
reqHeader.orderItems[*].shiptoLocation.isActiveAdhoc	Boolean	Is Adhoc information
reqHeader.orderItems[*].shiptoLocation.isActiveDefault	Boolean	Is Default information
reqHeader.orderItems[*].shiptoLocation.locationId	string	Location Id information
reqHeader.orderItems[*].shiptoLocation.locationName	string	Location Name information
reqHeader.orderItems[*].shiptoLocation.locationNumber	string	Location Number information
reqHeader.orderItems[*].shiptoLocation.locationType	Integer Number	Location Type information
reqHeader.orderItems[*].shiptoLocation.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.orderItems[*].shiptoLocation.version	Integer Number	Order-items[*].Shiptolocation Location.version information
reqHeader.orderItems[*].shiptoLocation.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.orderItems[*].shiptoLocation.saveForMe	Boolean	Savefor Me information
reqHeader.orderItems[*].shiptoLocation.contactCode	string	Contact Code information
reqHeader.orderItems[*].shiptoLocation.adhocAddedAtLine	Boolean	Adhocaddedat Line information

reqHeader.orderItems[*].shiptoLocation.address	reqAddressInfo	Order-items[*].Shiptolocation Location.address information
reqHeader.orderItems[*].shiptoLocation.address.addressline1	string	Order-items[*].Shiptolocation.Address Location.address.addressline1 information
reqHeader.orderItems[*].shiptoLocation.address.addressline2	string	Order-items[*].Shiptolocation.Address Location.address.addressline2 information
reqHeader.orderItems[*].shiptoLocation.address.addressline3	string	Order-items[*].Shiptolocation.Address Location.address.addressline3 information
reqHeader.orderItems[*].shiptoLocation.address.areaCode	string	Area Code information
reqHeader.orderItems[*].shiptoLocation.address.city	string	Order-items[*].Shiptolocation.Address Location.address.city information
reqHeader.orderItems[*].shiptoLocation.address.county	string	Order-items[*].Shiptolocation.Address Location.address.county information
reqHeader.orderItems[*].shiptoLocation.address.displayAddress	string	Display Address information
reqHeader.orderItems[*].shiptoLocation.address.extenstionNo1	string	Extenstion No1 information
reqHeader.orderItems[*].shiptoLocation.address.extenstionNo2	string	Extenstion No2 information

reqHeader.orderItems[*].shiptoLocation.address.faxNo	string	Fax No information
reqHeader.orderItems[*].shiptoLocation.address.geoCode	string	Geo Code information
reqHeader.orderItems[*].shiptoLocation.address.isdCode	string	Isd Code information
reqHeader.orderItems[*].shiptoLocation.address.mobileNo	string	Mobile No information
reqHeader.orderItems[*].shiptoLocation.address.phoneNo1	string	Phone No1 information
reqHeader.orderItems[*].shiptoLocation.address.phoneNo2	string	Phone No2 information
reqHeader.orderItems[*].shiptoLocation.address.poBoxnumber	string	Po Boxnumber information
reqHeader.orderItems[*].shiptoLocation.address.zipCode	string	Zip Code information
reqHeader.orderItems[*].shiptoLocation.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.orderItems[*].shiptoLocation.address.countryInfo.countryCode	string	Country Code information
reqHeader.orderItems[*].shiptoLocation.address.countryInfo.countryName	string	Country Name information
reqHeader.orderItems[*].shiptoLocation.address.stateInfo	reqStateInfo	State Info information
reqHeader.orderItems[*].shiptoLocation.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information

reqHeader.orderItems[*].shiptoLocation.address.stateInfo.stateName	string	State Name information
reqHeader.orderItems[*].shiptoLocation.lob	reqLocationLob	Order-items[*].Shiptolocation Location.lob information
reqHeader.orderItems[*].shiptoLocation.lob.code	string	Order-items[*].Shiptolocation.Lob Location.lob.code information
reqHeader.orderItems[*].shiptoLocation.lob.name	string	Order-items[*].Shiptolocation.Lob Location.lob.name information
reqHeader.orderItems[*].shiptoLocation.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.orderItems[*].shiptoLocation.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.orderItems[*].shiptoLocation.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.orderItems[*].lineCustomAttributes	reqLineCustomAttributes	Linecustom Attributes information
reqHeader.orderItems[*].lineCustomAttributes.environmentFriendly	string	Environment Friendly information
reqHeader.orderItems[*].lineCustomAttributes.hCPID	string	Orderitems[*].Linecustomattributes CPID information
reqHeader.orderItems[*].lineCustomAttributes.eventID	string	Orderitems[*].Linecustomattributes ID information
reqHeader.orderItems[*].lineCustomAttributes.product	string	Orderitems[*].Linecustomattributes Attributes.product information
reqHeader.orderItems[*].lineCustomAttributes.uniqueLineRef	string	Uniqueline Ref information

reqHeader.orderItems[*].lineCustomAttributes.assetTaggingNumber	string	Assettagging Number information
reqHeader.orderItems[*].lineCustomAttributes.externalItemSource	string	Externalitem Source information
reqHeader.orderItems[*].lineCustomAttributes.leaseStartDate	Date	Leasestart Date information
reqHeader.orderItems[*].lineCustomAttributes.leaseEndDate	Date	Leaseend Date information
reqHeader.orderItems[*].lineCustomAttributes.allowAdvances	string	Allow Advances information
reqHeader.orderItems[*].lineCustomAttributes.advancePercentage	string	Advance Percentage information
reqHeader.orderItems[*].lineCustomAttributes.advanceAmount	string	Advance Amount information
reqHeader.orderItems[*].lineCustomAttributes.advanceReleaseDate	string	Advancerelease Date information
reqHeader.orderItems[*].lineCustomAttributes.storageBin	string	Storage Bin information
reqHeader.orderItems[*].lineCustomAttributes.goodsRecipient	string	Goods Recipient information
reqHeader.orderItems[*].lineCustomAttributes.unloadingPoint	string	Unloading Point information
reqHeader.orderItems[*].lineCustomAttributes.localReferenceNumber	string	Localreference Number information
reqHeader.orderItems[*].lineCustomAttributes.sourceReference	string	Source Reference information
reqHeader.orderItems[*].lineCustomAttributes.poText	string	Po Text information



reqHeader.orderItems[*].lineCustomAttributes.localReferenceField	string	Localreference Field information
reqHeader.orderItems[*].lineCustomAttributes.usExportControlClassifNo	string	Usexportcontrolclassif No information
reqHeader.orderItems[*].lineCustomAttributes.localContentPercentage	string	Localcontent Percentage information
reqHeader.orderItems[*].lineCustomAttributes.subledger	string	Orderitems[*].Linecustomattributes Attributes.subledger information
reqHeader.orderItems[*].lineCustomAttributes.itemCrossReference	string	Itemcross Reference information
reqHeader.orderItems[*].lineCustomAttributes.vabComment	string	Vab Comment information
reqHeader.orderItems[*].lineCustomAttributes.requestedDate	Date/Time	Requested Date information
reqHeader.orderItems[*].lineCustomAttributes.storageLocation	globalCodeEntity	Storage Location information
reqHeader.orderItems[*].lineCustomAttributes.storageLocation.name	string	Orderitems[*].Linecustomattributes.Storageelocation Location.name information
reqHeader.orderItems[*].lineCustomAttributes.storageLocation.code	string	Orderitems[*].Linecustomattributes.Storageelocation Location.code information
reqHeader.orderItems[*].lineCustomAttributes.serialFlag	globalCodeEntity	Serial Flag information
reqHeader.orderItems[*].lineCustomAttributes.serialFlag.name	string	Orderitems[*].Linecustomattributes.Serialflag Flag.name information

reqHeader.orderItems[*].lineCustomAttributes.serialFlag.code	string	Orderitems[*].Linecustomattributes.Serialflag Flag.code information
reqHeader.orderItems[*].lineCustomAttributes.batchFlag	globalCodeEntity	Batch Flag information
reqHeader.orderItems[*].lineCustomAttributes.batchFlag.name	string	Orderitems[*].Linecustomattributes.Batchflag Flag.name information
reqHeader.orderItems[*].lineCustomAttributes.batchFlag.code	string	Orderitems[*].Linecustomattributes.Batchflag Flag.code information
reqHeader.orderItems[*].lineCustomAttributes.dropoffLocation	globalCodeEntity	Dropoff Location information
reqHeader.orderItems[*].lineCustomAttributes.dropoffLocation.name	string	Orderitems[*].Linecustomattributes.Dropofflocation Location.name information
reqHeader.orderItems[*].lineCustomAttributes.dropoffLocation.code	string	Orderitems[*].Linecustomattributes.Dropofflocation Location.code information
reqHeader.orderItems[*].lineCustomAttributes.storageConditions	globalCodeEntity	Storage Conditions information
reqHeader.orderItems[*].lineCustomAttributes.storageConditions.name	string	Orderitems[*].Linecustomattributes.Storageconditions Conditions.name information
reqHeader.orderItems[*].lineCustomAttributes.storageConditions.code	string	Orderitems[*].Linecustomattributes.Storageconditions Conditions.code information

reqHeader.orderItems[*].line-CustomAttributes.taFlag	globalCodeEntity	Ta Flag information
reqHeader.orderItems[*].line-CustomAttributes.taFlag.name	string	Orderitems[*].Line-customattributes.Taflag Flag.name information
reqHeader.orderItems[*].line-CustomAttributes.taFlag.code	string	Orderitems[*].Line-customattributes.Taflag Flag.code information
reqHeader.orderItems[*].line-CustomAttributes.pmiFlag	globalCodeEntity	Pmi Flag information
reqHeader.orderItems[*].line-CustomAttributes.pmi-Flag.name	string	Orderitems[*].Line-customattributes.Pmiflag Flag.name information
reqHeader.orderItems[*].line-CustomAttributes.pmi-Flag.code	string	Orderitems[*].Line-customattributes.Pmiflag Flag.code information
reqHeader.orderItems[*].line-CustomAttributes.qaCodes	globalCodeEntity	Qa Codes information
reqHeader.orderItems[*].line-CustomAttributes.qaCodes.name	string	Orderitems[*].Line-customattributes.Qacodes Codes.name information
reqHeader.orderItems[*].line-CustomAttributes.qaCodes.code	string	Orderitems[*].Line-customattributes.Qacodes Codes.code information
reqHeader.orderItems[*].line-CustomAttributes.expeditepriority	globalCodeEntity	Orderitems[*].Line-customattributes Attributes.expeditepriority information
reqHeader.orderItems[*].line-CustomAttributes.expeditepriority.name	string	Orderitems[*].Line-customattributes.Expeditepriority Attributes.expeditepriority.name information

reqHeader.orderItems[*].lineCustomAttributes.expeditepriority.code	string	Orderitems[*].Linecustomattributes.Expeditepriority Attributes.expeditepriority.code information
reqHeader.orderItems[*].lineCustomAttributes.originatingSystem	globalCodeEntity	Originating System information
reqHeader.orderItems[*].lineCustomAttributes.originatingSystem.name	string	Orderitems[*].Linecustomattributes.Originatingsystem System.name information
reqHeader.orderItems[*].lineCustomAttributes.originatingSystem.code	string	Orderitems[*].Linecustomattributes.Originatingsystem System.code information
reqHeader.orderItems[*].lineCustomAttributes.exportLicenseCode	globalCodeEntity	Exportlicense Code information
reqHeader.orderItems[*].lineCustomAttributes.exportLicenseCode.name	string	Orderitems[*].Linecustomattributes.Exportlicensecode Code.name information
reqHeader.orderItems[*].lineCustomAttributes.exportLicenseCode.code	string	Orderitems[*].Linecustomattributes.Exportlicensecode Code.code information
reqHeader.orderItems[*].lineCustomAttributes.specialClassificationCode	globalCodeEntity	Specialclassification Code information
reqHeader.orderItems[*].lineCustomAttributes.specialClassificationCode.name	string	Orderitems[*].Linecustomattributes.Specialclassificationcode Code.name information
reqHeader.orderItems[*].lineCustomAttributes.specialClassificationCode.code	string	Orderitems[*].Linecustomattributes.Specialclassificationcode Code.code information

reqHeader.orderItems[*].lineCustomAttributes.landedCostRule	globalCodeEntity	Landedcost Rule information
reqHeader.orderItems[*].lineCustomAttributes.landedCostRule.name	string	Orderitems[*].Linecustomattributes.Landedcostrule Rule.name information
reqHeader.orderItems[*].lineCustomAttributes.landedCostRule.code	string	Orderitems[*].Linecustomattributes.Landedcostrule Rule.code information
reqHeader.orderItems[*].lineCustomAttributes.incoterm	globalCodeEntity	Orderitems[*].Linecustomattributes Attributes.incoterm information
reqHeader.orderItems[*].lineCustomAttributes.incoterm.name	string	Orderitems[*].Linecustomattributes.Incoterm Attributes.incoterm.name information
reqHeader.orderItems[*].lineCustomAttributes.incoterm.code	string	Orderitems[*].Linecustomattributes.Incoterm Attributes.incoterm.code information
reqHeader.orderItems[*].lineCustomAttributes.ncmCode	globalCodeEntity	Ncm Code information
reqHeader.orderItems[*].lineCustomAttributes.ncmCode.name	string	Orderitems[*].Linecustomattributes.Ncmcode Code.name information
reqHeader.orderItems[*].lineCustomAttributes.ncmCode.code	string	Orderitems[*].Linecustomattributes.Ncmcode Code.code information
reqHeader.orderItems[*].lineCustomAttributes.materialUsage	globalCodeEntity	Material Usage information

reqHeader.orderItems[*].lineCustomAttributes.materialUsage.name	string	Orderitems[*].Linecustomattributes.Materialusage Usage.name information
reqHeader.orderItems[*].lineCustomAttributes.materialUsage.code	string	Orderitems[*].Linecustomattributes.Materialusage Usage.code information
reqHeader.orderItems[*].lineCustomAttributes.materialOrigin	globalCodeEntity	Material Origin information
reqHeader.orderItems[*].lineCustomAttributes.materialOrigin.name	string	Orderitems[*].Linecustomattributes.Materialorigin Origin.name information
reqHeader.orderItems[*].lineCustomAttributes.materialOrigin.code	string	Orderitems[*].Linecustomattributes.Materialorigin Origin.code information
reqHeader.orderItems[*].lineCustomAttributes.materialCategory	globalCodeEntity	Material Category information
reqHeader.orderItems[*].lineCustomAttributes.materialCategory.name	string	Orderitems[*].Linecustomattributes.Materialcategory Category.name information
reqHeader.orderItems[*].lineCustomAttributes.materialCategory.code	string	Orderitems[*].Linecustomattributes.Materialcategory Category.code information
reqHeader.orderItems[*].lineCustomAttributes.litaxExplCode	globalCodeEntity	Litaxexpl Code information
reqHeader.orderItems[*].lineCustomAttributes.litaxExplCode.name	string	Orderitems[*].Linecustomattributes.Litaxexplcode Code.name information

reqHeader.orderItems[*].lineCustomAttributes.litaxExplCode.code	string	Orderitems[*].Linecustomattributes.Litaxexplcode Code.code information
reqHeader.orderItems[*].lineCustomAttributes.lipurchasingTaxable	globalCodeEntity	Lipurchasing Taxable information
reqHeader.orderItems[*].lineCustomAttributes.lipurchasingTaxable.name	string	Orderitems[*].Linecustomattributes.Lipurchasing-taxable Taxable.name information
reqHeader.orderItems[*].lineCustomAttributes.lipurchasingTaxable.code	string	Orderitems[*].Linecustomattributes.Lipurchasing-taxable Taxable.code information
reqHeader.orderItems[*].lineCustomAttributes.withholdingTaxCodeVoucherAbCatcode7	globalCodeEntity	Withholdingtaxcodevoucherab Catcode7 information
reqHeader.orderItems[*].lineCustomAttributes.withholdingTaxCodeVoucherAbCatcode7.name	string	Orderitems[*].Linecustomattributes.Withholdingtaxcodevoucherabcatcode Catcode7.name information
reqHeader.orderItems[*].lineCustomAttributes.withholdingTaxCodeVoucherAbCatcode7.code	string	Orderitems[*].Linecustomattributes.Withholdingtaxcodevoucherabcatcode Catcode7.code information
reqHeader.orderItems[*].lineCustomAttributes.litaxratearea	globalCodeEntity	Orderitems[*].Linecustomattributes Attributes.litaxratearea information
reqHeader.orderItems[*].lineCustomAttributes.litaxratearea.name	string	Orderitems[*].Linecustomattributes.Attributes.litaxratearea.name information

reqHeader.orderItems[*].lineCustomAttributes.litaxratearea.code	string	Orderitems[*].Linecustomattributes.Litaxratearea Attributes.litaxratearea.code information
reqHeader.orderItems[*].lineCustomAttributes.oboApprovalOnOrder	globalCodeEntity	Oboapprovalon Order information
reqHeader.orderItems[*].lineCustomAttributes.oboApprovalOnOrder.name	string	Orderitems[*].Linecustomattributes.Oboapprovalonorder Order.name information
reqHeader.orderItems[*].lineCustomAttributes.oboApprovalOnOrder.code	string	Orderitems[*].Linecustomattributes.Oboapprovalonorder Order.code information
reqHeader.orderItems[*].lineCustomAttributes.valuationType	globalCodeEntity	Valuation Type information
reqHeader.orderItems[*].lineCustomAttributes.valuationType.name	string	Orderitems[*].Linecustomattributes.Valuationtype Type.name information
reqHeader.orderItems[*].lineCustomAttributes.valuationType.code	string	Orderitems[*].Linecustomattributes.Valuationtype Type.code information
reqHeader.orderItems[*].lineCustomAttributes.changeRequisition	globalCodeEntity	Change Requisition information
reqHeader.orderItems[*].lineCustomAttributes.changeRequisition.name	string	Orderitems[*].Linecustomattributes.Changerequisition Requisition.name information
reqHeader.orderItems[*].lineCustomAttributes.changeRequisition.code	string	Orderitems[*].Linecustomattrib-



		utes.Changerequisition Requisition.code information
reqHeader.orderItems[*].lineCustomAttributes.qaCode	globalCodeEntity	Qa Code information
reqHeader.orderItems[*].lineCustomAttributes.qaCode[*].name	string	Orderitems[*].Linecustomattributes.Qacode Code[*].name information
reqHeader.orderItems[*].lineCustomAttributes.qaCode[*].code	string	Orderitems[*].Linecustomattributes.Qacode Code[*].code information
reqHeader.orderItems[*].lineVersionDetails	reqLineVersionDetails	Lineversion Details information
reqHeader.orderItems[*].lineVersionDetails.prevChangeReqLineNumber	string	Prevchangereqline Number information
reqHeader.orderItems[*].lineVersionDetails.isLineUpdated	Boolean	Isline Updated information
reqHeader.orderItems[*].lineVersionDetails.isNewLine	Boolean	Isnew Line information
reqHeader.orderItems[*].lineVersionDetails.isCancel	Boolean	Is Cancel information
reqHeader.orderItems[*].lineVersionDetails.rootLineId	string	Rootline Id information
reqHeader.orderItems[*].lineVersionDetails.parentLineId	string	Parentline Id information
reqHeader.orderItems[*].lineVersionDetails.prevOrder	reqOrderLink	Prev Order information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.documentNumber	string	Document Number information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.documentId	string	Document Id information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.lineNumber	string	Line Number information

reqHeader.orderItems[*].lineVersionDetails.prevOrder.url	string	Orderitems[*].Lineversiondetails.Preorder Order.url information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.orderedQtyOrPrice	Decimal Number	Orderedqtyor Price information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.operationType	string	Operation Type information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.lineStatusName	string	Linestatus Name information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.lineStatusCode	string	Linestatus Code information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.versionNo	string	Version No information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.acceptedQuantity	Decimal Number	Accepted Quantity information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.documentStatus	string	Document Status information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.documentStatusCode	Integer Number	Documentstatus Code information
reqHeader.orderItems[*].lineVersionDetails.prevOrder.interfaceStatus	string	Interface Status information
reqHeader.orderItems[*].contractSponsor	user	Contract Sponsor information
reqHeader.orderItems[*].contractSponsor.userId	string	User Id information
reqHeader.orderItems[*].contractSponsor.contactCode	string	Contact Code information
reqHeader.orderItems[*].contractSponsor.firstName	string	First Name information
reqHeader.orderItems[*].contractSponsor.lastName	string	Last Name information
reqHeader.orderItems[*].contractSponsor.fullName	string	Full Name information

reqHeader.orderItems[*].contractSponsor.emailAddress	string	Email Address information
reqHeader.orderItems[*].contractSponsor.clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].contractSponsor.stakeholderType	Integer Number	Stakeholder Type information
reqHeader.orderItems[*].rfxReference	reqRFXReference	Rfx Reference information
reqHeader.orderItems[*].rfxReference.rfxDocumentId	string	Rfxdocument Id information
reqHeader.orderItems[*].rfxReference.rfxUrl	string	Rfx Url information
reqHeader.orderItems[*].rfxReference.rfxDocumentNumber	string	Rfxdocument Number information
reqHeader.orderItems[*].rfxReference.rfxProjectId	string	Rfxproject Id information
reqHeader.orderItems[*].rfxReference.rfxlineNumber	string	Rfxline Number information
reqHeader.orderItems[*].orderReference	reqOrderLink	Order Reference information
reqHeader.orderItems[*].orderReference[*].documentNumber	string	Document Number information
reqHeader.orderItems[*].orderReference[*].documentId	string	Document Id information
reqHeader.orderItems[*].orderReference[*].lineNumber	string	Line Number information
reqHeader.orderItems[*].orderReference[*].url	string	Orderitems[*].Orderreference Reference[*].url information
reqHeader.orderItems[*].orderReference[*].orderedQtyOrPrice	Decimal Number	Orderedqtyor Price information
reqHeader.orderItems[*].orderReference[*].operationType	string	Operation Type information

reqHeader.orderItems[*].orderReference[*].lineStatusName	string	Linestatus Name information
reqHeader.orderItems[*].orderReference[*].lineStatusCode	string	Linestatus Code information
reqHeader.orderItems[*].orderReference[*].versionNo	string	Version No information
reqHeader.orderItems[*].orderReference[*].acceptedQuantity	Decimal Number	Accepted Quantity information
reqHeader.orderItems[*].orderReference[*].documentStatus	string	Document Status information
reqHeader.orderItems[*].orderReference[*].documentStatusCode	Integer Number	Documentstatus Code information
reqHeader.orderItems[*].orderReference[*].interfaceStatus	string	Interface Status information
reqHeader.orderItems[*].taxItems	taxItem	Tax Items information
reqHeader.orderItems[*].taxItems[*].code	string	Orderitems[*].Tax-items Items[*].code information
reqHeader.orderItems[*].taxItems[*].description	string	Orderitems[*].Tax-items Items[*].description information
reqHeader.orderItems[*].taxItems[*].percent	Decimal Number	Orderitems[*].Tax-items Items[*].percent information
reqHeader.orderItems[*].taxItems[*].value	Decimal Number	Orderitems[*].Tax-items Items[*].value information
reqHeader.orderItems[*].orderCurrencyInfo	reqCurrencyInfo	Ordercurrency Info information
reqHeader.orderItems[*].orderCurrencyInfo.code	string	Orderitems[*].Ordercurrencyinfo Info.code information
reqHeader.orderItems[*].orderCurrencyInfo.name	string	Orderitems[*].Ordercurrencyinfo Info.name information

reqHeader.orderItems[*].basicDetails	reqLineBasicDetails	Basic Details information
reqHeader.orderItems[*].basicDetails.createdOn	Date/Time	Created On information
reqHeader.orderItems[*].basicDetails.purchaseType	purchaseType	Purchase Type information
reqHeader.orderItems[*].basicDetails.purchaseType.code	string	Order-items[*].Basicdetails.Purchasetype Type.code information
reqHeader.orderItems[*].basicDetails.purchaseType.name	string	Order-items[*].Basicdetails.Purchasetype Type.name information
reqHeader.orderItems[*].basicDetails.purchaseType.description	string	Order-items[*].Basicdetails.Purchasetype Type.description information
reqHeader.orderItems[*].basicDetails.purchaseType.clientCode	string	Client Code information
reqHeader.orderItems[*].basicDetails.purchaseType.metaData	reqPurchaseTypeMetadata	Meta Data information
reqHeader.orderItems[*].basicDetails.purchaseType.metaData.purchaseTypeLevel	string	Purchasetype Level information
reqHeader.orderItems[*].basicDetails.documentLobDetails	orgDetail	Documentlob Details information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].entityDetailCode	Long Number	Entitydetail Code information

reqHeader.orderItems[*].basicDetails.documentLobDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].entityDetailInfo	string	Entitydetail Info information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].lobName	string	Lob Name information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].displayName	string	Display Name information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentEntityDetailCode	Long Number	Parententitydetail Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentEntity	string	Parent Entity information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentEntityCode	string	Parententity Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].lobCode	string	Lob Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].lobEntityDetailCode	Long Number	Lobentitydetail Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].accountDisplayName	string	Accountdisplay Name information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails	parentDetails	Parent Details information

reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails[*].entityName	string	Entity Name information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails[*].level	Integer Number	Order-items[*].Basicdetails.Documentlobdetails[*].ParentdetailsDetails[*].level information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails[*].entityCode	string	Entity Code information
reqHeader.orderItems[*].basicDetails.documentLobDetails[*].parentDetails[*].entityType	string	Entity Type information
reqHeader.orderItems[*].groupDetails	reqOrderItemGroups	Group Details information
reqHeader.orderItems[*].groupDetails.reqOrderItems_requisitionNumberLine	string	Reqorderitems_Reqquisitionnumber Line information
reqHeader.orderItems[*].groupDetails.groupName	string	Group Name information
reqHeader.orderItems[*].groupDetails.recommendedAction	string	Recommended Action information
reqHeader.orderItems[*].groupDetails.userAction	string	User Action information
reqHeader.orderItems[*].groupDetails.confidence	Integer Number	Order-items[*].GroupdetailsDetails.confidence information

reqHeader.orderItems[*].groupDetails.isDeleted	Boolean	Is Deleted information
reqHeader.orderItems[*].groupDetails.root_id	string	Root Details.root_id information
reqHeader.orderItems[*].groupDetails.parent_id	string	Parent Details.parent_id information
reqHeader.orderItems[*].groupDetails.auditFields	syshistory	Audit Fields information
reqHeader.orderItems[*].groupDetails.auditFields.createdBy	string	Created By information
reqHeader.orderItems[*].groupDetails.auditFields.createdDateTime	Date/Time	Createddate Time information
reqHeader.orderItems[*].groupDetails.auditFields.modifiedBy	string	Modified By information
reqHeader.orderItems[*].groupDetails.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
reqHeader.orderItems[*].stakeholders	reqStakeholders	Stake Holders information
reqHeader.orderItems[*].stakeholders[*].userId	string	User Id information
reqHeader.orderItems[*].stakeholders[*].contactCode	string	Contact Code information
reqHeader.orderItems[*].stakeholders[*].firstName	string	First Name information
reqHeader.orderItems[*].stakeholders[*].lastName	string	Last Name information
reqHeader.orderItems[*].stakeholders[*].fullName	string	Full Name information
reqHeader.orderItems[*].stakeholders[*].emailAddress	string	Email Address information



reqHeader.orderItems[*].stakeholders[*].clientContactCode	string	Clientcontact Code information
reqHeader.orderItems[*].stakeholders[*].stakeholderTypeInfo	string	Stakeholdertype Info information
reqHeader.orderItems[*].stakeholders[*].stakeholderType	Integer Number	Stakeholder Type information
reqHeader.orderItems[*].stakeholders[*].emailId	string	Email Id information
reqHeader.orderItems[*].stakeholders[*].groupName	string	Group Name information
reqHeader.orderItems[*].lineCurrencyInfo	reqCurrencyInfo	Linecurrency Info information
reqHeader.orderItems[*].lineCurrencyInfo.code	string	Orderitems[*].Linecurrencyinfo Info.code information
reqHeader.orderItems[*].lineCurrencyInfo.name	string	Orderitems[*].Linecurrencyinfo Info.name information
reqHeader.orderItems[*].auditFields	syshistory	Audit Fields information
reqHeader.orderItems[*].auditFields.createdBy	string	Created By information
reqHeader.orderItems[*].auditFields.createdDateTime	Date/Time	Createddate Time information
reqHeader.orderItems[*].auditFields.modifiedBy	string	Modified By information
reqHeader.orderItems[*].auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
reqHeader.orderItems[*].contract	reqContract	Orderitems[*].contract information
reqHeader.orderItems[*].contract.contractNumber	string	Contract Number information
reqHeader.orderItems[*].contract.contractName	string	Contract Name information
reqHeader.orderItems[*].contract.contractExpiryDate	Date/Time	Contractexpiry Date information

reqHeader.orderItems[*].contract.contractValue	Decimal Number	Contract Value information
reqHeader.orderItems[*].contract.smartPartnerCode	Integer Number	Smartpartner Code information
reqHeader.orderItems[*].contract.isSmartContract	Boolean	Issmart Contract information
reqHeader.orderItems[*].contract.isMigrated	Boolean	Is Migrated information
reqHeader.orderItems[*].contract.effectiveDate	Date/Time	Effective Date information
reqHeader.orderItems[*].spendContract	reqSpendContract	Spend Contract information
reqHeader.orderItems[*].spendContract.contractNumber	string	Contract Number information
reqHeader.orderItems[*].spendContract.contractName	string	Contract Name information
reqHeader.orderItems[*].spendContract.contractExpiryDate	Date/Time	Contractexpiry Date information
reqHeader.orderItems[*].spendContract.contractValue	Decimal Number	Contract Value information
reqHeader.orderItems[*].spendContract.smartPartnerCode	Integer Number	Smartpartner Code information
reqHeader.orderItems[*].spendContract.isSmartContract	Boolean	Issmart Contract information
reqHeader.orderItems[*].spendContract.isMigrated	Boolean	Is Migrated information
reqHeader.orderItems[*].spendContract.effectiveDate	Date/Time	Effective Date information
reqHeader.orderItems[*].incoterms	incotermCodeDescription	Orderitems Items[*].incoterms information
reqHeader.orderItems[*].incoterms.code	string	Orderitems[*].Incoterms Items[*].incoterms.code information

reqHeader.orderItems[*].inco-terms.description	string	Orderitems[*].Inco-terms Items[*].inco-terms.description in-formation
reqHeader.orderItems[*].ship-FromLocation	reqLocation	Shipfrom Location information
reqHeader.orderItems[*].ship-FromLocation.addressCode	string	Address Code infor- mation
reqHeader.orderItems[*].ship-FromLocation.allowFor- FutureReference	Boolean	Allowforfuture Refer- ence information
reqHeader.orderItems[*].ship-FromLocation.contactEmail	string	Contact Email infor- mation
reqHeader.orderItems[*].ship-FromLocation.contactName	string	Contact Name infor- mation
reqHeader.orderItems[*].ship-FromLocation.contactPhone	string	Contact Phone infor- mation
reqHeader.orderItems[*].ship-FromLocation.coordinates	string	Orderitems[*].Ship- fromlocation Loca- tion.coordinates in- formation
reqHeader.orderItems[*].ship-FromLocation.isActive	Boolean	Is Active information
reqHeader.orderItems[*].ship-FromLocation.isActiveVersion	Boolean	Isactive Version in- formation
reqHeader.orderItems[*].ship-FromLocation.isAdhoc	Boolean	Is Adhoc information
reqHeader.orderItems[*].ship-FromLocation.isDefault	Boolean	Is Default infor- mation
reqHeader.orderItems[*].ship-FromLocation.locationId	string	Location Id infor- mation
reqHeader.orderItems[*].ship-FromLocation.locationName	string	Location Name infor- mation
reqHeader.orderItems[*].ship-FromLocation.locationNumber	string	Location Number in- formation

reqHeader.orderItems[*].shipFromLocation.locationType	Integer Number	Location Type information
reqHeader.orderItems[*].shipFromLocation.taxJurisdictionCode	string	Taxjurisdiction Code information
reqHeader.orderItems[*].shipFromLocation.version	Integer Number	Orderitems[*].Shipfromlocation Location.version information
reqHeader.orderItems[*].shipFromLocation.defaultOrgEntity	string	Defaultorg Entity information
reqHeader.orderItems[*].shipFromLocation.saveForMe	Boolean	Savefor Me information
reqHeader.orderItems[*].shipFromLocation.contactCode	string	Contact Code information
reqHeader.orderItems[*].shipFromLocation.adhocAddedAtLine	Boolean	Adhocaddedat Line information
reqHeader.orderItems[*].shipFromLocation.address	reqAddressInfo	Orderitems[*].Shipfromlocation Location.address information
reqHeader.orderItems[*].shipFromLocation.address.addressline1	string	Orderitems[*].Shipfromlocation.Address Location.address.addressline1 information
reqHeader.orderItems[*].shipFromLocation.address.addressline2	string	Orderitems[*].Shipfromlocation.Address Location.address.addressline2 information
reqHeader.orderItems[*].shipFromLocation.address.addressline3	string	Orderitems[*].Shipfromlocation.Address Location.address.addressline3 information
reqHeader.orderItems[*].shipFromLocation.address.areaCode	string	Area Code information
reqHeader.orderItems[*].shipFromLocation.address.city	string	Orderitems[*].Shipfromlocation.Ad-

		dress Location.ad- dress.city infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.county	string	Orderitems[*].Ship- fromlocation.Ad- dress Location.ad- dress.county infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.displa- yAddress	string	Display Address in- formation
reqHeader.orderItems[*].ship- FromLocation.address.exten- sionNo1	string	Extension No1 infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.exten- sionNo2	string	Extension No2 infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.faxNo	string	Fax No information
reqHeader.orderItems[*].ship- FromLocation.address.geo- Code	string	Geo Code infor- mation
reqHeader.orderItems[*].ship- FromLocation.ad- dress.isdCode	string	Isd Code information
reqHeader.orderItems[*].ship- FromLocation.address.mo- bileNo	string	Mobile No infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.pho- neNo1	string	Phone No1 infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.pho- neNo2	string	Phone No2 infor- mation
reqHeader.orderItems[*].ship- FromLocation.ad- dress.poBoxnumber	string	Po Boxnumber infor- mation
reqHeader.orderItems[*].ship- FromLocation.address.zip- Code	string	Zip Code information

reqHeader.orderItems[*].shipFromLocation.address.countryInfo	reqCountryInfo	Country Info information
reqHeader.orderItems[*].shipFromLocation.address.countryInfo.countryCode	string	Country Code information
reqHeader.orderItems[*].shipFromLocation.address.countryInfo.countryName	string	Country Name information
reqHeader.orderItems[*].shipFromLocation.address.stateInfo	reqStateInfo	State Info information
reqHeader.orderItems[*].shipFromLocation.address.stateInfo.stateAbbreviationCode	string	Stateabbreviation Code information
reqHeader.orderItems[*].shipFromLocation.address.stateInfo.stateName	string	State Name information
reqHeader.orderItems[*].shipFromLocation.lob	reqLocationLob	Orderitems[*].Shipfromlocation Location.lob information
reqHeader.orderItems[*].shipFromLocation.lob.code	string	Orderitems[*].Shipfromlocation.Lob Location.lob.code information
reqHeader.orderItems[*].shipFromLocation.lob.name	string	Orderitems[*].Shipfromlocation.Lob Location.lob.name information
reqHeader.orderItems[*].shipFromLocation.orgEntity	reqLocationOrgEntity	Org Entity information
reqHeader.orderItems[*].shipFromLocation.orgEntity[*].orgEntityDetailCode	string	Orgentitydetail Code information
reqHeader.orderItems[*].shipFromLocation.orgEntity[*].orgEntityDetailName	string	Orgentitydetail Name information
reqHeader.headerCustomAttributes	reqHeaderCustomAttributes	Headercustom Attributes information
reqHeader.headerCustomAttributes.originatingSystemURL	string	Originating URL information

reqHeader.headerCustomAttributes.cAPEXID	string	Headercustomattributes APEXID information
reqHeader.headerCustomAttributes.pOLegacyNumber	string	Polegacy Number information
reqHeader.headerCustomAttributes.requisitionLegacyNumber	string	Requisitionlegacy Number information
reqHeader.headerCustomAttributes.pRautosubmitQuickCheckout	Enumeration	Prautosubmitquick Checkout information
reqHeader.headerCustomAttributes.originatingSystemName	Enumeration	Originatingsystem Name information
reqHeader.headerCustomAttributes.leaseitemdelivered	Enumeration	Headercustomattributes Attributes.leaseitemdelivered information
reqHeader.headerCustomAttributes.intercompanyOrderType	Enumeration	Intercompanyorder Type information
reqHeader.headerCustomAttributes.autoFlip	Enumeration	Auto Flip information
reqHeader.headerCustomAttributes.doyouhaveaquotefromthesupplier	Enumeration	Headercustomattributes Attributes.doyouhaveaquotefromthesupplier information
reqHeader.headerCustomAttributes.leaseRepaymentFrequency	Enumeration	Leaserepayment Frequency information
reqHeader.headerCustomAttributes.maximooutagetaprojectNumber	string	Maximooutagetaproject Number information
reqHeader.headerCustomAttributes.localReferenceNumber	string	Localreference Number information
reqHeader.headerCustomAttributes.externalId	string	External Id information
reqHeader.headerCustomAttributes.deliveryInstructions1	string	Delivery Instructions1 information

reqHeader.headerCustomAttributes.deliveryInstructions2	string	Delivery Instructions2 information
reqHeader.headerCustomAttributes.retainage	string	Headercustomattributes Attributes.retainage information
reqHeader.headerCustomAttributes.prioritycriticality	string	Headercustomattributes Attributes.prioritycriticality information
reqHeader.headerCustomAttributes.equipmentTag	string	Equipment Tag information
reqHeader.headerCustomAttributes.assetId	string	Asset Id information
reqHeader.headerCustomAttributes.ocsgNumber	string	Ocsg Number information
reqHeader.headerCustomAttributes.outageTa	globalCodeEntity	Outage Ta information
reqHeader.headerCustomAttributes.outageTa.name	string	Headercustomattributes.OutageTa.name information
reqHeader.headerCustomAttributes.outageTa.code	string	Headercustomattributes.OutageTa.code information
reqHeader.headerCustomAttributes.projectDescription	globalCodeEntity	Project Description information
reqHeader.headerCustomAttributes.projectDescription.name	string	Headercustomattributes.Projectdescription Description.name information
reqHeader.headerCustomAttributes.projectDescription.code	string	Headercustomattributes.Projectdescription Description.code information
reqHeader.headerCustomAttributes.reasonForPlacement	globalCodeEntity	Reasonfor Placement information
reqHeader.headerCustomAttributes.reasonForPlacement.name	string	Headercustomattributes.Reasonforplacement Placement.name information



reqHeader.headerCustomAttributes.reasonForPlacement.code	string	HeaderCustomAttributes.Reasonforplacement Placement.code information
reqHeader.headerCustomAttributes.expeditepriority	globalCodeEntity	HeaderCustomAttributes.Attributes.expeditepriority information
reqHeader.headerCustomAttributes.expeditepriority.name	string	HeaderCustomAttributes.Expeditepriority Attributes.expeditepriority.name information
reqHeader.headerCustomAttributes.expeditepriority.code	string	HeaderCustomAttributes.Expeditepriority Attributes.expeditepriority.code information
reqHeader.headerCustomAttributes.technicalQuery	globalCodeEntity	Technical Query information
reqHeader.headerCustomAttributes.technicalQuery.name	string	HeaderCustomAttributes.Technicalquery Query.name information
reqHeader.headerCustomAttributes.technicalQuery.code	string	HeaderCustomAttributes.Technicalquery Query.code information
reqHeader.headerCustomAttributes.originatingSystem	globalCodeEntity	Originating System information
reqHeader.headerCustomAttributes.originatingSystem.name	string	HeaderCustomAttributes.Originatingsystem System.name information
reqHeader.headerCustomAttributes.originatingSystem.code	string	HeaderCustomAttributes.Originatingsystem System.code information
reqHeader.headerCustomAttributes.poDestination	globalCodeEntity	Po Destination information
reqHeader.headerCustomAttributes.poDestination.name	string	HeaderCustomAttributes.Podestination Destination.name information

reqHeader.headerCustomAttributes.poDestination.code	string	Headercustomattributes.Podestination Destination.code information
reqHeader.headerCustomAttributes.transportation	globalCodeEntity	Headercustomattributes.Attributes.transportation information
reqHeader.headerCustomAttributes.transportation.name	string	Headercustomattributes.Transportation Attributes.transportation.name information
reqHeader.headerCustomAttributes.transportation.code	string	Headercustomattributes.Transportation Attributes.transportation.code information
reqHeader.headerCustomAttributes.localuse	globalCodeEntity	Headercustomattributes.Attributes.localuse information
reqHeader.headerCustomAttributes.localuse.name	string	Headercustomattributes.Localuse Attributes.localuse.name information
reqHeader.headerCustomAttributes.localuse.code	string	Headercustomattributes.Localuse Attributes.localuse.code information
reqHeader.headerCustomAttributes.afepr	globalCodeEntity	Headercustomattributes.Attributes.afepr information
reqHeader.headerCustomAttributes.afepr.name	string	Headercustomattributes.Afepr Attributes.afepr.name information
reqHeader.headerCustomAttributes.afepr.code	string	Headercustomattributes.Afepr Attributes.afepr.code information
reqHeader.headerCustomAttributes.vabReview	globalCodeEntity	Vab Review information
reqHeader.headerCustomAttributes.vabReview.name	string	Headercustomattributes.Vabreview Review.name information

reqHeader.headerCustomAttributes.vabReview.code	string	Headercustomattributes.Vabreview Review.code information
reqHeader.headerCustomAttributes.poaApproval	globalCodeEntity	Poa Approval information
reqHeader.headerCustomAttributes.poaApproval.name	string	Headercustomattributes.Poaapproval Approval.name information
reqHeader.headerCustomAttributes.poaApproval.code	string	Headercustomattributes.Poaapproval Approval.code information
reqHeader.headerCustomAttributes.oboApprovalOnOrder	globalCodeEntity	Oboapprovalon Order information
reqHeader.headerCustomAttributes.oboApprovalOnOrder.name	string	Headercustomattributes.Oboapprovalonorder Order.name information
reqHeader.headerCustomAttributes.oboApprovalOnOrder.code	string	Headercustomattributes.Oboapprovalonorder Order.code information
reqHeader.headerCustomAttributes.derivedItemSource	globalCodeEntity	Deriveditem Source information
reqHeader.headerCustomAttributes.derivedItemSource.name	string	Headercustomattributes.Deriveditem-source Source.name information
reqHeader.headerCustomAttributes.derivedItemSource.code	string	Headercustomattributes.Deriveditem-source Source.code information
reqHeader.headerCustomAttributes.poaApprovals	globalCodeEntity	Poa Approvals information
reqHeader.headerCustomAttributes.poaApprovals.name	string	Headercustomattributes.Poaapprovals Approvals.name information
reqHeader.headerCustomAttributes.poaApprovals.code	string	Headercustomattributes.Poaapprovals Approvals.code information

reqHeader.headerCustomAttributes.reqLineChange-Required	globalCodeEntity	Reqlinechange Required information
reqHeader.headerCustomAttributes.reqLineChange-Required.name	string	Headercustomattributes.Reqlinechange-required Required.name information
reqHeader.headerCustomAttributes.reqLineChange-Required.code	string	Headercustomattributes.Reqlinechange-required Required.code information
reqHeader.headerCustomAttributes.reqHeaderExpediter	orgDetail	Reqheader Expediter information
reqHeader.headerCustomAttributes.reqHeaderExpediter.entityCode	string	Entity Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.entityDetailCode	Long Number	Entitydetail Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.entityName	string	Entity Name information
reqHeader.headerCustomAttributes.reqHeaderExpediter.entityDetailInfo	string	Entitydetail Info information
reqHeader.headerCustomAttributes.reqHeaderExpediter.entityType	string	Entity Type information
reqHeader.headerCustomAttributes.reqHeaderExpediter.lobName	string	Lob Name information
reqHeader.headerCustomAttributes.reqHeaderExpediter.displayName	string	Display Name information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentEntityDetailCode	Long Number	Parententitydetail Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentEntity	string	Parent Entity information

reqHeader.headerCustomAttributes.reqHeaderExpediter.parentEntityCode	string	Parententity Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.lobCode	string	Lob Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.lobEntityDetailCode	Long Number	Lobentitydetail Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.accountDisplayName	string	Accountdisplay Name information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails	parentDetails	Parent Details information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails[*].entityName	string	Entity Name information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails[*].level	Integer Number	Headercustomattributes.Regheaderexpediter.Parentdetails Details[*].level information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails[*].entityCode	string	Entity Code information
reqHeader.headerCustomAttributes.reqHeaderExpediter.parentDetails[*].entityType	string	Entity Type information
reqHeader.budgetDetails	reqBudget	Budget Details information
reqHeader.budgetDetails.documentID	string	Budgetdetails ID information
reqHeader.budgetDetails.documentName	string	Document Name information
reqHeader.budgetDetails.amountConsumed	Decimal Number	Amount Consumed information

reqHeader.budgetDetails.availableAmount	Decimal Number	Available Amount information
reqHeader.budgetDetails.endDate	string	End Date information
reqHeader.budgetDetails.orgEntityDetailCode	Integer Number	Orgentitydetail Code information
reqHeader.budgetDetails.startDate	string	Start Date information
reqHeader.budgetDetails.totalAmount	Decimal Number	Total Amount information
reqHeader.budgetDetails.documentType	string	Document Type information
reqHeader.budgetDetails.documentNumber	string	Document Number information
reqHeader.budgetDetails.documentRootId	string	Documentroot Id information
reqHeader.stakeholders	reqStakeholders	Stake Holders information
reqHeader.stakeholders[*].userId	string	User Id information
reqHeader.stakeholders[*].contactCode	string	Contact Code information
reqHeader.stakeholders[*].firstName	string	First Name information
reqHeader.stakeholders[*].lastName	string	Last Name information
reqHeader.stakeholders[*].fullName	string	Full Name information
reqHeader.stakeholders[*].emailAddress	string	Email Address information
reqHeader.stakeholders[*].clientContactCode	string	Clientcontact Code information
reqHeader.stakeholders[*].stakeholderTypeInfo	string	Stakeholdertype Info information
reqHeader.stakeholders[*].stakeholderType	Integer Number	Stakeholder Type information
reqHeader.stakeholders[*].emailId	string	Email Id information
reqHeader.stakeholders[*].groupName	string	Group Name information
reqHeader.auditFields	syshistory	Audit Fields information
reqHeader.auditFields.createdBy	string	Created By information

reqHeader.auditFields.createdDateTime	Date/Time	Createddate Time information
reqHeader.auditFields.modifiedBy	string	Modified By information
reqHeader.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
splitTypeEnableDisable.auditFields	syshistory	Audit Fields information
splitTypeEnableDisable.auditFields.createdBy	string	Created By information
splitTypeEnableDisable.auditFields.createdDateTime	Date/Time	Createddate Time information
splitTypeEnableDisable.auditFields.modifiedBy	string	Modified By information
splitTypeEnableDisable.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
lineLevelFieldsRetainabilityByPurchaseType.auditFields	syshistory	Audit Fields information
lineLevelFieldsRetainabilityByPurchaseType.auditFields.createdBy	string	Created By information
lineLevelFieldsRetainabilityByPurchaseType.auditFields.createdDateTime	Date/Time	Createddate Time information
lineLevelFieldsRetainabilityByPurchaseType.auditFields.modifiedBy	string	Modified By information
lineLevelFieldsRetainabilityByPurchaseType.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
reqSubmitLog.auditFields	syshistory	Audit Fields information
reqSubmitLog.auditFields.createdBy	string	Created By information
reqSubmitLog.auditFields.createdDateTime	Date/Time	Createddate Time information
reqSubmitLog.auditFields.modifiedBy	string	Modified By information
reqSubmitLog.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
customFieldsVisibility.auditFields	syshistory	Audit Fields information
customFieldsVisibility.auditFields.createdBy	string	Created By information

customFieldsVisibility.auditFields.createdDateTime	Date/Time	Createddate Time information
customFieldsVisibility.auditFields.modifiedBy	string	Modified By information
customFieldsVisibility.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
lineToLineFieldsEditability.auditFields	syshistory	Audit Fields information
lineToLineFieldsEditability.auditFields.createdBy	string	Created By information
lineToLineFieldsEditability.auditFields.createdDateTime	Date/Time	Createddate Time information
lineToLineFieldsEditability.auditFields.modifiedBy	string	Modified By information
lineToLineFieldsEditability.auditFields.modifiedDateTime	Date/Time	Modifieddate Time information
reqComment.commentAttachment	string	Comment Attachment information
reqComment.commentText	string	Comment Text information
reqLocationMetadata.allowForFutureReference	string	Allowforfuture Reference information
reqLocationMetadata.saveForMe	string	Savefor Me information
reqLocationMetadata.isDeleted	Boolean	Is Deleted information
reqCerBudget.documentID	string	Docu ID information
reqCerBudget.documentName	string	Document Name information
reqCerBudget.documentNumber	string	Document Number information
reqCerBudget.amountConsumed	Decimal Number	Amount Consumed information
reqCerBudget.availableAmount	Decimal Number	Available Amount information
reqCerBudget.endDate	string	End Date information
reqCerBudget.orgEntityDetailCode	Integer Number	Orgentitydetail Code information
reqCerBudget.startDate	string	Start Date information
reqCerBudget.totalAmount	Decimal Number	Total Amount information
reqCerBudget.documentType	string	Document Type information



reqCerBudget.onBehalfOf	user	Onbehalf Of information
reqCerBudget.onBehalfOf.userId	string	User Id information
reqCerBudget.onBehalfOf.contactCode	string	Contact Code information
reqCerBudget.onBehalfOf.firstName	string	First Name information
reqCerBudget.onBehalfOf.lastName	string	Last Name information
reqCerBudget.onBehalfOf.fullName	string	Full Name information
reqCerBudget.onBehalfOf.emailAddress	string	Email Address information
reqCerBudget.onBehalfOf.clientContactCode	string	Clientcontact Code information
reqCerBudget.onBehalfOf.stakeholderType	Integer Number	Stakeholder Type information
reqEmfBudget.onBehalfOf	user	Onbehalf Of information
reqEmfBudget.onBehalfOf.userId	string	User Id information
reqEmfBudget.onBehalfOf.contactCode	string	Contact Code information
reqEmfBudget.onBehalfOf.firstName	string	First Name information
reqEmfBudget.onBehalfOf.lastName	string	Last Name information
reqEmfBudget.onBehalfOf.fullName	string	Full Name information
reqEmfBudget.onBehalfOf.emailAddress	string	Email Address information
reqEmfBudget.onBehalfOf.clientContactCode	string	Clientcontact Code information
reqEmfBudget.onBehalfOf.stakeholderType	Integer Number	Stakeholder Type information
reqCerBudget.createdBy	user	Created By information
reqCerBudget.createdBy.userId	string	User Id information
reqCerBudget.createdBy.contactCode	string	Contact Code information
reqCerBudget.createdBy.firstName	string	First Name information

reqCerBudget.createdBy.lastName	string	Last Name information
reqCerBudget.createdBy.fullName	string	Full Name information
reqCerBudget.createdBy.emailAddress	string	Email Address information
reqCerBudget.createdBy.clientContactCode	string	Clientcontact Code information
reqCerBudget.createdBy.stakeholderType	Integer Number	Stakeholder Type information
reqEmfBudget.createdBy	user	Created By information
reqEmfBudget.createdBy.userId	string	User Id information
reqEmfBudget.createdBy.contactCode	string	Contact Code information
reqEmfBudget.createdBy.firstName	string	First Name information
reqEmfBudget.createdBy.lastName	string	Last Name information
reqEmfBudget.createdBy.fullName	string	Full Name information
reqEmfBudget.createdBy.emailAddress	string	Email Address information
reqEmfBudget.createdBy.clientContactCode	string	Clientcontact Code information
reqEmfBudget.createdBy.stakeholderType	Integer Number	Stakeholder Type information
reqCerBudget.currency	reqCurrencyInfo	Curr Budget.currency information
reqCerBudget.currency.code	string	Currency Budget.currency.code information
reqCerBudget.currency.name	string	Currency Budget.currency.name information
reqEmfBudget.currency	reqCurrencyInfo	Curr Budget.currency information
reqEmfBudget.currency.code	string	Currency Budget.currency.code information

reqEmfBudget.currency.name	string	Currency Budget.currency.name information
reqEmfBudget.documentNumber	string	Document Number information
reqEmfBudget.amountConsumed	Decimal Number	Amount Consumed information
reqEmfBudget.totalAmount	Decimal Number	Total Amount information
reqEmfBudget.endDate	string	End Date information
reqEmfBudget.startDate	string	Start Date information
reqEmfBudget.availableAmount	Decimal Number	Available Amount information
reqEmfBudget.documentName	string	Document Name information
reqEmfBudget.documentType	string	Document Type information
reqEmfBudget.documentID	string	Docu ID information
reqEmfBudget.orgEntityDetailCode	Integer Number	Orgentitydetail Code information
uOM.clientCode	string	
uOM.sourceSystem	string	
uOM.isActive	Boolean	
uOM.code	string	U OM code informations
uOM.description	string	U OM description informations
uOM.decimalPrecision	Integer Number	
uOM.standardCode	string	
uOM.uomType	string	
uOM.allowDecimalValue	Boolean	Allowdecimal Value information
uOM.isDefault	Boolean	
uOM.createdBy	string	
uOM.createdOn	Date/Time	
uOM.modifiedBy	string	
uOM.modifiedOn	Date/Time	
language.clientCode	string	Language clientCode informations

language.sourceSystem	string	Language sourceSystem informations
language.isActive	Boolean	Language isActive informations
language.code	string	Co de information
language.displayName	string	Language display-Name informations
language.preferenceOrder	Integer Number	Language preferenceOrder informations
language.isDefault	Boolean	Language isDefault informations
language.createdBy	string	Language createdBy informations
language.createdOn	Date/Time	Language createdOn informations
language.modifiedBy	string	Language modifiedBy informations
language.modifiedOn	Date/Time	Language modifiedOn informations
country.clientCode	string	Country clientCode informations
country.sourceSystem	string	Country sourceSystem informations
country.isActive	Boolean	Country isActive informations
country.code	string	Co de information
country.name	string	Na me information
country.preferenceOrder	Integer Number	Country preference-Order informations
country.defaultLanguageCode	string	Defaultlanguage Code information
country.isdCode	string	Country isdCode informations
country.languageCodes	string	Country language-Codes informations
country.isDefault	Boolean	Country isDefault informations
country.cultureCode	string	Country culture-Code informations
country.displayCode	string	Country displayCode informations

country.createdBy	string	Country createdBy informations
country.createdOn	Date/Time	Country createdOn informations
country.modifiedBy	string	Country modifiedBy informations
country.modifiedOn	Date/Time	Country modifiedOn informations
country.defaultCurrency	string	Country defaultCurrency informations
country.mappingCurrencies	string	Country mappingCurrencies informations
currencyExchangeRate.clientCode	string	Client Code information
currencyExchangeRate.sourceSystem	string	Source System information
currencyExchangeRate.isActive	Boolean	Is Active information
currencyExchangeRate.fromCurrencyCode	string	Fromcurrency Code information
currencyExchangeRate.targetCurrencyCode	string	Targetcurrency Code information
currencyExchangeRate.exchangeRate	Integer Number	Exchange Rate information
currencyExchangeRate.effectiveDate	Date/Time	Effective Date information
currencyExchangeRate.isDefault	Boolean	Is Default information
currencyExchangeRate.createdBy	string	Created By information
currencyExchangeRate.createdOn	Date/Time	Created On information
currencyExchangeRate.modifiedBy	string	Modified By information
currencyExchangeRate.modifiedOn	Date/Time	Modified On information
category.classification	string	Classification information
category.specification	string	Specification information
category.level	Integer Number	Level information
category.name	string	Name information

category.clientCode	string	Category clientCode informations
category.parentClientCode	string	Parentclient Code information
category.gpnClientCode	string	Gpnclient Code information
category.isActive	Boolean	Category isActive informations
category.isDefault	Boolean	Category isDefault informations
category.description	string	Description information
category.parentId	Integer Number	Category parentId informations
category.imageUrl	string	Category imageUrl informations
category.id	Integer Number	id information
splitTypeEnableDisable.isDeleted	Boolean	Is Deleted information
splitTypeEnableDisable.fieldName	string	Field Name information
splitTypeEnableDisable.purchaseTypeCode	string	Purchasetype Code information
splitTypeEnableDisable.lobCode	string	Lob Code information
splitTypeEnableDisable.isEditable	Boolean	Is Editable information
lineLevelFieldsRetainabilityByPurchaseType.isDeleted	Boolean	Is Deleted information
lineLevelFieldsRetainabilityByPurchaseType.purchaseType	string	Purchase Type information
lineLevelFieldsRetainabilityByPurchaseType.fieldName	string	Field Name information
lineLevelFieldsRetainabilityByPurchaseType.isRetainable	Boolean	Is Retainable information
lineLevelFieldsRetainabilityByPurchaseType.lineType	string	Line Type information
globalCodes.clientCode	string	Client Code information
globalCodes.sourceSystem	string	Source System information
globalCodes.isActive	Boolean	Is Active information

globalCodes.cultureCode	string	Culture Code information
globalCodes.displayCode	string	Display Code information
globalCodes.code	string	Global Codes code informations
globalCodes.parentCode	string	Parent Code information
globalCodes.name	string	Global Codes name informations
globalCodes.description	string	Global Codes description informations
globalCodes.codeType	string	Code Type information
globalCodes.lob	string	Global Codes lob informations
globalCodes.orgEntityDetail-Code	string	Orgentitydetail Code information
globalCodes.metaData	string	Meta Data information
globalCodes.childCount	Integer Number	Child Count information
globalCodes.startDate	Date/Time	Start Date information
globalCodes.endDate	Date/Time	End Date information
globalCodes.isDefault	Boolean	Is Default information
globalCodes.preferenceOrder	Integer Number	Preference Order information
globalCodes.createdOn	Date/Time	Created On information
globalCodes.createdBy	string	Created By information
globalCodes.modifiedOn	Date/Time	Modified On information
globalCodes.modifiedBy	string	Modified By information
globalCodes.ancestors	string	Global Codes ancestors informations
globalCodes.level	Integer Number	Global Codes level informations
globalCodes.customAttributes	customAttributes	Custom Attributes information

globalCodes.customAttributes[*].key	string	Customattributes Attributes[*].key information
globalCodes.customAttributes[*].value	string	Customattributes Attributes[*].value information
globalCodes.customAttributes[*].displayName	string	Display Name information
globalCodes.parentDetails	parentDetails	Parent Details information
globalCodes.parentDetails[*].entityDetailCode	Long Number	Entitydetail Code information
globalCodes.parentDetails[*].entityName	string	Entity Name information
globalCodes.parentDetails[*].level	Integer Number	Parentdetails Details[*].level information
globalCodes.parentDetails[*].entityCode	string	Entity Code information
globalCodes.parentDetails[*].entityType	string	Entity Type information
reqSubmitLog.documentId	string	Document Id information
reqSubmitLog.contactCode	string	Contact Code information
reqSubmitLog.submittedOn	Date/Time	Submitted On information
reqSubmitLog.action	string	Acti Log.action information
reqSubmitLog.isDeleted	Boolean	Is Deleted information
reasonForReplacement.code	string	Eplacement Replacement.code information
reasonForReplacement.name	string	Eplacement Replacement.name information
expeditePriority.code	string	Expedite Priority code informations
expeditePriority.name	string	Expedite Priority name informations



customFieldsVisibility.isDeleted	Boolean	Is Deleted information
customFieldsVisibility.fieldName	string	Field Name information
customFieldsVisibility.purchaseType	string	Purchase Type information
customFieldsVisibility.lobDetails	string	Lob Details information
customFieldsVisibility.isVisible	Boolean	Is Visible information
headerSupplier.legalCompanyName	string	Legalcompany Name information
headerSupplier.entityName	string	Entity Name information
headerSupplier.createdBy	string	Created By information
headerSupplier.primaryContactName	string	Primarycontact Name information
headerSupplier.partnerStatus	string	Partner Status information
headerSupplier.overallStatus	string	Overall Status information
headerSupplier.supplierManagerFirstName	string	Suppliermanagerfirst Name information
headerSupplier.sourceIdentificationNo	string	Sourceidentification No information
headerSupplier.partnerCode	string	Partner Code information
headerSupplier.smartPartnerCode	string	Smartpartner Code information
headerSupplier.isDiverseSupplier	string	Isdiverse Supplier information
lineToLineFieldsEditability.isDeleted	Boolean	Is Deleted information
lineToLineFieldsEditability.fieldName	string	Field Name information
lineToLineFieldsEditability.itemSource	string	Item Source information
lineToLineFieldsEditability.isEditable	Boolean	Is Editible information
lineToLineFieldsEditability.isFlexiblePricing	Boolean	Isflexible Pricing information
lineToLineFieldsEditability.docStatus	string	Doc Status information

sysFileAttachment.name	string	Na Attach- ment.name infor- mation
sysFileAttachment.path	string	Pa Attachment.path information
sysFileAttachment.identifier	File ID	Identifi Attach- ment.identifier infor- mation
sysFileAttachment.con- tentType	string	Content Type infor- mation
sysFileAttachment.size	Long Number	Si Attachment.size information
sysFileAttachment.extension	string	Extensi Attach- ment.extension in- formation

<b>Success / Error details</b>		
<b>Property</b>	<b>Data type</b>	<b>Description</b>
status	string	Status of API Response
totalRecords	number	Total Records of the response
documentNumber	string	Document number information
url	string	URL of the document
SourceSystemValue	string	Source System Information
errorDetails	Array	Error Information