

# SavePartnerDetails (POST)

## Overview

This POST API can be used to capture new additions in Partner Details from ERP into SMART by GEP, that can be used as reference in P2P transactions.

URL Format: <https://<Instance>/SmartBulkInterfaceAPI/api/Partner/PartnerDetails>

## Request

```
[
  {
    "gepPartnerCode": 0,
    "partnerCode": "string",
    "legalCompanyName": "string",
    "dunAndBradNumber": "string",
    "address": {
      "addressLine1": "String",
      "addressLine2": "String",
      "addressLine3": "String",
      "city": "string",
      "stateCode": "string",
      "stateOther": "string",
      "countryCode": "string",
      "zipCode": "string",
      "faxNo": "string",
      "phoneNo": "string",
      "phoneOther": "string",
      "phoneExtension": "string",
      "phoneOtherExtension": "string",
      "county": "string",
      "poBoxNumber": "string"
    }
  },
]
```

```
"companyIdentification": "string",
"yearOfEstablishment": 0,
"parentCompanyName": "string",
"companyWebsite": "string",
"isActive": true,
"isDeleted": true,
"partnerContact": [
  {
    "userName": "string",
    "gepContactCode": 0,
    "contactCode": "string",
    "partnerCode": "string",
    "address": {
      "addressLine1": "String",
      "addressLine2": "String",
      "addressLine3": "String",
      "city": "string",
      "stateCode": "string",
      "stateOther": "string",
      "countryCode": "string",
      "zipCode": "string",
      "faxNo": "string",
      "phoneNo": "string",
      "phoneOther": "string",
      "phoneExtension": "string",
      "phoneOtherExtension": "string",
      "county": "string",
      "poBoxNumber": "string"
    },
    "firstName": "string",
    "lastName": "string",
    "emailAddress": "string",
    "timeZone": "string",
    "locations": [
```

```
{
  "gepLocationCode": 0,
  "locationCode": " String ",
  "locationName": " String ",
  "address": {
    "addressLine1": "String",
    "addressLine2": "String",
    "addressLine3": "String",
    "city": "string",
    "stateCode": "string",
    "stateOther": "string",
    "countryCode": "string",
    "zipCode": "string",
    "faxNo": "string",
    "phoneNo": "string",
    "phoneOther": "string",
    "phoneExtension": "string",
    "phoneOtherExtension": "string",
    "county": "string",
    "poBoxNumber": "string"
  },
  "isDeleted": true,
  "locationType": [
    "None"
  ],
  "locationTypes": [
    "string"
  ],
  "partnerContact": [
    null
  ],
  "engagementModel": [
    {
      "entityCode": "string",

```

```
        "entityType": "string",
        "engagementType": [
            "string"
        ],
        "lobEntityCode": "string"
    }
],
"sourceSystemDetails": [
    {
        "name": " String ",
        "value": " String "
    }
],
"otherIdentificationTypes": [
    {
        "identificationType": "NONE",
        "identificationNumber": "string"
    }
],
"linkedLocationDetails": [
    {
        "linkedGEPLocationID": 0,
        "sourceSystemDetails": [
            {
                "name": "String",
                "value": "String"
            }
        ],
        "gepLocationID": 0,
        "locationCode": "String",
        "isDeleted": true
    }
],
"bankingStatus": "string",
```

```
"paymentMethod": "string",
"contactRole": [
  "string"
],
"isDefault": true,
"bankingInfo": [
  {
    "bankName": "string",
    "beneficiaryName": "string",
    "bankBranch": "string",
    "country": "string",
    "bankAccountNumber": "string",
    "swift_BIC": "string",
    "iban": "string",
    "bankKey_ABA": "string",
    "chipUid": "string",
    "accountTypeName": "string",
    "paymentMethodName": "string",
    "isDeleted": true,
    "fikCode": "string",
    "factoringCompanyName": "string",
    "factoringCompanyCVR": "string",
    "comments": "string"
  }
]
},
"isPrimary": true,
"isActive": true,
"isDeleted": true,
"userActivities": [
  {
    "activityName": "NONE"
  }
]
```

```
    ],
    "sourceSystemDetails": [
      {
        "name": "String",
        "value": "String"
      }
    ],
    "cultureCode": "string",
    "contactTrackingTypeName": [
      "string"
    ]
  }
],
"partnerLocations": [
  {
    "gepLocationCode": 0,
    "locationCode": "String",
    "locationName": "String",
    "address": {
      "addressLine1": "String",
      "addressLine2": "String",
      "addressLine3": "String",
      "city": "string",
      "stateCode": "string",
      "stateOther": "string",
      "countryCode": "string",
      "zipCode": "string",
      "faxNo": "string",
      "phoneNo": "string",
      "phoneOther": "string",
      "phoneExtension": "string",
      "phoneOtherExtension": "string",
      "county": "string",
      "poBoxNumber": "string"
    }
  }
]
```

```
},
"isDeleted": true,
"locationType": [
  "None"
],
"locationTypes": [
  "string"
],
"partnerContact": [
  null
],
"engagementModel": [
  {
    "entityCode": "string",
    "entityType": "string",
    "engagementType": [
      "string"
    ],
    "lobEntityCode": "string"
  }
],
"sourceSystemDetails": [
  {
    "name": "String",
    "value": "String"
  }
],
"otherIdentificationTypes": [
  {
    "identificationType": "NONE",
    "identificationNumber": "string"
  }
],
"linkedLocationDetails": [
```

```
{
  "linkedGEPLocationID": 0,
  "sourceSystemDetails": [
    {
      "name": "String",
      "value": "String"
    }
  ],
  "gepLocationID": 0,
  "locationCode": "String",
  "isDeleted": true
}
],
"bankingStatus": "string",
"paymentMethod": "string",
"contactRole": [
  "string"
],
"isDefault": true,
"bankingInfo": [
  {
    "bankName": "string",
    "beneficiaryName": "string",
    "bankBranch": "string",
    "country": "string",
    "bankAccountNumber": "string",
    "swift_BIC": "string",
    "iban": "string",
    "bankKey_ABA": "string",
    "chipUid": "string",
    "accountTypeName": "string",
    "paymentMethodName": "string",
    "isDeleted": true,
    "fikCode": "string",
```



```
        "factoringCompanyName": "string",
        "factoringCompanyCVR": "string",
        "comments": "string"
    }
]
},
"otherIdentificationTypes": [
    {
        "identificationType": "NONE",
        "identificationNumber": "string"
    }
],
"doingBusinessAs": "string",
"businessCriticality": "None",
"relationshipType": "None",
"goodsAndServices": [
    0
],
"categories": [
    {
        "pasCode": 0,
        "isDefault": true,
        "clientPasCode": "string",
        "isDeleted": true
    }
],
"regions": [
    "string"
],
"partnerManagers": [
    "string"
],
"businessUnits": [
```

```
    "string"
  ],
  "businessTypes": "None",
  "supportsPCARD": true,
  "currenciesSupported": [
    "string"
  ],
  "partnerStatus": "string",
  "diversityDetails": [
    {
      "diversityName": "string",
      "diversityDescription": "string",
      "certificateDetails": {
        "certificateName": "string",
        "certificateNumber": "string",
        "certificateType": "None",
        "issuingAuthority": "string",
        "effectiveDate": " String ",
        "expiryDate": " String ",
        "isDeleted": true,
        "typeOfCertificate": "string",
        "fileDetail": [
          {
            "fileName": "string",
            "fileData": "string",
            "fileExtn": "string",
            "isdeleted": true,
            "contentType": "string",
            "attachmentID": 0,
            "certificateID": 0
          }
        ]
      }
    }
  ]
}
```

```
],
"certifications": [
  {
    "certificateName": "string",
    "certificateNumber": "string",
    "certificateType": "None",
    "issuingAuthority": "string",
    "effectiveDate": " String ",
    "expiryDate": " String ",
    "isDeleted": true,
    "typeOfCertificate": "string",
    "fileDetail": [
      {
        "fileName": "string",
        "fileData": "string",
        "fileExtn": "string",
        "isdeleted": true,
        "contentType": "string",
        "attachmentID": 0,
        "certificateID": 0
      }
    ]
  }
],
"additionalInformation": [
  {
    "questionId": 0,
    "questionText": "string",
    "questionsResponseList": [
      {
        "responseValue": "string",
        "childQuestionList": [
          null
        ]
      }
    ]
  }
],
```

```
        "columnText": "string",
        "rowId": 0
    }
],
"isDeleted": true
}
],
"paymentTerms": [
    {
        "paymentTermName": "string",
        "isDefault": true,
        "paymentTermCode": "string",
        "orgEntities": [
            {
                "entityCode": "String",
                "isDefault": true,
                "entityType": "String",
                "lobEntityCode": "String"
            }
        ],
        "lobEntityCode": "string"
    }
],
"blockingReason": [
    "string"
],
"autoAcknowledgeOrder": "string",
"sourceType": "string",
"transactionTypes": [
    {
        "transactionTypeName": "string",
        "transactionMethod": "string",
        "clientPartnerCode": "string"
    }
]
```

```
],
"matchType": "string",
"normalizedName": "string",
"sourceSystemDetails": [
  {
    "name": " String ",
    "value": " String "
  }
],
"engagementType": [
  "string"
],
"isAllLocationORGMapped": true,
"isPreferredSupplier": true,
"businessType": "string",
"languagesSupported": [
  {
    "languageCode": "string",
    "languageDescription": "string"
  }
],
"shippingDetails": [
  {
    "lobEntityCode": "string",
    "fobCode": "string",
    "fobDescription": "string",
    "locationCode": "String",
    "locationDescription": "string",
    "orgEntities": [
      {
        "entityCode": "String",
        "isDefault": true,
        "entityType": "String",
        "lobEntityCode": "String"
      }
    ]
  }
]
```

```
        }
      ]
    }
  ],
  "orgEntities": [
    {
      "entityCode": " String ",
      "isDefault": true,
      "entityType": " String ",
      "lobEntityCode": " String "
    }
  ],
  "currencyOrgMapping": [
    {
      "currencyCode": "string",
      "orgEntities": [
        {
          "entityCode": " String ",
          "isDefault": true,
          "entityType": " String ",
          "lobEntityCode": "String"
        }
      ],
      "lobEntityCode": "string"
    }
  ],
  "sourceSystemName": "string",
  "dateModified": "String",
  "paymentType": "string",
  "isAllowCreateASN": true,
  "averageProfit": 0,
  "totalEmployees": 0,
  "partnerRiskTypeName": "string",
  "supplierApprovers": [
```

```
        "string"
    ],
    "formerlyKnownAs": [
        {
            "sequenceNumber": 0,
            "name": "string",
            "modifiedDate": "String",
            "isDeleted": true
        }
    ],
    "businessCriticalityName": "string",
    "partnerStatusHistory": "string",
    "partnerRelationshipTypeName": "string",
    "parentCompanyIdentificationType": "string",
    "parentCompanyIdentificationValue": "string"
}
]
```

## Response

```
{
    "statusCode": 202,
    "url": "String",
    "batchID": "String",
    "interval": 0,
    "interval Type": "Seconds",
    "receivedCount": 0
}
```

## Data Elements

Partner				
Property	Required?	Data type	Description	Validations/Exceptions
PartnerCode	Yes	String(100)	<b>Note:</b> Client Partner Code must be unique from the <CLIENT NAME> systems, so if there are duplicates within the service layer, the SSID will have to be appended to the Client Partner Code, and the resulting value will be ClientPartnerCode-SSID	<ul style="list-style-type: none"> <li>PartnerCode is mandatory</li> <li>Max length for PartnerCode is 100</li> </ul>
LegalCompanyName	Yes	String(100)	Legal company name of the partner Note: LegalCompanyName will also have the SSID appended due to name search  Example: "Grainger   LL012", "Grainger   JD001", "Grainger   CP001"	<ul style="list-style-type: none"> <li>Legal Company Name is mandatory</li> <li>Max length for LegalCompanyName is 100</li> </ul>
<a href="#">PartnerContact</a>	Yes	List of PartnerContact object	An array of partner contacts	
AutoAcknowledgeOrder	Yes	String	Auto Acknowledge Order of entity	<ul style="list-style-type: none"> <li>Invalid Auto Acknowledge Order</li> </ul>
GEPPartnerCode	No	Long	Unique ID for this Partner in GEP systems  This field is available only on outbound not on inbound	
DunAndBradNumber	No	String(20)	Dun and Brad Number of the partner	<ul style="list-style-type: none"> <li>Max length for DunAndBradNumber is 20</li> <li>Allow only Numeric value</li> </ul>
<a href="#">Address</a>	No	Address object	Address of partner's head quarters	
CompanyIdentification	No	String(30)	A string used to identify the partner	<ul style="list-style-type: none"> <li>Max length for CompanyIdentification is 30</li> </ul>
YearOfEstablishment	No	Int	The year of establishment of the partner	<ul style="list-style-type: none"> <li></li> </ul>
ParentCompanyName	No	String(100)	Parent company of the partner if any	<ul style="list-style-type: none"> <li>Max length for ParentCompanyName is 100</li> </ul>
CompanyWebsite	No	String(50)	Partner's website	<ul style="list-style-type: none"> <li>Max length for CompanyWebsite is 50</li> </ul>
IsActive	No	Boolean	Status of the partner if they are active or not	
IsDeleted	No	Boolean	Status of the partner if they are to be visible or not, on the application	
PartnerLocations	No	List of Location object	An array of locations where the partner operates	
<a href="#">OtherIdentificationTypes</a>	No	List of OtherIdentificationType object	Identification attribute to uniquely identify partner	
DoingBusinessAs	No	String	Name with which the partner conducts the business	



BusinessCriticality	No	String	One of the following values will be provided in this field; "None", "Critical", "High", "Medium" & "Low".  <b>Note:</b> The values in this field are case sensitive	
RelationshipType	No	RelationshipTypes object	One of the following values will be provided in this field; "None", "Partnership", "Strategic", "Standard", "Commodity".  <b>Note:</b> The values in this field are case sensitive	<ul style="list-style-type: none"> <li>Enum</li> </ul>
GoodsAndServices	No	List of long	An array of categories in which the partner supplies goods or services	
<a href="#">Categories</a>	No	List of PAS object	Check data type PAS for details	
Regions	No	List of string	An array of regions where the partner operates	
PartnerManagers	No	List of string	An array of partner managers	
BusinessUnits	No	List of string	An array of business units to which the partner is associated	
BusinessTypes	No	String	One of the following values will be provided in this field; "None", "PrivateAgency", "Government/Public Agency", "Manufacturer", "Producer", "Trader", "Contractor_Constant", "Distributor_Wholesaler", "Retailer", "SalesAgent_ManufacturersRepresentative", "ServiceProvider", "SystemIntegrator", "Transportation_Logistics", "Utilities", "ValueAddedReseller", "Other", "Sole Proprietor", "Partnership", "Corporation".  <b>Note:</b> The values in this field are case sensitive	
SupportsPCARD	No	Boolean	Boolean value whether partner supports PCARD or not	
CurrenciesSupported	No	List of string	An array of currencies that are supported by the partner	
PartnerStatus	No	String	Status of the partner on SMART by GEP platform	
<a href="#">DiversityDetails</a>	No	List of DiversityDetails object	An array of diversity details that are applicable to the partner	
<a href="#">Certifications</a>	No	List of Certificate object	An array of certificates that this partner has obtained  This field is available only on outbound not on inbound	

<a href="#">AdditionalInformation</a>	No	List of Question object	An array of questions and their responses, that are available in the partner profile  This field is available only on outbound not on inbound Check data type question for details	
<a href="#">PaymentTerms</a>	No	List of PaymentTerm object	An array of payment terms  This field is available only on outbound not on inbound	
BlockingReason	No	List of string	An array of strings which denote reasons for blocking this partner  This field is available only on outbound not on inbound	
SourceType	No	String	Source Type of entity	
<a href="#">TransactionTypes</a>	No	List of Transationtype object	Check data type TransationType for details	
MatchType	No	String	Match Type of entity	
NormalizedName	No	String(256)	Normalized name of the partner	<ul style="list-style-type: none"> <li>Max length is 256</li> </ul>
<a href="#">SourceSystemDetails</a>	No	List of SourceSystemDetails object	An array of strings that contain information on source systems of partner data	
EngagementType	No	List of string	Engagement Type of entity	
IsAllLocationORGMapped	No	Boolean		
IsPreferredSupplier	No	Boolean		
<a href="#">LanguagesSupported</a>	No	List of Language object	Check data type language for details	
<a href="#">ShippingDetails</a>	No	List of ShippingDetails object	Check data type ShippingDetails for details	
<a href="#">OrgEntities</a>	No	List of OrgEntity object	Check data type OrgEntity for details	
<a href="#">CurrencyOrgMapping</a>	No	List of Currency object	Check data type currency for details	
SourceSystemName	No	String	Source System Name of entity	
DateModified	No	DateTime	Date Modified for partner	
PaymentType	No	String	Payment Type of entity	<ul style="list-style-type: none"> <li>Invalid payment type</li> </ul>
IsAllowCreateASN	No	Boolean		
AverageProfit	No	Double	Average Profit	
TotalEmployees	No	Long	Total Employees of partner	
PartnerRiskTypeName	No	String	Name of Partner Risk Type	
SupplierApprovers	No	List of String	Supplier Approvers	

<a href="#">FormerlyKnownAs</a>	No	List of FormerlyKnownAs object	Check data type FormerlyKnownAs for details	
BusinessCriticalityName	No	String		
PartnerStatusHistory	No	String	Partner Status History	
PartnerRelationshipType Name	No	String	Name of Partner Relationship Type	<ul style="list-style-type: none"> <li>Invalid relationship type</li> </ul>
ParentCompanyIdentificationValue	No	String	Value of Parent Company Identification	
ParentCompanyIdentificationType	No	String	Type of Parent Company Identification	

<b>Address</b>				
<b>Property</b>	<b>Required?</b>	<b>Data type</b>	<b>Description</b>	<b>Validations/Exceptions</b>
AddressLine1	Yes	String (500)	Address line 1 of the entity	<ul style="list-style-type: none"> <li>AddressLine1 is mandatory</li> <li>Max length for AddressLine1 is 500</li> </ul>
CountryCode	Yes	String (2)	Country code of the entity	<ul style="list-style-type: none"> <li>CountryCode is mandatory</li> <li>Max length for CountryCode is 2</li> <li>Invalid Country</li> </ul>
StateCode	Yes	String (10)	State code of the entity	<ul style="list-style-type: none"> <li>StateCode is mandatory</li> <li>Max length for StateCode is 10</li> <li>Invalid State</li> </ul>
ZipCode	Yes	String (10)	Zip code of the entity	<ul style="list-style-type: none"> <li>ZipCode is mandatory</li> <li>Max length for ZipCode is 10</li> </ul>
AddressLine2	No	String	Address line 2 of the entity	<ul style="list-style-type: none"> <li>Max length for AddressLine2 is 500</li> </ul>
AddressLine3	No	String (100)	Address line 3 of the entity	<ul style="list-style-type: none"> <li>Max length for AddressLine3 is 100</li> </ul>
City	No	String (50)	City of the entity	<ul style="list-style-type: none"> <li>Max length for City is 50</li> </ul>
FaxNo	No	String (20)	Fax number of the entity	<ul style="list-style-type: none"> <li>Max length for FaxNo is 20</li> <li>Special characters and spaces are not allowed for Fax number except these +(-./)#@&amp;</li> </ul>
PhoneExtension	No	String (10)	Phone extension of the entity	<ul style="list-style-type: none"> <li>Max length for Phone extension is 10</li> </ul>
PhoneNo	No	String (50)	Phone number of the entity	<ul style="list-style-type: none"> <li>Max length for PhoneNo is 50</li> <li>Special characters and spaces are not allowed for Phone except these +(-./)#@&amp;</li> </ul>

PhoneOther	No	String (20)	Phone 2 of the entity	<ul style="list-style-type: none"> <li>Max length for PhoneOther is 20</li> <li>Special characters and spaces are not allowed for PhoneOther except these +(-./)#@&amp;</li> </ul>
PhoneOtherExtension	No	String (10)	Phone 2's extension of the entity	<ul style="list-style-type: none"> <li>Max length for Phone Other Extension is 10</li> </ul>
StateOther	No	String	State name (in case of others) of the entity	<ul style="list-style-type: none"> <li>Max length for State other is 50</li> </ul>
PoBoxNumber	No	String		
County	No	String (50)	County of the address	<ul style="list-style-type: none"> <li>Max length for County is 50</li> </ul>

<b>PartnerContact</b>				
<b>Property</b>	<b>Required?</b>	<b>Data type</b>	<b>Description</b>	<b>Validations/Exceptions</b>
ContactCode	Yes	String(100)	Contact code of the partner contact	<ul style="list-style-type: none"> <li>ContactCode is mandatory</li> <li>Max length for ContactCode is 100</li> </ul>
FirstName	Yes	String(50)	First name of the partner contact	<ul style="list-style-type: none"> <li>FirstName is mandatory</li> <li>Max length for FirstName is 50</li> <li>Special characters are not allowed for FirstName except these (@&amp;_#/.),'</li> </ul>
EmailAddress	Yes	String(100)	Email address of the partner contact	<ul style="list-style-type: none"> <li>Email Address is mandatory</li> <li>Max length for EmailAddress is 100</li> <li>Invalid Email Address</li> </ul>
UserName	No	String(100)	Username of the partner contact	<ul style="list-style-type: none"> <li>UserName is mandatory</li> <li>Max length for UserName is 100</li> <li>Special characters and spaces are not allowed for UserName (except these _.@-)</li> </ul>
GEPContactCode	No	Long	GEP contact code of the partner contact  This field is available only on outbound and not on inbound	
PartnerCode	No	String(100)	Partner code of the partner to which this contact belongs to	<ul style="list-style-type: none"> <li>Max length for PartnerCode is 100</li> </ul>
<a href="#">Address</a>	No	Address object	Check data type Address for details	<ul style="list-style-type: none"> <li></li> </ul>
LastName	No	String	Last name of the partner contact	<ul style="list-style-type: none"> <li>Max length for LastName is 30</li> <li>Special characters are not allowed for LastName except these (@&amp;_#/.),'</li> </ul>
TimeZone	No	String(100)	Partner code of the partner to which this contact belongs to	<ul style="list-style-type: none"> <li>Max length for Timezone is 100</li> <li>Invalid Timezone if time zone is invalid</li> </ul>
<a href="#">Locations</a>	No	List of Location object	Check data type Location for details	

IsPrimary	No	Boolean	Status of the partner contact if this contact is the primary contact or not	
IsActive	No	Boolean	Status of the partner contact if active or not	
IsDeleted	No	Boolean	Visibility status of the partner contact if visible on the application platform of not	
UserActivities	No	List of Activity object	Check data type Activity for details	
<a href="#">SourceSystemDetails</a>	No	List of SourceSystemDetails object	An array of strings that contain information on source systems of contact data	
CultureCode	No	String	Culture Code of partner	<ul style="list-style-type: none"> <li>Invalid Culture Code</li> </ul>
ContactTrackingTypeName	No	List of String	Contact Tracking Type Name	

Locations				
Property	Required?	Data type	Description	Validations/Exceptions
LocationCode	Yes	String	Location code of this location	<ul style="list-style-type: none"> <li>LocationCode is mandatory</li> <li>Max length for LocationCode is 50</li> </ul>
LocationName	Yes	String(100)	Name of this location	<ul style="list-style-type: none"> <li>LocationName is mandatory</li> <li>Max length for LocationName is 100</li> </ul>
GEPLocationCode	No	Long	GEP location code of the entity  This field is only available on outbound and not on inbound	
<a href="#">Address</a>	No	Address object	Check data type Address for details	
IsDeleted	No	Boolean	Visibility status of the entity on whether it should be visible on the application or not	
LocationType	No	LocationType is an Enum	An Array of location types. The list of location types that are available to select are as follows; "None", "RemitToLocation", "OrderingLocation", "SolicitationLocation", "InvoicingLocation", "Other"  <b>Note:</b> The values in this field are case sensitive	
LocationTypes	No	List of string		<ul style="list-style-type: none"> <li>Invalid Location Type</li> </ul>

<a href="#">PartnerContact</a>	No	List of PartnerContact object	Check data type PartnerContact for details  This field is only available on outbound and not on inbound	
<a href="#">EngagementModel</a>	No	List of EngagementEntityDetail object	Check data type EngagementEntityDetail for details	
<a href="#">SourceSystemDetails</a>	No	List of SourceSystemDetails object	An array of strings that contain information on source systems of location data	
<a href="#">OtherIdentificationTypes</a>	No	List of OtherIdentificationType object	Check data type OtherIdentificationType for Details	
<a href="#">LinkedLocationDetails</a>	No	List of LinkedLocationDetails object	Check data type LinkedLocationDetails for details	
BankingStatus	No	String		
PaymentMethod	No	String		
ContactRole	No	List of string	Any array of contact role	
IsDefault	No	Boolean	Status of location if this location is default or not	
<a href="#">BankingInfo</a>	No	List of PartnerBankingInformations object	Check data type PartnerBankingInformations for details	

<b>EngagementModel</b>				
<b>Property</b>	<b>Required?</b>	<b>Data type</b>	<b>Description</b>	<b>Validations/Exceptions</b>
EntityCode	No	String	Entity Code of entity	
EntityType	No	String	Entity type of entity	
EngagementType	No	List of String	Engagement Type of entity	
LobEntityCode	No	String	Lob Entity Code of entity	

<b>SourceSystemDetails</b>				
<b>Property</b>	<b>Required?</b>	<b>Data type</b>	<b>Description</b>	<b>Validations/Exceptions</b>
Name	Yes	String	Source system name	<ul style="list-style-type: none"> <li>Invalid Source System Name</li> </ul>
Value	Yes	String	Source system value	<ul style="list-style-type: none"> <li>Source System value is mandatory</li> </ul>

OtherIdentificationTypes				
Property	Required?	Data type	Description	Validations/Exceptions
IdentificationNumber	No	String(30)	Identification number of the entity	<ul style="list-style-type: none"> <li>• IdentificationNumber is mandatory</li> <li>• Max length for IdentificationNumber is 30</li> </ul>
IdentificationType	No	IdentificationType is an Enum	<p>One of the following values will be provided in this field; "NONE", "US_FEDERAL_TAX_ID_EIN_NUMBER", "SOCIAL_SECURITY_NUMBER", "VAT_REGISTRATION_NUMBER", "GST_QST_HST", "LEI", "SIC_CODE", "NACIS_CODE", "TIN_NUMBER".</p> <p><b>Note:</b> The values in this field are case sensitive</p>	

LinkedLocationDetails				
Property	Required?	Data type	Description	Validations/Exceptions
LinkedGEPLocationID	No	Long	GEP Linked Location Id	
<a href="#">SourceSystemDetails</a>	No	List of SourceSystemDetails object	Check data type SourceSystemDetails for details	
GEPLocationID	No	Long	GEP Location Id	
isDeleted	No	Boolean	Visibility status of the entity on whether it should be visible on the application or not	
LocationCode	No	String	Location code of linked location	

BankingInfo				
Property	Required?	Data type	Description	Validations/Exceptions
BankName	No	String	Bank Name of the entity	
BeneficiaryName	No	String	Beneficiary Name of the entity	
BankBranch	No	String	Bank Branch of the entity	
Country	No	String	Country name of the entity	
BankAccountNumber	No	String	Bank Account Number of the entity	
Swift_BIC	No	String		
IBAN	No	String		
BankKey_ABA	No	String		
ChipUid	No	String		
AccountTypeName	No	String	Account Type Name of entity	
PaymentMethodName	No	String	Payment Method Name	

IsDeleted	No	Boolean	Visibility status of the entity on whether it should be visible on the application or not	
FIKCode	No	String		
FactoringCompanyName	No	String	GEP Linked Location Id	
FactoringCompanyCVR	No	String		
Comments	No	String	Comments	

UserActivities				
Property	Required?	Data type	Description	Validations/Exceptions
UserActivity	No	String		

Categories				
Property	Required?	Data type	Description	Validations/Exceptions
PasCode	No	Long	Pas Code of entity	
IsDefault	No	Boolean	Status of the entity if this is default or not	
ClientPasCode	No	String	Client Pas Code of entity	<ul style="list-style-type: none"> <li>Invalid Client Pas Code</li> </ul>
IsDeleted	No	Boolean	Status of the entity on whether it should be visible on the application or not	

DiversityDetails				
Property	Required?	Data type	Description	Validations/Exceptions
DiversityName	Yes	String(2000)	Name of the diversity	<ul style="list-style-type: none"> <li>Diversity name is mandatory</li> <li>Max length for DiversityName is 2000</li> </ul>
DiversityDescription	No	String	Description of the diversity	
<a href="#">CertificateDetails</a>	No	Certificate object	Check <b>data type</b> Certificates for details This field is only available on outbound and not on inbound	

CertificateDetails				
Property	Required?	Data type	Description	Validations/Exceptions
CertificateName	Yes	String(100)	Name of the certificate	<ul style="list-style-type: none"> <li>CertificateName is mandatory</li> <li>Max length for CertificateName is 100</li> </ul>
CertificateNumber	Yes	String(100)	Number of the certificate	<ul style="list-style-type: none"> <li>CertificateNumber is mandatory</li> <li>Max length for CertificateNumber is 100</li> </ul>



CertificateType	Yes	CertificateType object	One of the following values will be provided in this field; "None", "Other", "COICertificateOfInsurance", "Diversity", "ISO_InternationalStandardizationOrganization", "PCI_PaymentCardIndustrySecurityStandardsReports", "RStamp", "SOC_ServiceOrganizationControlReports", "TQM_TotalQualityManagement". <b>Note:</b> The values in this field are case sensitive	<ul style="list-style-type: none"> <li>CertificateType is mandatory</li> <li>Invalid Certificate Type</li> </ul>
IssuingAuthority	Yes	String (100)	Organization or authority which issued this certificate	<ul style="list-style-type: none"> <li>IssuingAuthority is mandatory</li> <li>Max length for IssuingAuthority is 100</li> </ul>
EffectiveDate	No	dateTime	Date from when the certificate is effective	
ExpiryDate	No	dateTime	Date from when the certificate will expire	
TypeOfCertificate	No	String (100)	Certificate Type	
IsDeleted	No	Boolean	Status of the certificate	
<a href="#">FileDetail</a>	No	List of BZFileDetails object	Check data type BZFileDetails for details	

FileDetail				
Property	Required?	Data type	Description	Validations/Exceptions
FileName	No	String	File Name of entity	
FileData	No	Byte	File Data of entity	
FileExtn	No	String	File Extn of entity	
ContentType	No	String	Content Type of entity	
IsDeleted	No	Boolean	Visibility status of the entity on whether it should be visible on the application or not	
AttachmentID	No	Long	Attachment ID of entity	
CertificateID	No	Long	Attachment ID of entity	

AdditionalInformation				
Property	Required?	Data type	Description	Validations/Exceptions
QuestionText	No	String	Text of the question	

<a href="#">QuestionsResponseList</a>	No	List of QuestionResponse object	An array of question response	
QuestionId	No	Long	Id of question	
isDeleted	No	Boolean	Status of the entity if they are to be visible or not, on the application	

QuestionsResponseList				
Property	Required?	Data type	Description	Validations/Exceptions
ChildQuestionList	No	List of Question object	An array of child questions (if any) under this parent question	
ResponseValue	No	String	Response value that is available under a question	
ColumnText	No	String	Text of the column	
RowId	No	Long	Row Id	

PaymentTerms				
Property	Required?	Data type	Description	Validations/Exceptions
PaymentTermName	No	String	The name of the payment term	
IsDefault	No	Boolean	Status of the payment term if this payment term is default or not	
PaymentTermCode	No	String	The code of the payment term	
<a href="#">OrgEntities</a>	No	List of OrgEntity object	Check data type OrgEntity for details	
LobEntityCode	No	String	LobEntityCode of the payment term	

OrgEntities				
Property	Required?	Data type	Description	Validations/Exceptions
EntityCode	No	String	Entity Code of entity	<ul style="list-style-type: none"> <li>Invalid Entity Code</li> </ul>
IsDefault	No	Boolean	Status of the entity if this is default or not	
EntityType	No	String	Entity Type of entity	
LOBEntityCode	No	String	LOB Entity Code of entity	

TransactionTypes				
Property	Required?	Data type	Description	Validations/Exceptions
TransactionTypeName	No	String	Name of Transaction Type	

TransactionMethod	No	String	Method of Transaction	
ClientPartnerCode	No	String	Client Partner Code of transaction	

LanguagesSupported				
Property	Required?	Data type	Description	Validations/Exceptions
LanguageCode	No	String	Language Code of entity	<ul style="list-style-type: none"> <li>Invalid Language Details</li> </ul>
LanguageDescription	No	String	Language Description of entity	<ul style="list-style-type: none"> <li>Invalid Language Details</li> </ul>

ShippingDetails				
Property	Required?	Data type	Description	Validations/Exceptions
FOBCode	Yes	String	FOB Code for shipping	<ul style="list-style-type: none"> <li>Invalid FOB Code</li> </ul>
LocationCode	Yes	String	Location Code for shipping	<ul style="list-style-type: none"> <li>Invalid FOB Location Code</li> </ul>
FOBDescription	No	String	FOB Description for shipping	

CurrencyOrgMapping				
Property	Required?	Data type	Description	Validations/Exceptions
CurrencyCode	Yes	String		
<a href="#">OrgEntities</a>	No	List of OrgEntity object	Check data type OrgEntity for details	<ul style="list-style-type: none"> <li>Entity Code and Entity type is mandatory for currency or mapping</li> </ul>
LOBEntityCode	No	String		

FormerlyKnownAs				
Property	Required?	Data type	Description	Validations/Exceptions
SequenceNumber	No	Long	Sequence Number of entities	
Name	No	String	Name for formerly known as	
ModifiedDate	No	DateTime	Modified Date	
IsDeleted	No	Boolean	Status of the entity on whether it should be visible on the application or not	

## Examples

### Success Scenario - Request

Request below describes that this contains only the mandatory attributes:

```
[
{
  "PartnerCode": "9bc94945-d66f-42a6-84e3-9e6b0f226c5b",
  "LegalCompanyName": "LegalCompanyName1223333444555",
  "Address": {
    "AddressLine1": "REMARKABLES PARK",
    "City": "QUEENSTOWN",
    "CountryCode": "NZ",
    "FaxNo": "34423067",
    "PhoneNo": "34423045",
    "StateOther": "ZZ",
    "ZipCode": "00000"
  },
  "PartnerContact": [
    {
      "ContactCode": "00020019311@Supplier.com",
      "PartnerCode": "00020019311",
      "Address": {
        "AddressLine1": "-1_1",
        "City": "-1_1",
        "CountryCode": "NZ",
        "StateOther": "ZZZ",
        "ZipCode": "000001"
      },
      "FirstName": "FirstName1",
      "LastName": "LastName1",
      "EmailAddress": "sayanoly1@newworld-si.co.nz"
    }
  ],
  "PartnerLocations": [
    {
      "LocationCode": "0002001931_1-000200193111",
      "LocationName": "ayanoly WORLD WAKATIPU1",
    }
  ]
}
```

```
"Address": {
  "AddressLine1": "REMARKABLES PARK",
  "City": "QUEENSTOWN",
  "CountryCode": "NZ",
  "FaxNo": "34423067",
  "PhoneNo": "34423045",
  "StateOther": "ZZ",
  "ZipCode": "00000"
},
"IsDeleted": false,
"LocationType": [
  "OrderingLocation",
  "RemitToLocation"
],
"LocationTypes": null,
"PartnerContact": null,
"BankingStatus": "BankingStatus1",
"PaymentMethod": "PaymentMethod1"
}
],
"DoingBusinessAs": "DoingBusinessAs1",
"PartnerManagers": null,
"BusinessUnits": [
  "KENZ"
],
"CurrenciesSupported": [
  "CAD"
],
"PartnerStatus": "Approved",
"PaymentTerms": [
  {
    "PaymentTermCode": "NT30",
    "LOBEntityCode": "KAP-SAP"
  }
]
```

```
    ],  
    "SourceSystemDetails": [  
      {  
        "Name": "KAP-SAP",  
        "Value": "0002001931_1"  
      }  
    ]  
  }  
}
```

## Success Scenario - Response

```
{  
  "statusCode": 202,  
  "url": "https://<Instance>/SmartBulkInterfaceAPI/api/BulkResult/GetBulkResult?batchId=ac3e2c55f59c4394b2ae2f3840b2921a",  
  "batchID": "ac3e2c55f59c4394b2ae2f3840b2921a",  
  "interval": 60,  
  "interval Type": "Seconds",  
  "receivedCount": 10  
}
```

## Error Scenario - Request

Request below describes that a missing value of the Authorization Header which is mandatory: (401 – Unauthorized)

## Error Scenario - Response

Access to interface BulkAPI is denied, Authorization Header is missing.