

# GetAllBillToLocations (GET)

## Overview

This GET API can be used to retrieve Bill to Location details in SMART by GEP to post them in ERP.

URL Format: <https://<Instance>/SmartInterfaceAPI/api/BillToLocation/All>

## Request

<https://<Instance>/SmartInterfaceAPI/api/BillToLocation/All>

## Response

```
{
  "data": [
    {
      "billToLocationName": "String",
      "billToLocationNumber": "String",
      "addressLine1": "String",
      "addressLine2": "String",
      "addressLine3": "String",
      "city": "String",
      "stateCode": "String",
      "zip": "String",
      "countryCode": "String",
      "isDeleted": false,
      "isDefault": true,
      "stateOther": "String",
      "lobEntityCode": " String",
      "lstOrgEntity": [
```

```

        {
            "entityCode": "String",
            "isDefault": true,
            "entityType": " String",
            "lobEntityCode": " String"
        }
    ]
}
],
"statusCode": " String ",
"errorDetails": [
    {
        "key": "string",
        "errors": [
            {
                "errorCode": "string",
                "errorDescription": "string"
            }
        ]
    }
],
"successDetails": [
    {
        "key": "String"
    }
]
}

```

## Data Elements

Get all BillToLocations				
Property	Required?	Data type	Description	Validations/Exceptions
<a href="#">Data</a>		List of BillToLocation object		
StatusCode		String		

<a href="#">ErrorDetails</a>		List of ErrorModel object		
<a href="#">SuccessDetails</a>		List of SuccessModel object		

<a href="#">Data</a>				
Property	Required?	Data type	Description	Validations/Exceptions
BillToLocationName		String(100)	Name of this Bill To location	
BillToLocationNumber		String(100)	Number of this Bill To location	
AddressLine1		String(500)	Address line 1 of the entity	
AddressLine2		String(100)	Address line 2 of the entity	
AddressLine3		String(100)	Address line 3 of the entity	
City		String(50)	City of the entity	
StateCode		String(10)	State code of the entity	
Zip		String(10)	Zip code of the entity	
CountryCode		String(2)	Country code of the entity	
IsDeleted		Boolean	A flag used to denote if the Bill To location is the default Bill To location or not	
IsDefault		Boolean	A flag used to denote if the Ship To location is soft deleted or not	
StateOther		String	State which is different from the list of states provided	
LobEntityCode		String(100)	Line of Business Code for BillToLocation	
<a href="#">LstOrgEntity</a>		List of OrgEntity object	Check data type OrgEntity for details	

<a href="#">LstOrgEntity</a>				
Property	Required?	Data type	Description	Validations/Exceptions
EntityCode		String(100)	Entity Code of the entity	
IsDefault		Boolean	A flag used to denote if entity is the default or not	
EntityType		String(100)	Entity Type of the entity	
LobEntityCode		String(100)	Lob Entity Code of the entity	

<a href="#">ErrorDetails</a>				
Property	Required?	Data type	Description	Validations/Exceptions
Key		String		
<a href="#">Errors</a>		List of Error object		

<a href="#">Errors</a>				
Property	Required?	Data type	Description	Validations/Exceptions
ErrorCode		String		
ErrorDescription		String		

<a href="#">SuccessDetails</a>				
Property	Required?	Data type	Description	Validations/Exceptions
Key		String		

## Examples

### Success Scenario - Request

<https://<Instance>/SmartInterfaceAPI/api/BillToLocation/All>

### Success Scenario – Response

```
{
  "data": [
    {
      "billToLocationName": "GBS Center",
      "billToLocationNumber": "GUBR",
      "addressLine1": "PO Box 8881011",
      "addressLine2": "220 Lyon Street",
      "addressLine3": "CSBrew Market",
      "city": "Grand Rapids",
      "stateCode": "MI",
      "zip": "49588",
      "countryCode": "US",
      "isDeleted": false,
      "isDefault": true,
      "stateOther": " Texas "
    }
  ]
}
```

```
"lobEntityCode": " KNA-SAP ",
"lstOrgEntity": [
  {
    "entityCode": " GUBR ",
    "isDefault": true,
    "entityType": " Company Code ",
    "lobEntityCode": " KNA-SA "
  }
]
},
"statusCode": " 200 ",
"errorDetails": [
  {
    "key": "string",
    "errors": [
      {
        "errorCode": "string",
        "errorDescription": "string"
      }
    ]
  }
],
"successDetails": [
  {
    "key": "NCPR"
  }
]
}
```