

# UpdateContactInterfaceStatus (PUT)

## Overview

This PUT API can be used to capture updates in contact interface details from ERP into SMART by GEP, that can be used as a reference in P2P transactions.

URL Format: <https://<Instance>/SmartInterfaceAPI/api/Contact/ContactInterfaceStatus>

## Request

```
[
  {
    "clientContactCode": "String",
    "interfaceStatus": "String"
  }
]
```

## Response

```
{
  "data": {},
  "statusCode": "String",
  "errorDetails": [
    {
      "key": "string",
      "errors": [
        {
          "errorCode": "string",
          "errorDescription": "string"
        }
      ]
    }
  ]
}
```

```

    ]
  }
],
"successDetails": [
  {
    "key": "String"
  }
]
}

```

## Data Elements

Update Contact Interface Status					
S.No.	Property	Required?	Data type	Description	Validations/Exceptions
1	ClientContactCode	Yes	String	Contact Code of Client	<ul style="list-style-type: none"> <li>Client Contact Code is mandatory</li> </ul>
2	InterfaceStatus	Yes	String	Interface Status	<ul style="list-style-type: none"> <li>Interface Status is mandatory</li> </ul>

## Examples

### Success Scenario - Request

```

[
  {
    "clientContactCode": "CC-2017.023662",
    "interfaceStatus": "success"
  }
]

```

### Success Scenario – Response

```

{
  "data": null,

```

```
"statusCode": "200",
"errorDetails": [],
"successDetails": [
  {
    "key": "CC-2017.023662"
  }
]
```

## Error Scenario – Request

Request below describes that this is a missing value of the interfaceStatus which is the mandatory attribute:

```
[
  {
    "clientContactCode": "CC-2017.023662",
    "interfaceStatus": ""
  }
]
```

## Error Scenario – Response

```
{
  "data": null,
  "statusCode": "400",
  "errorDetails": [
    {
      "key": "Validation",
      "errors": [
        {
          "errorCode": "DataValidation",
          "errorDescription": "Interface Status is Mandatory"
        }
      ]
    }
  ]
}
```

```
    ]
  }
],
"successDetails": []
}
```